

INPFC DOCUMENT
Ser. No. 1521
Rev. No.
.....

北東太平洋で稼働した日本漁船の漁具明細
(1 9 7 1)

Vessel and Gear Specifications of the Japanese
fishery in the Northeast Pacific Ocean in 1971.

1 9 7 2 年 1 0 月

October 1 9 7 2

水 産 庁

Fisheries Agency of Japan

Table Vessel and specifications of the Japanese fishery
operated in the northeast Pacific Ocean in 1971.

Trawl fishery							
	Vessel			Gear			
	Gross tonnage (ton)	Power of engine (PS)	Type of vessel	Head rope length (m)	Ground rope length (m)	Mesh size of cod end (stretched) (cm)	Size of otter board (m)
1	314	1,200	Stern trawl	51	58	9.0	1.9 X 3.3
2	344	800	"	43	57	9.0	2.0 X 3.0
3	493	1,470	"	57	69	9.0	2.0 X 3.1
4	493	1,470	"	57	69	9.0	2.0 X 3.1
5	495	1,540	"	57	69	9.0	2.0 X 3.1
6	549	1,500	"	30	40	9.0	2.0 X 3.0
7	549	1,050	"	30	40	9.0	2.0 X 3.0
8	549	1,050	"	30	40	9.0	2.0 X 3.0
9	1,471	1,700	"	60	73	9.0	2.3 X 3.5
10	1,945	3,500	"	69	85	9.0	2.5 X 4.1
11	2,406	3,150	"	58	80	9.0	2.9 X 4.5
12	2,742	3,500	"	51	67	9.0	2.4 X 3.8
13	2,970	3,500	"	56	90	9.0	2.5 X 4.1
14	3,396	4,000	"	56	66	9.0	2.9 X 4.5
15	3,401	3,290	"	72	89	9.0	2.5 X 3.8
16	3,403	4,000	"	70	95	9.0	2.7 X 4.3
17	3,456	3,900	"	50	60	9.0	2.7 X 3.6
18	3,608	3,710	"	60	60	9.0	2.7 X 3.6
19	3,608	3,710	"	60	60	9.0	2.7 X 3.6
20	3,910	3,710	"	70	80	9.0	2.2 X 4.4
21	3,914	3,710	"	70	80	9.0	2.2 X 4.4
22	4,047	3,710	"	70	80	9.0	2.2 X 4.4
23	4,049	3,710	"	70	80	9.0	2.2 X 4.4
24	4,251	4,400	"	92	103	9.0	2.6 X 4.2
25	5,292	4,850	"	63	102	9.0	3.2 X 5.0

Blackcod setline fishery

	Vessel		Gear							Bait
	Gross tonnage (ton)	Power of engine (PS)	Ground line				Gangion			
			Length per hachi (m)	Material	Diameter (mm)	Number of hooks per hachi	Length (m)	Material	Size of hook	
1	299	580	65	Chemical	12	42	1.3	Chemical	18	Frozen squid
2	370	900	75	"	8	35	1.3	"	20	"
3	396	540	75	"	10	35	1.3	"	20	"
4	403	710	75	"	9	43	1.1	"	18	"
5	403	850	75	"	8	35	1.3	"	20	"
6	409	1,050	75	"	8	35	1.3	"	20	"
7	444	630	75	"	6	42	1.2	"	20	"
8	459	1,000	75	"	8	40	0.7	"	20	"
9	496	1,230	75	"	12	42	0.5	"	20	"
10	499	860	70	"	9	44	1.3	"	20	"
11	499	760	70	"	9	44	1.3	"	20	"
12	499	1,050	75	"	10	35	1.3	"	20	"
13	499	1,050	71	"	8	36	1.6	"	18	"
14	499	1,050	76	"	8	45	1.4	"	18	"
15	499	1,050	75	"	9	38	1.7	"	18	"