

INPFC
DOCUMENT

Ser. No. 1572

Rev. No.

ESTIMATES OF U.S.S.R. PRODUCTION OF CERTAIN MARINE FISH
SPECIES IN WATERS OF THE NORTH PACIFIC OCEAN, 1964-1972

Submitted to
the
COMMITTEE ON BIOLOGY AND RESEARCH
by the
CANADIAN SECTION
of the
INTERNATIONAL NORTH PACIFIC FISHERIES COMMISSION

AUGUST 1973

Estimates of U.S.S.R. production (thousands of metric tons) of certain marine fish species in waters of the North Pacific Ocean north of 20°N and west of 175°W (FAO Statistical Area 61)^a.

Species	1964	1965	1966	1967	1968	1969	1970	1971	1972
Flatfish (incl. halibut)	54.4	66.9	66.4	49.9	47.0	52.8	40.4	45.9	73.4
Pacific cod	4.9	6.3	6.4	9.6	14.3	27.7	11.9	29.7	18.8
Wachna cod (<u>Navaga-eleginus</u>)	29.9	19.6	7.0	11.2	18.9	18.5	19.5	14.1	19.9
Pacific pollock	136.0	323.7	420.3	468.0	540.5	554.9	672.5	802.9	638.3
Polar cod	24.5	0.3	..
Pacific ocean perch	..	8.0	6.4	9.4	0.7	3.3	1.5	3.3	..
Atka mackerel	7.3	7.3	4.5	4.3	24.4	14.9	15.9	21.2	29.9
Pacific saury	26.7	42.4	44.6	48.0	51.0	31.3	44.8	42.9	46.5
Pacific herring	413.3	320.9	320.9	339.0	416.3	433.3	350.5	282.4	269.9
Total	672.5	795.1	876.5	939.4	1113.1	1136.7	1181.5	1242.7	1096.7

^a Statistics provided through correspondence with the Statistical Section, Department of Fisheries, FAO, Rome.

Estimates of U.S.S.R. production (thousands of metric tons) of certain marine fish species in waters of the North Pacific Ocean north of 40°N and East of 175°W (FAO Statistical Area 67)^a.

Species	1964	1965	1966	1967	1968	1969	1970	1971	1972
Pacific ocean perch	275.7	383.9	241.5	153.6	83.8	41.5	60.6	56.6	52.8
Pacific halibut ^b	2.5	1.8	2.2	9.3	26.9	22.8	26.1	22.1	26.8
Flounder (various)	84.6	33.6	70.6	127.8	57.8	96.1	97.8	116.9	31.4
Hake	128.3	166.9	103.5	167.9	167.2	176.7	117.3
Pacific cod	7.9	11.5	49.7	71.5	30.5
Pacific pollock	77.6	1.0	4.9	2.9	26.1	42.6	24.5	59.0	391.1
Blackcod	0.4	0.7	3.9	17.0	16.4	9.8	6.6	4.7	3.2
Pacific herring	47.2	11.2	2.4	3.2	29.2	73.7	117.2	28.2	55.1
Atka mackerel	1.1	15.3	11.3	15.4	10.8
Total	488.0	432.2	453.8	480.7	352.7	481.2	561.0	551.1	719.0

^aStatistics provided through correspondence with the Statistical Section, Department of Fisheries, FAO, Rome.

^bIncludes Atheresthes, Hippoglossus, and Reinhardtius (IPHC, personal communication).