

I N P F C  
DOCUMENT

Ser. No. 1667

Rev. No. \_\_\_\_\_

ESTIMATES OF USSR PRODUCTION (1000 M.T.) OF  
CERTAIN MARINE FISH SPECIES IN WATERS OF THE NORTH  
PACIFIC OCEAN, IN FAO STATISTICAL AREAS 61 AND 67, 1964-73

Submitted to  
the  
COMMITTEE ON BIOLOGY AND RESEARCH  
by the  
CANADIAN SECTION  
of the  
INTERNATIONAL NORTH PACIFIC FISHERIES COMMISSION

SEPTEMBER 1974

Estimates of USSR production (1000 m.t.) of certain marine fish species in waters of the North Pacific Ocean north of 20°N and west of 175°W (FAO Statistical Area 61)<sup>a</sup>.

Species	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973
Flatfish (incl. halibut)	54.4	66.9	66.4	49.9	47.0	52.8	40.4	45.9	73.4	58.1 <sup>b</sup>
Arrowtoothed halibut	-	-	-	-	-	-	-	-	-	4.5
Black halibut ( <u>Reinhardtius hippoglossoides</u> )	-	-	-	-	-	-	-	-	-	13.6
Pacific cod	4.9	6.3	6.4	9.6	14.3	27.7	11.9	29.7	18.8	26.1
Wachna cod ( <u>Navaga eleginus</u> )	29.9	19.6	7.0	11.2	18.9	18.5	19.5	14.1	19.9	22.0
Pacific pollock	136.0	323.7	420.3	468.0	540.5	554.9	672.5	802.9	638.3	1275.0
Polar cod	-	-	-	-	-	-	24.5	0.3	-	-
Pacific ocean perch	-	8.0	6.4	9.4	0.7	3.3	1.5	3.3	-	4.7
Atka mackerel	7.3	7.3	4.5	4.3	24.4	14.9	15.9	21.2	29.9	21.7
Pacific saury	26.7	42.4	44.6	48.0	51.0	31.3	44.8	42.9	46.5	50.3
Pacific herring	413.3	320.9	320.9	339.0	416.3	433.3	350.5	282.4	269.9	322.9
<b>Total</b>	<b>672.5</b>	<b>795.1</b>	<b>876.5</b>	<b>939.4</b>	<b>1113.1</b>	<b>1136.7</b>	<b>1181.5</b>	<b>1242.7</b>	<b>1096.7</b>	<b>1798.9</b>

<sup>a</sup> Statistics provided through correspondence with the Statistical Section, Department of Fisheries, FAO, Rome.

<sup>b</sup> Does not include halibut.

Estimates of USSR production (1000 m.t.) of certain marine fish species in waters of the North Pacific Ocean north of 40°N and east of 175°W (FAO Statistical Area 67)<sup>a</sup>.

Species	1964	1965	1966	1967	1968	1969	1970	1971	1972	1973
Pacific ocean perch	275.7	383.9	241.5	153.6	83.8	41.5	60.6	56.6	52.8	15.8
Pacific halibut	2.5 <sup>b</sup>	1.8 <sup>b</sup>	-	-	-	-	-	-	0.8	-
Arrowtoothed halibut	-	-	0.5	2.3	9.3	6.6	10.3	9.1	6.2	0.3
Black halibut ( <u>Reinhardtius hippoglossoides</u> )	-	-	1.7	7.0	17.6	16.2	15.8	13.0	19.8	1.0
Flounder (various)	84.6	33.6	70.6	127.8	57.8	96.1	97.8	116.9	31.4	1.2
Hake	-	-	128.3	166.9	103.5	167.9	167.2	176.7	117.3	152.9
Pacific cod	-	-	-	-	7.9	11.5	49.7	71.5	30.5	2.8
Pacific pollock	77.6	1.0	4.9	2.9	26.1	42.6	24.5	59.0	391.1	64.2
Blackcod	0.4	0.7	3.9	17.0	16.4	9.8	6.6	4.7	3.2	0.4
Pacific herring	47.2	11.2	2.4	3.2	29.2	73.7	117.2	28.2	55.1	57.0
Atka mackerel	-	-	-	-	1.1	15.3	11.3	15.4	10.8	12.9
<b>Total</b>	<b>488.0</b>	<b>432.2</b>	<b>453.8</b>	<b>480.7</b>	<b>352.7</b>	<b>481.2</b>	<b>561.0</b>	<b>551.1</b>	<b>719.0</b>	<b>308.5</b>

<sup>a</sup>Statistics provided through correspondence with the Statistical Section, Department of Fisheries, FAO, Rome.

<sup>b</sup>Includes Atheresthes, Hippoglossus, and Reinhardtius (IPHC personal communication).