

INPFC FILE COPY

INPFC
Doc. 2058
August 1, 1978

Fishery statistics of the Republic of Korea
for 1977
in the eastern Bering Sea and northeastern Pacific Ocean

Submitted to the
International North Pacific Fisheries Commission
by the Republic of Korea

International Cooperation Division
Office of Fisheries
Republic of Korea

August 1978

Table 2. Catch and effort of Korean vessels operating in the Bering Sea and Gulf of Alaska in 1977, by type of gear, by area, and by species.

Method and gear	Area	No. of drags	Hours dragged ^a	Catch (m.t.)				
				Total	Alaska pollock	Pacific ocean perch	Sablefish	Others
Stern trawl	Bering Sea	1,831	7,759.44	41,751.60	39,865.20	441.70	-	1,444.70
	Aleutian Region	13	11.67	217.69	134.70	82.99	-	-
	Shumagin area	1,218	4,705.89	34,086.31	34,386.30	599.71	-	100.30
	Chirikof area	41	118.80	1,413.70	1,413.40	0.30	-	-

		No. of hooks						
Sablefish	Bering Sea	104,150		2.20	-	-	2.20	-
longline	Aleutian Region	578,680		86.30	-	-	86.30	-
	Shumagin area	3,273,227		588.56	-	-	588.56	-
	Chirikof area	1,332,645		202.56	-	-	202.56	-
	Kodiak area	3,138,390		586.31	-	-	586.31	-
	Yakutat area	1,123,800		216.10	-	-	216.10	-
	Charlotte area	21,600		6.50	-	-	6.50	-

Total				80,157.83	75,799.60	1,124.70	1,688.53	1,545.00

Source: Office of Fisheries, Republic of Korea

Table 1. Commercial landings by the Korean trawl and sablefish longline fisheries by species, by area, and by month in metric tons (round weight), 1977.

Species & area	Total	March	April	May	June	July	August	September	October	November	December
<u>All species</u>	<u>80,157.83</u>	<u>10.20</u>	<u>60.26</u>	<u>178.52</u>	<u>2,561.15</u>	<u>6,593.78</u>	<u>3,734.80</u>	<u>14,078.04</u>	<u>16,770.03</u>	<u>21,269.22</u>	<u>14,901.83</u>
Bering Sea	41,753.80				2,388.03	6,246.05	3,505.40	5,252.00	6,224.06	10,994.26	7,144.00
Aleutian Region	303.99				9.90	95.40				172.69	26.00
Shumagin area	35,674.87		44.10	107.75	90.77	94.30	49.60	8,656.98	10,508.37	9,107.07	7,015.93
Chirikof area	1,616.26	10.20	7.98	3.70	38.03	21.25	49.60	14.30		833.70	637.50
Kodiak area	586.31		8.18	67.07	34.42	136.78	130.20	116.96	4.50	35.50	52.90
Yakutat area	216.10							37.80	33.10	126.20	19.00
Charlotte area	6.50										6.50
<u>Alaska pollock</u>	<u>75,799.60</u>				<u>2,386.50</u>	<u>6,245.80</u>	<u>3,490.40</u>	<u>13,666.30</u>	<u>16,331.90</u>	<u>20,840.20</u>	<u>12,838.50</u>
Bering Sea	39,865.20				2,386.50	6,230.80	3,490.40	5,247.00	6,079.80	10,898.80	5,531.90
Aleutian Region	134.70					15.00				119.70	
Shumagin area	34,386.30							8,419.30	10,252.10	8,988.30	6,726.60
Chirikof area	1,413.40									833.40	380.00
<u>Pacific ocean perch</u>	<u>1,124.70</u>				<u>0.93</u>	<u>45.25</u>	<u>15.00</u>	<u>67.27</u>	<u>295.93</u>	<u>211.22</u>	<u>489.20</u>
Bering Sea	441.70				0.93	15.25	15.00	5.00	39.66	56.46	309.40
Aleutian Region	82.99					30.00				52.99	
Shumagin area	599.71							62.17	256.27	101.47	179.80
Chirikof area	0.30									0.30	
<u>Sablefish^a</u>	<u>1,688.53</u>	<u>10.20</u>	<u>60.26</u>	<u>178.52</u>	<u>173.72</u>	<u>302.73</u>	<u>299.40</u>	<u>344.57</u>	<u>39.20</u>	<u>161.50</u>	<u>188.43</u>
Bering Sea	2.20				0.60				1.60		
Aleutian Region	86.30				9.90	50.40					26.00
Shumagin area	588.56		44.10	107.75	90.77	94.30	49.60	175.51			26.53
Chirikof area	202.56	10.20	7.98	3.70	38.03	21.25	49.60	14.30			57.50
Kodiak area	586.31		8.18	67.07	34.42	136.78	130.20	116.96	4.50	35.30	52.90
Charlotte area	6.50										6.50
Yakutat area	216.10							37.80	33.10	126.20	19.00
<u>Others</u>	<u>1,545.00</u>								<u>103.00</u>	<u>56.30</u>	<u>1,385.70</u>
Bering Sea	1,444.70								103.00	39.00	1,302.70
Shumagin area	100.30									17.30	83.00

^aConverted from landed weight (dressed, heads on) by increasing the dressed weight of sablefish by 25%.

Source: Office of Fisheries, Republic of Korea.