

Not to be cited by INPFC
Document number

INPFC
Doc. 2272
1980 February 27

SALMON CATCH STATISTICS FOR JAPANESE MOTHERSHIP
FISHERY (BY CATCHER BOAT LOCATION), 1978

Fishery Agency of Japan
1980 February

Contents

- Table 1. Catch statistics of the Japanese mothership gillnet salmon fishery by catcher boat location, by 10x10 INPFC area, by ten-day period, and by species in numbers and cumulative effort in tans, 1978.
- Table 2. Catch statistics of the Japanese mothership gillnet salmon fishery by catcher boat location, by 10x10 INPFC area, by ten-day period, and by species in kilograms and cumulative effort in tans, 1978.
- Fig. 1 Japanese mothership fishery areas (INPFC)

Table 1. Catch statistics of the Japanese mothership gillnet salmon fishery by catcher boat location, by 10x10 INPFC area, by ten-day period, and by species in numbers and cumulative effort in tans, 1978.

Period and area	All species	Species					Cumulative quantity of gear used (in tans)
		Sockeye	Pink	Chum	Coho	Chinook	
Grand Total	8,250,721	1,882,250	1,853,231	3,801,616	608,998	104,626	2,721,113

Early June 1-10	786,907	174,130	200,090	410,734	0	1,953	391,262
E 70-46	43,636	9,383	10,760	23,412	0	81	22,067
71-46	60,569	13,018	13,578	33,840	0	133	29,191
72-46	54,903	14,124	11,322	29,335	0	122	28,236
73-46	53,075	12,157	12,441	28,324	0	153	25,632
74-46	46,247	8,918	11,477	25,710	0	142	20,687
70-47	54,634	10,636	14,415	29,488	0	95	25,934
71-47	81,026	15,946	21,326	43,600	0	154	38,954
72-47	59,795	12,272	13,864	33,528	0	131	29,086
73-47	39,352	9,766	7,498	21,943	0	145	22,528
74-47	50,796	9,215	10,947	30,515	0	119	28,406
70-48	40,112	8,247	13,259	18,473	0	133	20,255
71-48	51,804	12,866	15,921	22,875	0	142	27,729
72-48	42,387	11,591	10,769	19,899	0	128	20,415
73-48	35,972	9,512	9,179	17,203	0	78	17,943
74-48	26,986	6,383	7,712	12,810	0	81	14,110
70-49	7,702	1,464	2,421	3,795	0	22	3,937
E 71-49	5,049	1,637	813	2,583	0	16	1,980

...continued

Table 1. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tons)
		Sockeye	Pink	Chum	Coho	Chinook	
Early June (continued)							
1-10							
E 73-49	1,681	381	540	756	0	4	990
74-49	7,666	1,602	2,870	3,173	0	21	3,296
71-50	482	91	213	178	0	0	330
73-50	7,555	1,674	2,890	2,977	0	14	2,969
E 74-50	15,478	3,247	5,875	6,317	0	39	6,587
Mid June							
11-20	1,486,601	362,881	516,173	599,772	0	7,775	565,142
E 70-46	1,482	289	218	973	0	2	660
71-46	10,862	1,373	1,885	7,418	0	186	3,930
72-46	22,053	3,664	3,518	14,737	0	134	7,818
73-46	24,102	4,087	4,113	15,660	0	242	8,869
74-46	16,397	3,169	3,625	9,375	0	228	6,594
70-47	7,001	1,290	2,529	3,119	0	63	2,307
71-47	20,292	2,785	6,283	10,951	0	273	6,902
72-47	32,656	5,833	7,529	19,030	0	264	12,189
73-47	33,316	6,483	7,184	19,412	0	237	13,450
74-47	18,818	3,704	3,565	11,392	0	157	9,123
70-48	30,614	4,657	11,190	14,542	0	225	10,867
E 71-48	27,313	4,698	9,552	12,827	0	236	9,553

...continued

Table 1. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tons)
		Sockeye	Pink	Chum	Coho	Chinook	
Mid June (continued)							
11-20							
E 72-48	16,564	3,217	5,288	7,935	0	124	6,900
73-48	33,731	8,796	10,272	14,456	0	207	12,811
74-48	39,118	11,318	11,860	15,750	0	190	15,420
70-49	7,227	1,119	2,681	3,397	0	30	2,635
71-49	2,395	864	550	974	0	7	975
72-49	8,584	3,470	2,014	3,086	0	14	2,633
73-49	24,463	7,940	7,689	8,666	0	168	7,881
74-49	33,158	9,742	11,478	11,686	0	252	10,799
69-50	13,496	3,207	5,852	4,362	0	75	5,928
70-50	28,066	8,491	10,770	8,627	0	178	11,854
71-50	63,424	30,334	13,956	19,036	0	98	20,713
72-50	92,851	40,941	20,588	31,178	0	144	31,291
73-50	85,667	27,385	27,939	29,702	0	641	31,807
74-50	150,759	42,025	53,153	54,810	0	771	54,801
68-51	2,770	515	1,418	817	0	20	1,320
69-51	23,484	4,878	11,070	7,401	0	135	11,198
70-51	24,790	4,245	12,437	7,970	0	138	12,190
71-51	52,928	14,033	19,986	18,687	0	222	21,736
72-51	48,068	12,705	18,066	17,085	0	212	20,436
73-51	25,627	6,790	8,459	10,310	0	68	12,143
74-51	87,031	19,826	32,508	34,381	0	316	36,168
E 69-52	25,312	4,400	11,437	9,391	0	84	9,887

...continued

Table 1. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tons)
		Sockeye	Pink	Chum	Coho	Chinook	
Mid June (continued)							
11-20							
E 70-52	51,939	8,037	23,763	19,981	0	158	20,407
71-52	60,212	9,478	25,265	25,341	0	128	23,063
72-52	43,003	6,979	18,051	17,877	0	96	16,806
73-52	5,137	871	1,846	2,411	0	9	3,293
74-52	31,785	6,049	12,357	13,331	0	48	11,534
69-53	4,465	814	1,481	2,159	0	11	1,318
70-53	48,211	8,357	17,956	21,716	0	182	19,761
71-53	27,337	4,893	8,967	13,370	0	107	9,216
74-53	1,610	296	797	511	0	6	989
70-54	386	65	116	201	0	4	327
71-54	10,940	2,069	4,231	4,587	0	53	5,592
72-54	7,495	1,403	2,621	3,419	0	52	3,627
73-54	20,877	1,752	13,576	5,365	0	184	4,932
74-54	14,025	1,261	9,016	3,576	0	172	3,296
72-55	796	192	267	335	0	2	330
73-55	17,654	1,523	11,314	4,644	0	173	4,942
74-55	5,439	465	3,361	1,568	0	45	1,594
E 73-56	871	104	526	237	0	4	327

...continued

Table 1. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tans)
		Sockeye	Pink	Chum	Coho	Chinook	
Late June 21-30	1,554,430	268,126	731,483	539,329	0	15,492	550,784
E 71-46	992	187	183	612	0	10	315
72-46	5,070	824	1,620	2,564	0	62	1,970
73-46	7,364	1,190	2,060	4,019	0	95	2,613
74-46	873	114	310	436	0	13	330
72-47	25,595	6,165	3,841	15,392	0	197	9,559
73-47	24,756	4,678	6,243	13,566	0	269	9,540
74-47	15,118	2,888	3,687	8,348	0	195	6,485
71-48	894	275	272	345	0	2	330
72-48	7,691	2,184	1,587	3,871	0	49	2,633
73-48	6,296	1,725	867	3,642	0	62	2,309
74-48	17,064	3,569	3,448	9,881	0	166	6,595
71-49	2,238	498	944	788	0	8	988
72-49	26,231	7,369	8,755	9,884	0	223	9,211
73-49	69,475	20,645	16,893	31,395	0	542	23,225
74-49	95,646	27,885	26,657	40,104	0	1,000	33,780
69-50	568	127	327	114	0	0	330
70-50	1,083	436	234	407	0	6	659
71-50	17,018	4,028	7,686	5,098	0	206	5,905
72-50	42,322	10,862	16,323	14,750	0	387	14,769
73-50	78,915	19,669	26,023	32,293	0	930	27,635
74-50	127,549	32,856	42,334	50,953	0	1,406	45,663
E 68-51	8,806	2,930	3,155	2,680	0	41	3,295

...continued

Table 1. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tans)
		Sockeye	Pink	Chum	Coho	Chinook	
Late June (continued)							
21-30							
E 69-51	21,586	7,493	7,716	6,253	0	124	7,907
70-51	9,619	2,234	3,541	3,802	0	42	3,952
71-51	25,315	4,688	9,683	10,816	0	128	11,201
72-51	7,081	1,075	3,130	2,858	0	18	3,622
73-51	4,350	1,432	734	2,170	0	14	1,966
74-51	47,755	13,144	12,227	21,923	0	461	18,409
68-52	1,952	536	1,011	396	0	9	660
69-52	37,085	6,212	17,970	12,767	0	136	14,486
70-52	44,522	6,414	22,414	15,554	0	140	17,319
71-52	24,606	3,709	9,960	10,847	0	90	11,208
72-52	11,873	1,140	6,751	3,962	0	20	4,286
74-52	4,308	595	1,676	2,026	0	11	1,649
69-53	813	150	376	284	0	3	322
70-53	41,644	4,121	22,152	15,240	0	131	13,806
71-53	16,588	1,452	8,903	6,186	0	47	5,895
72-53	3,865	422	1,702	1,722	0	19	2,292
73-53	8,228	703	3,722	3,773	0	30	3,630
74-53	12,742	1,275	6,478	4,935	0	54	5,587
71-54	5,503	500	3,086	1,894	0	23	2,621
72-54	3,356	298	1,874	1,172	0	12	1,642
73-54	13,454	1,658	6,453	5,204	0	139	4,620
E 74-54	25,045	2,931	12,490	9,270	0	354	8,239

...continued

Table 1. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tans)
		Sockeye	Pink	Chum	Coho	Chinook	
Late June (continued)							
21-30							
E 72-55	3,223	419	2,529	257	0	18	985
73-55	36,938	5,140	24,265	7,266	0	267	11,850
74-55	66,396	6,489	48,789	10,649	0	469	22,058
73-56	36,820	2,848	27,542	6,258	0	172	13,159
74-56	49,088	4,048	37,046	7,821	0	173	19,051
75-56	15,281	1,542	8,289	5,375	0	75	5,935
76-56	23,524	2,255	13,996	7,110	0	163	7,909
77-56	43,548	2,787	32,421	7,437	0	903	10,519
78-56	57,492	4,383	39,662	12,556	0	891	14,153
79-56	46,023	4,289	29,646	11,423	0	665	13,157
73-57	1,133	59	958	108	0	8	330
74-57	13,214	1,103	10,160	1,908	0	43	5,263
75-57	7,967	943	3,939	3,026	0	59	3,300
76-57	12,900	902	8,856	3,047	0	95	4,269
77-57	40,048	3,108	25,367	11,013	0	560	12,844
78-57	57,716	4,918	33,386	18,583	0	829	20,016
79-57	37,869	3,715	20,699	12,512	0	943	12,766
76-58	1,673	227	849	576	0	21	990
77-58	8,170	1,031	3,654	3,320	0	165	3,950
78-58	18,512	1,897	9,372	6,912	0	331	6,261
E 79-58	19,867	2,427	10,355	6,417	0	668	6,911
80-58	4,174	310	2,205	1,559	0	100	1,650
June Total	3,827,938	805,137	1,447,746	1,549,835	0	25,220	1,507,188

2272--7

...continued

Table 1. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tons)
		Sockeye	Pink	Chum	Coho	Chinook	
Early July 1-10	1,501,556	445,718	226,646	809,692	4,762	14,738	537,500
E 72-46	1,417	298	71	352	694	2	330
73-46	713	67	107	388	141	10	328
74-46	1,107	401	63	636	0	7	330
71-47	671	97	52	472	28	22	328
72-47	717	93	72	370	155	27	327
74-47	1,242	182	168	808	50	34	657
71-48	10,731	1,507	1,186	7,486	352	200	3,612
72-48	24,031	2,662	2,920	16,441	1,170	838	9,212
73-48	26,672	5,450	2,863	17,559	484	316	8,206
74-48	21,518	5,775	1,998	13,323	224	198	5,917
70-49	8,533	3,076	413	4,966	41	37	5,275
71-49	24,904	5,539	2,199	16,753	140	273	10,206
72-49	34,884	7,565	2,691	23,934	251	443	11,839
73-49	66,638	18,688	6,119	40,927	201	703	21,070
74-49	82,752	24,620	8,435	48,108	385	1,204	27,306
69-50	6,985	2,349	899	3,618	0	119	2,964
70-50	28,901	9,770	4,479	14,397	7	248	12,861
71-50	30,622	10,030	3,983	16,153	32	424	13,837
72-50	47,941	16,435	5,510	25,288	125	583	18,775
73-50	62,521	20,814	5,746	35,195	115	651	22,079
74-50	182,635	63,405	18,727	98,499	164	1,840	58,911
E 68-51	14,630	5,230	2,473	6,822	0	105	4,611

...continued

Table 1. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tans)
		Sockeye	Pink	Chum	Coho	Chinook	
Early July (continued)							
1-10							
E 69-51	23,055	8,590	3,440	10,815	0	210	8,487
70-51	35,893	13,715	5,485	16,429	0	264	15,161
71-51	56,706	21,482	7,832	26,911	0	481	21,418
72-51	68,229	27,344	7,802	32,436	0	647	24,326
73-51	70,569	27,807	6,579	35,623	0	560	28,245
74-51	131,562	50,737	13,895	65,791	3	1,136	44,956
68-52	3,293	1,210	407	1,647	0	29	1,318
69-52	38,491	13,774	4,350	20,155	0	212	15,158
70-52	56,010	19,500	6,868	29,462	0	180	21,944
71-52	63,722	18,495	10,311	34,492	0	424	20,416
72-52	20,849	7,346	3,011	10,393	0	99	6,912
73-52	5,919	2,492	619	2,756	0	52	1,958
74-52	8,150	2,558	671	4,878	0	43	2,960
69-53	738	312	62	358	0	6	330
70-53	33,355	9,272	5,605	18,389	0	89	12,174
71-53	44,106	5,003	10,861	28,137	0	105	13,509
72-53	13,602	814	3,445	9,320	0	23	3,960
73-53	3,058	184	345	2,527	0	2	1,317
74-53	746	96	173	476	0	1	327
71-54	20,898	2,438	6,210	12,207	0	43	7,501
72-54	26,888	1,882	6,636	18,325	0	45	8,909
E 73-54	19,294	1,354	4,579	13,339	0	22	6,599

...continued

Table 1. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tans)
		Sockeye	Pink	Chum	Coho	Chinook	
Early July (continued)							
1-10							
E 73-55	1,473	158	784	523	0	8	657
74-55	970	133	352	478	0	7	330
76-56	532	48	382	97	0	5	330
78-56	18,505	1,385	13,407	3,494	0	219	6,907
E 79-56	15,994	1,299	10,841	3,642	0	212	6,578
W 77-56	1,138	98	412	576	0	52	330
W 79-56	3,907	186	2,503	1,155	0	63	1,646
80-56	1,084	127	290	654	0	13	330
W 78-57	6,270	421	3,536	2,206	0	107	2,310
W 79-57	13,449	648	8,097	4,397	0	307	5,938
80-57	11,403	687	5,165	4,795	0	756	4,948
80-58	933	70	517	314	0	32	330
Mid July							
11-20	2,307,151	415,497	133,107	1,161,105	546,191	51,251	563,716
E 70-46	70,141	186	726	26,313	39,974	2,942	18,799
71-46	21,831	154	554	7,018	13,282	823	5,931
72-46	23,973	214	1,010	9,861	12,245	643	6,256
73-46	40,151	154	2,024	13,773	23,558	642	7,233
E 74-46	61,013	24	3,164	22,487	34,892	446	13,488

...continued

Table 1. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tans)
		Sockeye	Pink	Chum	Coho	Chinook	
Mid July (continued)							
11-20							
E 70-47	51,893	388	1,494	25,623	22,171	2,217	16,140
71-47	94,910	194	4,255	31,198	55,599	3,664	27,330
72-47	107,922	826	4,350	41,242	58,657	2,847	25,354
73-47	151,874	1,370	6,965	56,500	81,405	5,634	36,214
74-47	148,645	1,306	8,594	61,731	73,219	3,795	34,533
70-48	13,097	226	529	8,613	3,347	382	3,625
71-48	8,537	49	357	4,034	3,817	280	3,289
72-48	36,924	1,680	1,168	21,160	11,067	1,849	12,508
73-48	99,762	2,536	4,924	54,722	33,342	4,238	24,697
74-48	126,059	8,254	5,706	69,880	38,342	3,877	32,243
70-49	497	10	49	174	246	18	327
71-49	4,390	99	150	2,418	1,593	130	1,316
72-49	49,826	6,737	3,486	33,515	4,312	1,776	13,815
73-49	96,021	16,103	6,551	63,976	5,977	3,414	27,644
74-49	136,961	33,804	8,828	82,620	8,987	2,722	33,925
69-50	794	172	36	572	8	6	329
70-50	2,734	296	261	1,830	228	119	988
71-50	8,585	2,851	334	5,348	12	40	2,310
72-50	24,836	9,199	990	14,277	236	134	9,224
73-50	39,453	11,914	2,204	24,063	865	407	13,148
74-50	268,342	80,968	18,978	153,645	11,143	3,608	60,933
E 69-51	1,548	574	97	802	65	10	330

...continued

Table 1. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tons)
		Sockeye	Pink	Chum	Coho	Chinook	
Mid July (continued)							
11-20							
E 70-51	1,220	728	10	482	0	0	327
71-51	15,714	6,552	509	8,548	55	50	5,602
72-51	44,187	18,882	2,345	22,432	242	286	15,157
73-51	111,985	48,547	6,940	54,683	1,085	730	25,367
74-51	325,203	125,583	25,542	166,002	5,513	2,563	62,282
69-52	1,856	494	98	1,254	0	10	655
70-52	5,754	2,278	373	2,993	67	43	1,976
71-52	14,292	5,768	731	7,432	255	106	3,280
72-52	8,940	2,834	641	5,346	77	42	2,634
74-52	54,970	19,097	4,505	30,908	308	152	9,562
71-53	1,602	343	109	1,142	0	8	658
77-56	1,691	196	226	1,260	0	9	330
78-56	7,788	1,079	744	5,849	0	116	988
E 79-56	7,787	1,088	755	5,810	0	134	990
W 78-56	2,555	256	407	1,734	0	158	330
W 79-56	2,430	247	324	1,756	0	103	329
80-56	8,458	1,237	1,064	6,079	0	78	1,320

...continued

Table 1. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tans)
		Sockeye	Pink	Chum	Coho	Chinook	
Late July 21-31	614,076	215,898	45,732	280,984	58,045	13,417	112,709
E 74-48	1,403	24	187	483	632	77	330
73-49	26,975	1,682	1,989	13,356	7,557	2,391	6,269
74-49	51,353	7,888	6,495	16,528	16,244	4,198	12,207
73-50	1,460	408	55	786	178	33	657
74-50	30,901	12,818	4,969	4,871	7,525	718	7,259
68-51	8,277	3,023	565	3,937	617	135	1,312
69-51	16,628	5,668	904	8,566	1,206	284	2,962
70-51	14,245	5,363	722	6,945	1,007	208	2,637
71-51	47,325	19,115	2,774	21,634	3,168	634	7,900
72-51	53,427	21,783	5,965	23,263	1,802	614	8,243
73-51	32,841	12,680	1,747	14,860	2,979	575	7,237
74-51	38,750	14,810	2,490	15,536	5,258	656	7,574
68-52	9,839	3,846	510	4,656	668	159	1,647
69-52	65,731	24,874	3,317	34,172	2,637	731	10,873
70-52	65,118	25,055	3,513	33,823	2,124	603	10,551
71-52	65,190	26,099	5,006	30,298	3,050	737	9,887
72-52	9,476	3,651	658	4,520	496	151	1,646
69-53	4,609	1,530	286	2,676	65	52	660
70-53	29,528	11,078	1,513	16,367	394	176	5,280
71-53	33,345	11,859	1,703	19,221	345	217	6,261
E 71-54	7,655	2,644	364	4,486	93	68	1,317
July Total	4,422,783	1,077,113	405,485	2,251,781	608,998	79,406	1,213,925

Table 2. Catch statistics of the Japanese mothership gillnet salmon fishery by catcher boat location, by 10x10 INPFC area, by ten-day period, and by species in kilograms and cumulative effort in tans, 1978.

Period and area	All species	Species					Cumulative quantity of gear used (in tans)
		Sockeye	Pink	Chum	Coho	Chinook	
Grand Total	15,398,643	3,352,752	2,231,506	8,067,275	1,442,953	304,157	2,721,113

Early June							
1-10	1,402,310	300,023	228,808	867,168	0	6,311	391,262
E 70-46	76,667	15,409	11,933	49,099	0	226	22,067
71-46	107,597	21,470	14,898	70,839	0	390	29,191
72-46	95,601	22,000	12,349	60,842	0	410	28,236
73-46	93,436	19,255	14,070	59,614	0	497	25,632
74-46	82,329	15,028	13,288	53,562	0	451	20,687
70-47	96,128	17,897	16,296	61,672	0	263	25,934
71-47	140,689	26,684	23,453	90,106	0	446	38,954
72-47	105,522	20,086	14,993	70,033	0	410	29,086
73-47	71,476	16,187	8,514	46,303	0	472	22,528
74-47	92,146	15,658	12,838	63,263	0	387	28,406
70-48	69,365	14,635	15,329	39,010	0	391	20,255
71-48	90,584	23,245	18,340	48,543	0	456	27,729
72-48	78,163	21,445	13,000	43,283	0	435	20,415
73-48	66,245	17,544	11,354	37,082	0	265	17,943
74-48	49,134	11,793	9,660	27,378	0	303	14,110
70-49	13,287	2,647	2,799	7,767	0	74	3,937
71-49	9,600	3,000	915	5,631	0	54	1,980
73-49	3,405	872	645	1,869	0	19	990
74-49	15,043	3,673	3,422	7,846	0	102	3,296
71-50	903	209	254	440	0	0	330
73-50	14,716	3,839	3,446	7,364	0	67	2,969
E 74-50	30,274	7,447	7,012	15,622	0	193	6,587

...continued

Table 2. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tons)
		Sockeye	Pink	Chum	Coho	Chinook	
Mid June 11-20	2,792,220	739,763	612,546	1,414,198	0	25,713	565,142
E 70-46	2,995	545	249	2,194	0	7	660
71-46	20,016	2,060	2,410	15,060	0	486	3,930
72-46	40,522	5,646	4,279	30,240	0	357	7,818
73-46	45,780	6,198	5,074	33,779	0	729	8,869
74-46	31,168	4,978	4,561	20,948	0	681	6,594
70-47	11,699	1,891	3,115	6,530	0	163	2,307
71-47	35,199	4,126	7,781	22,575	0	717	6,902
72-47	58,257	8,827	9,289	39,423	0	718	12,189
73-47	61,543	9,808	8,902	42,100	0	733	13,450
74-47	36,103	5,860	4,458	25,272	0	513	9,123
70-48	52,133	6,992	13,851	30,662	0	628	10,867
71-48	46,436	6,973	11,868	26,966	0	629	9,553
72-48	28,559	4,960	6,500	16,723	0	376	6,900
73-48	60,828	14,860	12,370	32,920	0	678	12,811
74-48	71,297	19,802	14,194	36,637	0	664	15,420
70-49	12,477	1,763	3,360	7,269	0	85	2,635
71-49	4,674	1,750	641	2,257	0	26	975
72-49	17,167	7,637	2,206	7,273	0	51	2,633
73-49	46,762	16,352	9,024	20,644	0	742	7,881
74-49	62,381	19,672	13,556	28,052	0	1,101	10,799
69-50	24,632	6,970	7,090	10,340	0	232	5,928
E 70-50	51,256	18,032	12,837	19,836	0	551	11,854

...continued

Table 2. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tans)
		Sockeye	Pink	Chum	Coho	Chinook	
Mid June (continued)							
11-20							
E 71-50	121,010	63,000	15,454	42,200	0	356	20,713
72-50	180,292	86,343	23,178	70,216	0	555	31,291
73-50	162,798	57,379	33,312	70,030	0	2,077	31,807
74-50	287,446	88,210	63,664	133,013	0	2,559	54,801
68-51	4,897	1,139	1,725	1,967	0	66	1,320
69-51	41,417	10,449	13,340	17,234	0	394	11,198
70-51	43,526	9,214	15,040	18,866	0	406	12,190
71-51	102,801	31,222	23,747	47,033	0	799	21,736
72-51	98,076	28,955	21,770	46,567	0	784	20,436
73-51	48,873	14,546	9,954	24,145	0	228	12,143
74-51	166,786	42,867	38,718	84,151	0	1,050	36,168
69-52	47,966	9,861	13,325	24,463	0	317	9,887
70-52	97,025	17,774	27,595	51,087	0	569	20,407
71-52	118,943	23,041	29,726	65,689	0	487	23,063
72-52	82,243	14,989	21,100	45,787	0	367	16,806
73-52	10,165	1,920	2,160	6,050	0	35	3,293
74-52	61,453	13,322	14,698	33,257	0	176	11,534
69-53	8,939	1,760	1,730	5,400	0	49	1,318
70-53	94,690	18,215	20,955	54,772	0	748	19,761
71-53	53,612	10,096	10,269	32,787	0	460	9,216
74-53	2,893	650	939	1,285	0	19	989
E 70-54	768	130	130	490	0	18	327

...continued

Table 2. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tans)
		Sockeye	Pink	Chum	Coho	Chinook	
Mid June (continued)							
11-20							
E 71-54	20,556	4,260	4,779	11,291	0	226	5,592
72-54	14,492	2,899	2,967	8,407	0	219	3,627
73-54	34,194	3,913	15,926	13,759	0	596	4,932
74-54	23,063	2,789	10,571	9,148	0	555	3,296
72-55	1,709	470	333	898	0	8	330
73-55	29,076	3,376	13,264	11,871	0	565	4,942
74-55	9,159	1,041	3,945	4,028	0	145	1,594
E 73-56	1,468	231	617	607	0	13	327
Late June							
21-30	2,754,029	525,852	871,539	1,309,888	0	46,750	550,784
E 71-46	1,856	280	230	1,320	0	26	315
72-46	8,987	1,228	2,030	5,555	0	174	1,970
73-46	13,314	1,780	2,590	8,680	0	264	2,613
74-46	1,537	170	390	940	0	37	330
72-47	48,389	9,234	4,714	33,866	0	575	9,559
73-47	46,487	6,940	7,910	30,850	0	787	9,540
74-47	28,223	4,377	4,531	18,756	0	559	6,485
71-48	1,720	568	344	802	0	6	330
E 72-48	13,975	3,290	1,906	8,632	0	147	2,633

...continued

2272--17

Table 2. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tons)
		Sockeye	Pink	Chum	Coho	Chinook	
Late June (continued)							
21-30							
E 73-48	11,926	2,550	1,030	8,160	0	186	2,309
74-48	31,306	5,493	3,986	21,363	0	464	6,595
71-49	3,871	932	1,181	1,729	0	29	988
72-49	46,911	12,961	10,665	22,617	0	668	9,211
73-49	128,874	36,190	20,910	70,240	0	1,534	23,225
74-49	179,937	51,897	33,704	91,455	0	2,881	33,780
69-50	938	247	416	275	0	0	330
70-50	2,127	848	287	972	0	20	659
71-50	30,450	7,776	9,780	12,275	0	619	5,905
72-50	76,861	20,771	20,561	34,356	0	1,173	14,769
73-50	149,377	39,143	33,123	74,241	0	2,870	27,635
74-50	241,372	65,662	53,563	117,883	0	4,264	45,663
68-51	16,194	5,519	3,848	6,698	0	129	3,295
69-51	39,224	13,990	9,390	15,460	0	384	7,907
70-51	18,243	4,203	4,286	9,631	0	123	3,952
71-51	46,954	8,491	11,362	26,734	0	367	11,201
72-51	13,417	2,169	3,854	7,336	0	58	3,622
73-51	8,815	2,930	950	4,899	0	36	1,966
74-51	93,026	26,294	15,576	49,806	0	1,350	18,409
68-52	3,239	1,000	1,230	980	0	29	660
69-52	66,298	12,402	20,930	32,518	0	448	14,486
E 70-52	79,439	12,820	26,055	40,106	0	458	17,319

...continued

Table 2. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tons)
		Sockeye	Pink	Chum	Coho	Chinook	
Late June (continued)							
21-30							
E 71-52	51,232	7,553	15,099	28,316	0	264	11,208
72-52	17,448	2,423	5,303	9,663	0	59	4,286
74-52	8,454	1,191	2,095	5,135	0	33	1,649
69-53	1,548	329	469	740	0	10	322
70-53	74,369	8,803	25,605	39,506	0	455	13,806
71-53	30,379	3,325	10,542	16,357	0	155	5,895
72-53	7,579	892	2,010	4,616	0	61	2,292
73-53	16,610	1,615	4,640	10,260	0	95	3,630
74-53	23,915	2,758	7,826	13,159	0	172	5,587
71-54	9,853	1,166	3,628	4,985	0	74	2,621
72-54	6,145	682	2,258	3,164	0	41	1,642
73-54	24,936	3,547	7,835	13,115	0	439	4,620
74-54	43,989	6,240	14,620	21,996	0	1,133	8,239
72-55	4,623	937	2,962	654	0	70	985
73-55	57,840	11,186	27,931	17,817	0	906	11,850
74-55	97,348	14,291	55,320	26,110	0	1,627	22,058
73-56	53,297	6,313	30,684	15,720	0	580	13,159
74-56	70,348	8,966	41,133	19,639	0	610	19,051
75-56	28,306	3,557	10,386	14,124	0	239	5,935
76-56	41,006	5,144	16,827	18,537	0	498	7,909
77-56	63,219	5,979	36,129	18,615	0	2,496	10,519
E 78-56	90,476	9,914	45,521	32,532	0	2,509	14,153

...continued

Table 2. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tons)
		Sockeye	Pink	Chum	Coho	Chinook	
Late June (continued) 21-30							
E 79-56	76,950	9,967	34,797	30,100	0	2,086	13,157
73-57	1,486	130	1,060	270	0	26	330
74-57	18,665	2,441	11,279	4,794	0	151	5,263
75-57	15,260	2,172	4,882	8,025	0	181	3,300
76-57	20,314	2,030	10,050	7,940	0	294	4,269
77-57	67,034	6,886	29,502	29,066	0	1,580	12,844
78-57	104,308	11,135	40,446	50,127	0	2,600	20,016
79-57	71,190	8,594	25,862	33,839	0	2,895	12,766
76-58	3,301	540	1,110	1,590	0	61	990
77-58	16,858	2,432	4,678	9,274	0	474	3,950
78-58	36,297	4,372	11,966	18,958	0	1,001	6,261
E 79-58	38,006	5,467	12,902	17,750	0	1,887	6,911
80-58	8,153	720	2,850	4,260	0	323	1,650
June Total	6,948,559	1,565,638	1,712,893	3,591,254	0	78,774	1,507,188

...continued

Table 2. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tons)
		Sockeye	Pink	Chum	Coho	Chinook	
Early July 1-10	2,821,317	780,848	275,544	1,711,078	10,566	43,281	537,500
E 72-46	2,785	553	98	760	1,369	5	330
73-46	1,380	102	116	799	334	29	328
74-46	2,315	803	84	1,408	0	20	330
71-47	1,286	145	57	953	62	69	328
72-47	1,426	142	78	762	367	77	327
74-47	2,297	280	182	1,618	110	107	657
71-48	20,594	2,396	1,304	15,501	817	576	3,612
72-48	46,173	4,063	3,241	33,669	2,784	2,416	9,212
73-48	48,601	8,381	3,124	35,052	1,135	909	8,206
74-48	39,128	8,986	2,263	26,817	465	597	5,917
70-49	15,477	4,739	512	10,041	76	109	5,275
71-49	46,127	8,654	2,539	33,786	295	853	10,206
72-49	64,855	12,024	2,938	47,951	553	1,389	11,839
73-49	122,672	30,326	7,281	82,556	436	2,073	21,070
74-49	154,289	40,837	10,417	98,763	794	3,478	27,306
69-50	13,282	4,105	1,121	7,719	0	337	2,964
70-50	53,207	16,387	5,568	30,533	14	705	12,861
71-50	57,712	17,119	4,924	34,336	71	1,262	13,837
72-50	88,324	26,913	6,929	52,433	285	1,764	18,775
73-50	116,561	34,716	7,195	72,538	251	1,861	22,079
74-50	355,515	117,249	24,440	208,295	341	5,190	58,911
E 68-51	28,080	9,900	3,015	14,870	0	295	4,611

...continued

Table 2. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tons)
		Sockeye	Pink	Chum	Coho	Chinook	
Early July (continued)							
1-10							
E 69-51	44,147	15,867	4,228	23,433	0	619	8,487
70-51	67,900	24,733	6,768	35,638	0	761	15,161
71-51	106,373	38,562	9,873	56,552	0	1,386	21,418
72-51	131,072	49,748	9,841	69,667	0	1,816	24,326
73-51	139,679	51,826	8,599	77,668	0	1,586	28,245
74-51	260,038	94,852	18,451	143,562	7	3,166	44,956
68-52	6,460	2,290	498	3,590	0	82	1,318
69-52	69,756	22,410	5,070	41,660	0	616	15,158
70-52	100,947	31,727	7,715	60,956	0	549	21,944
71-52	116,143	31,027	12,010	71,805	0	1,301	20,416
72-52	36,899	11,942	3,381	21,260	0	316	6,912
73-52	11,705	4,690	840	6,030	0	145	1,958
74-52	16,926	4,920	900	10,990	0	116	2,960
69-53	1,327	490	70	750	0	17	330
70-53	58,517	14,546	6,196	37,483	0	292	12,174
71-53	80,189	8,533	12,690	58,603	0	363	13,509
72-53	25,755	1,467	4,132	20,084	0	72	3,960
73-53	6,410	335	390	5,680	0	5	1,317
74-53	1,353	174	188	987	0	4	327
71-54	36,867	4,169	7,068	25,487	0	143	7,501
72-54	51,580	3,406	8,001	40,039	0	134	8,909
E 73-54	37,540	2,465	5,346	29,664	0	65	6,599

...continued

Table 2. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tons)
		Sockeye	Pink	Chum	Coho	Chinook	
Early July (continued)							
1-10							
E 73-55	2,459	313	909	1,210	0	27	657
74-55	1,612	203	429	956	0	24	330
76-56	840	115	451	255	0	19	330
78-56	29,122	3,310	15,820	9,180	0	812	6,907
E 79-56	25,776	3,041	12,796	9,159	0	780	6,578
W 77-56	1,984	150	503	1,152	0	179	330
W 79-56	6,949	435	3,120	3,210	0	184	1,646
80-56	1,911	190	358	1,326	0	37	330
W 78-57	10,880	815	4,295	5,451	0	319	2,310
W 79-57	24,743	1,514	10,097	12,228	0	904	5,938
80-57	23,597	1,600	6,440	13,330	0	2,227	4,948
80-58	1,775	163	645	873	0	94	330
Mid July							
11-20	4,518,710	678,422	179,515	2,219,505	1,298,543	142,725	563,716
E 70-46	154,473	263	1,028	50,125	95,808	7,249	18,799
71-46	47,367	252	706	13,564	30,843	2,002	5,931
72-46	51,889	359	1,310	19,000	29,525	1,695	6,256
73-46	85,456	253	2,673	25,786	54,891	1,853	7,233
E 74-46	128,618	42	4,248	41,569	81,413	1,346	13,488

...continued

Table 2. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tans)
		sockeye	Pink	Chum	Coho	Chinook	
Mid July (continued)							
11-20							
E 70-47	111,005	574	1,871	49,010	53,930	5,620	16,140
71-47	210,149	295	5,204	60,462	134,753	9,435	27,330
72-47	235,558	1,328	5,575	80,016	141,127	7,512	25,354
73-47	329,053	2,160	8,758	108,197	194,184	15,754	36,214
74-47	313,134	2,059	11,539	117,301	171,206	11,029	34,533
70-48	26,857	338	680	16,504	8,219	1,116	3,625
71-48	18,264	73	453	7,806	9,146	786	3,289
72-48	76,740	2,582	1,581	41,081	26,307	5,189	12,508
73-48	204,997	3,936	6,684	103,661	78,633	12,083	24,697
74-48	256,216	13,931	7,694	132,090	91,543	10,958	32,243
70-49	1,034	15	60	332	581	46	327
71-49	9,265	158	200	4,675	3,863	369	1,316
72-49	94,945	10,525	4,694	64,210	10,325	5,191	13,815
73-49	183,566	25,729	8,818	124,706	14,358	9,955	27,644
74-49	260,604	57,091	11,915	162,753	21,161	7,684	33,925
69-50	1,418	270	42	1,071	19	16	329
70-50	5,384	514	352	3,631	556	331	988
71-50	16,378	5,147	394	10,700	25	112	2,310
72-50	47,077	16,025	1,367	28,784	533	368	9,224
73-50	73,750	19,992	2,878	47,884	1,949	1,047	13,148
74-50	480,647	128,350	25,538	290,700	25,647	10,412	60,933
E 69-51	3,017	1,064	133	1,652	143	25	330

...continued

Table 2. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tons)
		Sockeye	Pink	Chum	Coho	Chinook	
Mid July (continued)							
11-20							
E 70-51	2,038	1,106	14	918	0	0	327
71-51	29,447	11,330	696	17,164	116	141	5,602
72-51	82,506	32,948	3,117	45,130	519	792	15,157
73-51	200,563	81,282	9,766	104,858	2,600	2,057	25,367
74-51	570,326	203,287	35,533	311,032	12,935	7,539	62,282
69-52	3,485	894	124	2,440	0	27	655
70-52	10,302	3,661	492	5,879	153	117	1,976
71-52	25,721	9,401	1,027	14,388	608	297	3,280
72-52	16,070	4,554	893	10,316	179	128	2,634
74-52	95,005	29,760	6,375	57,640	745	485	9,562
71-53	2,944	573	129	2,222	0	20	658
77-56	2,971	303	297	2,344	0	27	330
78-56	13,312	1,647	1,058	10,212	0	395	988
E 79-56	13,432	1,654	1,102	10,231	0	445	990
W 78-56	4,885	408	575	3,411	0	491	330
W 79-56	4,523	387	458	3,349	0	329	329
80-56	14,319	1,902	1,464	10,701	0	252	1,320

...continued

Table 2. Continued.

Period and area	All species	Species					Cumulative quantity of gear used (in tans)
		Sockeye	Pink	Chum	Coho	Chinook	
Late July 21-31	1,110,057	327,844	63,554	545,438	133,844	39,377	112,709
E 74-48	2,880	40	250	870	1,500	220	330
73-49	54,828	2,800	2,688	24,540	17,890	6,910	6,269
74-49	103,051	13,090	8,771	30,500	38,460	12,230	12,207
73-50	2,616	579	69	1,499	381	88	657
74-50	56,870	21,260	6,710	9,000	17,820	2,080	7,259
68-51	14,043	4,323	731	7,323	1,311	355	1,312
69-51	28,559	8,104	1,167	15,963	2,571	754	2,962
70-51	24,463	7,747	947	13,010	2,195	564	2,637
71-51	82,556	28,067	3,849	41,896	6,925	1,819	7,900
72-51	96,180	33,355	8,858	47,890	4,154	1,923	8,243
73-51	56,738	18,132	2,216	28,341	6,509	1,540	7,237
74-51	68,453	21,840	3,260	29,640	11,900	1,813	7,574
68-52	16,660	5,500	660	8,660	1,420	420	1,647
69-52	115,577	37,270	4,585	65,590	5,885	2,247	10,873
70-52	115,200	37,956	5,049	65,310	4,943	1,942	10,551
71-52	115,827	39,218	7,233	60,340	6,833	2,203	9,887
72-52	16,854	5,453	936	8,936	1,093	436	1,646
69-53	8,635	2,460	410	5,440	140	185	660
70-53	53,826	17,400	2,200	32,640	956	630	5,280
71-53	61,907	19,000	2,445	38,930	757	775	6,261
E 71-54	14,334	4,250	520	9,120	201	243	1,317
July Total	8,450,084	1,787,114	518,613	4,476,021	1,442,953	225,383	1,213,925

