

SALMON CATCH STATISTICS FOR JAPANESE MOTHERSHIP GILLNET
AND LANDBASED DRIFTNET FISHERIES, 1982

Fisheries Agency of Japan
1983 January

Contents

- Table 1. Catch statistics of the Japanese mothership gillnet salmon fishery by species, by $1^{\circ} \times 1^{\circ}$ area, by 10-day period and by catcher boat location in numbers of fish and cumulative quantity of gear used (in tans), 1982.
- Table 2. Catch statistics of the Japanese mothership gillnet salmon fishery by species, by $1^{\circ} \times 1^{\circ}$ area, by 10-day period and by catcher boat location in kilograms (round weight) and cumulative quantity of gear used (in tans), 1982.
- Table 3. Catch statistics of the Japanese landbased driftnet salmon fishery by $2^{\circ} \times 5^{\circ}$ area, by 10-day period and by species in numbers and cumulative effort in tans, 1982.
- Table 4. Catch statistics of the Japanese landbased driftnet salmon fishery by $2^{\circ} \times 5^{\circ}$ area, by 10-day period and by species in kilograms and cumulative effort in tans, 1982.
- Figure 1. Japanese mothership fishery areas (INPFC)
Figure 2. Japanese landbased fishery areas (INPFC)




Fig. 1




Fig. 2

TABLE 1. CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1 DEG X 1 DEG AREA, BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TANS, 1982.

RUN DATE 02-02-83
RUN TIME 16:49:43

PERIOD AND AREA	ALL SPECIES	SPECIES					CUMULATIVE QUANTITY OF GEAR USED (IN TANS)
		3.85 SCKEYE	2.94 PIAK	4.69 CHUM	5.50 CCHC	7.42 SHINDOK	
GRAND TOTAL	7,898,824	1,737,801	1,654,217	3,217,106	1,182,559	107,141	2,942.443
EARLY JUNE							
C1-10	635,512	125,534	107,530	394,358	5,273	2,157	391,605
E 70-46	21,449	3,545	2,970	14,317	543	74	12,181
E 71-46	24,510	1,530	3,009	19,365	392	114	20,585
E 72-46	23,177	2,285	3,314	17,358	119	101	16,665
E 73-46	24,645	1,737	3,155	19,049	628	76	17,002
E 74-46	15,061	899	2,133	11,723	268	38	9,235
E 70-47	41,441	7,716	5,410	28,024	162	129	20,420
E 71-47	38,031	5,181	5,660	26,712	338	140	25,693
E 72-47	57,183	10,365	5,893	39,600	1,150	175	36,241
E 73-47	74,144	9,629	6,730	56,670	851	264	49,119
E 74-47	65,893	6,024	5,059	54,073	514	223	45,832
E 70-48	50,310	10,822	18,602	20,571	132	183	24,376
E 71-48	49,059	14,041	13,643	21,154	45	136	26,450
E 72-48	55,113	19,503	13,126	22,256	47	181	32,636
E 73-48	51,807	19,061	9,556	22,621	11	150	29,348
E 74-48	30,228	9,549	4,239	16,248	73	119	19,445
E 70-49	5,601	2,690	3,313	3,555	0	43	4,858
E 71-49	3,860	907	1,318	1,622	0	13	1,319
MID JUNE							
11-20	1,005,807	265,592	397,275	338,903	699	3,338	425,813
E 74-48	3,296	776	1,053	1,454	4	9	1,320
E 70-49	17,679	4,954	7,943	4,713	9	60	6,209
E 71-49	24,839	6,530	10,465	7,751	19	74	9,551
E 72-49	101,542	29,474	37,749	33,864	151	304	39,852
E 73-49	119,137	38,223	42,636	37,685	166	427	51,416
E 74-49	135,763	37,893	48,329	48,754	239	508	52,070
E 68-50	3,399	1,059	1,306	1,009	0	15	1,979
E 69-50	24,169	6,963	10,409	6,708	3	86	10,885
E 70-50	69,802	20,466	29,007	20,135	12	182	26,469
E 71-50	62,301	16,621	25,384	20,080	11	205	27,022
E 72-50	47,520	12,125	19,033	16,173	35	154	22,407
E 73-50	44,139	12,035	16,427	15,535	3	139	19,783
E 74-50	114,437	29,984	43,503	40,568	19	363	44,806
E 68-51	16,868	4,410	7,160	5,231	7	60	7,914
E 69-51	18,746	4,669	7,784	6,230	1	62	7,515
E 70-51	18,367	4,083	8,232	5,882	0	70	7,252
E 71-51	24,000	4,880	11,375	7,642	0	103	13,660
E 72-51	21,846	4,595	9,815	7,432	1	89	11,527
E 73-51	29,628	5,043	12,437	12,047	2	99	15,501
E 74-51	66,512	13,759	26,816	25,944	15	187	28,666
E 69-52	8,678	1,653	4,295	2,655	0	35	4,490
E 70-52	13,947	2,337	7,414	4,140	0	48	6,588
E 71-52	10,437	2,109	5,041	3,253	0	34	4,620
E 72-52	1,204	237	523	435	2	7	660
E 70-53	4,555	451	2,217	1,878	0	9	1,823

TABLE 1. CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1 DEG X 1 DEG AREA, BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TANS, 1982.

RUN DATE 02-02-83
RUN TIME 16:42:43

PERIOD 10 DAY PERIOD	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TANS)
	ALL SPECIES	SICKEYE	FISH	CHUM	COHO	CHINOOK	
MID JUNE (CONTINUED)							
11-20							
E 71-53	251	16	123	111	0	1	220
E 74-53	2,004	256	631	1,113	0	4	660
E 71-54	206	17	91	55	0	3	218
E 73-54	535	63	173	258	0	1	330
LATE JUNE							
21-30	1,477,336	308,271	408,736	745,246	9,467	5,616	533,645
E 74-46	2,142	586	831	715	6	4	990
E 70-49	474	119	107	237	9	2	330
E 71-49	45,009	9,971	15,152	18,725	969	192	17,139
E 72-49	139,548	28,964	47,712	60,022	2,247	603	50,411
E 73-49	186,474	41,320	64,577	77,517	2,286	774	63,705
E 74-49	273,736	63,573	97,454	108,896	2,763	1,050	79,234
E 69-50	579	74	258	244	0	3	330
E 70-50	6,268	956	1,654	3,429	3	26	1,978
E 71-50	30,078	5,893	7,101	16,838	100	146	13,833
E 72-50	88,215	14,497	19,498	53,756	167	259	38,218
E 73-50	115,749	25,515	28,962	60,414	409	449	49,409
E 74-50	198,327	50,552	57,025	85,720	452	574	67,005
E 69-51	878	104	455	315	0	4	330
E 71-51	5,570	1,240	1,874	2,824	0	32	2,310
E 72-51	42,962	9,210	9,404	24,108	6	234	15,826
E 73-51	24,824	16,213	11,254	57,048	16	293	30,327
E 74-51	120,337	22,034	14,079	83,856	34	334	36,204
E 69-52	2,136	432	948	738	0	18	990
E 70-52	1,541	285	738	904	0	14	990
E 71-52	1,187	231	197	553	0	6	660
E 72-52	7,681	1,074	2,085	4,459	0	23	2,633
E 73-52	1,142	142	241	754	0	5	658
E 74-52	12,282	1,515	1,552	8,785	0	30	3,292
E 70-53	13,617	1,285	5,127	6,416	0	89	6,590
E 71-53	12,231	1,360	2,503	8,314	0	54	9,145
E 72-53	12,642	622	1,161	10,757	0	62	5,599
E 73-53	12,838	1,367	2,480	8,937	0	54	5,928
E 74-53	15,845	1,884	4,066	9,829	0	66	6,925
E 71-54	1,153	95	277	775	0	6	660
E 72-54	5,401	401	795	4,151	0	14	2,220
E 73-54	5,097	630	1,132	3,318	0	17	2,640
E 74-54	12,384	1,544	2,507	7,876	0	57	5,927
E 72-55	778	207	85	488	0	0	659
E 73-55	912	104	318	488	0	2	330
E 74-55	2,846	326	875	1,635	0	10	1,645
E 74-56	3,666	331	553	2,318	0	14	1,320
E 76-56	336	93	50	193	0	0	330

TABLE 1. CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1 DEG X 1 DEG AREA, BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TANS, 1982.

RUN DATE 02-02-83
 RUN TIME 16:49:43

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TANS)
	ALL SPECIES	SCKEYE	FINN	CHUM	COHC	CHINOCK	
LATE JUNE (CONTINUED)							
21-30							
E 77-56	1,665	448	403	801	0	13	1,320
E 78-56	758	235	295	223	0	5	660
E 75-56	1,313	548	202	545	0	18	980
E 76-57	896	232	185	467	0	8	660
E 77-57	1,072	237	232	582	0	21	660
E 78-57	951	246	287	415	0	3	660
E 75-57	681	78	190	408	0	5	330
W 80-56	355	202	51	98	0	4	327
W 75-57	711	433	68	157	0	13	660
W 80-58	1,249	113	130	1,000	0	6	660
JUNE TOTAL	3,118,655	699,447	913,541	1,479,107	15,439	11,121	1,351,263

TABLE 1. CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1 DEG X 1 DEG AREA, BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TONS, 1982.

RUN DATE 02-02-83
RUN TIME 16:49:43

PERIOD 10-DAY AREA	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TONS)
	ALL SPECIES	SCKEYE	PINK	CHUM	CCHC	CHINOOK	
EARLY JULY							
01-10	1,396,545	349,797	299,409	596,974	126,029	26,336	523,267
E 70-49	15,104	2,499	4,691	3,844	3,798	272	3,949
E 71-49	44,202	8,061	15,426	10,785	9,371	559	13,497
E 72-49	84,332	17,182	28,569	19,058	18,331	1,192	27,637
E 73-49	112,187	26,480	34,427	21,970	27,593	1,717	40,529
E 74-49	195,165	50,456	54,315	40,950	46,743	2,661	65,162
E 70-50	16,531	2,411	9,487	3,357	1,151	85	3,620
E 71-50	24,727	5,409	6,826	10,042	2,247	203	7,247
E 72-50	34,171	10,010	6,662	14,314	2,622	563	12,839
E 73-50	27,916	10,651	7,319	7,651	1,742	513	14,487
E 74-50	97,290	40,113	21,096	22,829	11,476	1,776	39,191
E 70-51	815	315	85	360	47	8	329
E 72-51	15,760	5,984	1,780	7,591	281	124	5,932
E 73-51	12,397	3,008	1,193	7,943	147	106	5,606
E 74-51	30,012	13,196	2,784	13,569	304	159	11,672
E 72-52	1,253	504	70	665	2	12	330
E 74-52	8,404	2,700	411	5,246	14	33	1,647
E 72-53	940	67	153	718	0	2	327
E 73-54	7,164	2,116	241	4,762	23	22	2,963
E 74-54	23,227	7,938	696	14,462	49	82	7,238
E 73-55	6,545	1,660	921	3,933	0	31	2,968
E 74-55	25,979	7,078	2,667	16,053	32	149	10,544
E 73-56	3,974	580	302	3,062	0	30	1,314
E 74-56	7,491	692	411	6,367	0	21	1,650
E 75-56	4,817	1,230	1,160	2,379	0	48	2,308
E 76-56	46,707	9,996	6,583	29,549	10	569	17,149
E 77-56	51,380	11,797	8,736	30,106	6	735	20,772
E 78-56	50,494	10,680	7,957	31,186	2	669	19,340
E 79-56	25,343	4,947	3,483	16,349	0	564	9,415
E 75-57	8,298	2,584	2,282	3,387	0	45	3,294
E 76-57	26,868	5,866	6,243	14,504	0	255	11,212
E 77-57	9,657	1,593	757	7,188	3	116	4,950
E 78-57	39,116	7,533	6,136	24,953	0	454	13,849
E 79-57	17,769	3,518	2,790	11,113	6	342	6,593
E 76-58	1,880	209	147	1,453	0	31	658
E 77-58	13,025	2,438	1,294	9,159	8	126	7,250
E 78-58	17,872	4,671	2,174	10,336	0	691	7,581
E 79-58	6,409	1,484	703	3,851	0	371	2,567
W 77-56	565	96	70	411	0	8	328
W 78-56	21,408	5,416	3,715	11,692	2	583	8,909
W 79-56	31,023	7,309	4,787	18,042	0	885	12,191
W 80-56	12,210	2,597	1,852	7,366	0	395	5,936
W 78-57	41,073	9,208	5,181	24,986	3	1,695	15,437
W 79-57	62,533	13,407	9,506	37,070	12	2,538	25,104
W 80-57	68,685	14,397	13,348	38,042	0	2,898	28,011
W 79-58	12,714	2,576	2,576	6,902	0	660	5,607

TABLE 1.

CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1 DEG X 1 DEG AREA,
BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TANS, 1982.RUN DATE 02-02-83
RUN TIME 16:49:43

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TANS)
	ALL SPECIES	SCKEYE	PINK	CHUM	COHO	CHINOOK	
EARLY JULY (CONTINUED)							
CJ-10							
W EC-5E	33,093	7,135	7,397	17,219	4	1,338	13,528
MID JULY							
11-20	1,511,950	390,581	194,649	535,239	357,895	33,586	526,471
E 74-4E	6,412	811	624	1,085	3,755	137	2,640
E 70-4E	1,154	56	505	234	329	26	330
E 71-4E	17,32E	5,031	3,000	5,764	3,266	247	5,940
E 72-4E	30,623	11,054	4,656	8,362	11,972	579	16,492
E 73-4E	77,115	18,927	9,505	12,558	34,782	1,299	32,280
E 74-4E	306,097	74,467	45,69E	40,450	140,964	4,518	84,040
E 6E-50	3,174	557	883	1,252	447	35	990
E 70-50	2,587	437	374	1,300	461	15	590
E 71-50	3,086	1,329	225	970	523	39	1,320
E 72-50	30,949	9,775	2,85E	8,242	9,573	501	11,213
E 73-50	63,208	16,385	8,432	12,611	24,257	1,523	29,982
E 74-50	217,831	62,112	34,667	40,790	77,426	2,836	54,601
E 6E-51	3,102	610	451	1,676	356	9	660
E 6E-51	801	185	90	439	83	4	330
E 70-51	3,430	675	391	1,870	445	49	990
E 72-51	3,781	1,092	229	1,444	1,043	63	1,320
E 73-51	5E,017	19,719	6,51E	20,219	10,338	1,223	21,101
E 74-51	147,585	48,258	22,691	45,668	29,091	1,877	42,789
E 6E-52	8,773	2,319	1,039	4,617	712	86	2,970
E 70-52	5,362	1,572	612	2,585	511	82	1,977
E 71-52	9,971	3,889	569	4,103	919	91	3,225
E 72-52	3,013	1,148	260	1,066	516	23	990
E 73-52	766	229	10E	421	3	5	330
E 74-52	1,873	422	580	724	124	23	330
E 70-53	13,151	4,706	1,251	6,383	734	77	3,624
E 71-53	10,196	3,791	897	5,101	298	109	2,640
E 72-53	1,283	524	130	559	45	25	330
E 74-53	6,214	1,821	1,505	2,757	72	59	1,650
E 70-54	2,29E	1,100	136	9E7	41	34	660
E 71-54	1,620	627	1E7	756	47	23	660
E 72-54	2,203	475	133	1,568	26	1	658
E 74-54	3,301	740	223	2,281	31	26	1,574
E 73-55	10,860	1,926	507	8,158	73	156	4,290
E 74-55	3E,516	9,895	1,595	26,453	219	350	16,472
E 73-56	4,444	1,341	154	2,876	18	55	1,320
E 74-5E	9,396	2,366	481	6,38E	28	133	4,280
E 75-5E	5,191	1,959	655	6,340	93	144	4,288
E 76-5E	6,219	1,321	395	3,833	38	132	2,640
E 77-5E	2,611	545	151	1,812	55	48	1,320
E 7E-5E	2,081	256	313	1,438	18	56	1,320

TABLE 1. CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1 DEG X 1 DEG AREA, BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TANS, 1982.

RUN DATE 02-02-83
RUN TIME 16:49:43

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TANS)
	ALL SPECIES	SCKEYE	FIAM	CHUM	CCFC	CHINOOK	
MID JULY (CONTINUED)							
11-20							
E 75-56	827	194	95	501	5	32	660
E 75-57	17,931	3,846	2,848	10,751	97	399	6,916
E 76-57	25,953	4,281	6,984	13,839	34	815	9,802
E 77-57	8,214	1,216	2,507	4,218	26	247	3,293
E 78-57	10,664	2,604	728	6,724	10	598	3,957
E 75-57	20,565	4,850	1,434	13,643	50	988	7,583
E 76-58	10,880	1,448	1,288	7,859	2	283	4,605
E 77-58	15,544	2,183	685	12,475	8	193	8,230
E 78-58	6,772	1,222	314	4,756	14	426	4,599
E 79-58	10,667	2,437	535	7,267	0	404	3,619
W 77-56	8,999	1,610	798	4,107	244	240	3,298
W 78-56	40,587	8,164	5,458	23,817	922	2,226	15,807
W 75-56	33,717	6,972	3,595	20,687	890	1,583	14,800
W 80-56	5,316	2,053	1,428	5,210	225	400	4,941
W 77-57	849	121	146	566	7	9	328
W 78-57	27,045	5,249	2,825	17,343	440	1,188	12,163
W 75-57	49,421	10,626	4,238	30,928	765	2,864	23,050
W 80-57	27,806	6,917	1,790	18,244	213	1,542	13,822
W 79-58	12,100	2,653	558	7,807	181	501	4,941
W 80-58	40,071	7,973	1,921	28,157	50	1,930	14,495
LATE JULY							
21-31	1,865,674	297,976	246,618	605,786	683,196	36,098	541,442
E 74-48	23,221	2,542	1,593	4,058	14,028	560	7,243
E 70-49	5,800	530	866	2,989	1,368	47	1,645
E 71-49	43,178	3,095	5,217	25,658	8,926	242	8,889
E 72-49	82,748	10,353	8,687	39,087	23,653	968	23,374
E 73-49	142,593	23,369	15,080	29,953	71,710	2,481	49,086
E 74-49	335,817	43,945	40,419	55,907	194,006	5,540	84,949
E 68-50	1,129	127	189	617	175	21	330
E 69-50	4,583	728	541	2,080	788	46	1,320
E 70-50	5,329	445	1,196	2,570	1,084	34	1,315
E 71-50	34,200	2,125	2,717	23,918	5,236	204	8,219
E 72-50	60,129	6,687	5,408	28,339	18,560	1,137	20,070
E 73-50	176,470	24,937	18,249	53,349	75,044	4,891	61,603
E 74-50	342,200	54,282	48,853	85,263	146,614	7,189	84,990
E 68-51	20,796	3,169	3,256	10,904	3,050	317	4,949
E 69-51	849	195	112	409	124	9	330
E 70-51	5,750	1,256	638	3,055	720	81	1,650
E 71-51	8,407	1,674	1,013	3,586	2,008	126	2,307
E 72-51	27,813	6,301	2,867	12,185	6,060	400	9,685
E 73-51	69,567	14,421	11,319	21,922	20,148	1,757	28,665
E 74-51	273,479	53,676	63,408	69,159	82,611	4,625	70,091
E 71-52	1,104	148	198	566	149	23	655

TABLE 1. CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1 DEG X 1 DEG AREA, BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TANS, 1982.

RUN DATE 02-02-83
 RUN TIME 16:49:43

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TANS)
	ALL SPECIES	Sockeye	Pink	Chum	Coho	Chinook	
LATE JULY (CONTINUED)							
21-31							
E 72-52	9,508	1,659	1,564	3,720	2,480	85	2,300
E 73-52	716	325	77	180	130	4	330
E 74-52	11,180	4,660	3,073	1,889	1,408	150	2,308
E 71-53	664	165	131	324	36	8	330
E 77-56	5,055	754	804	3,112	86	303	2,952
E 78-56	10,625	1,978	1,493	6,357	149	649	5,915
E 75-56	5,404	947	536	3,169	96	256	2,963
E 77-57	4,151	1,158	208	2,624	56	35	1,580
E 78-57	8,383	2,219	412	5,312	123	317	4,285
E 75-57	5,794	1,011	190	4,313	60	220	2,639
E 77-58	1,394	422	41	876	21	34	660
E 78-58	14,413	3,137	388	10,432	120	336	5,539
E 75-58	28,489	6,237	643	20,773	246	590	10,229
W 77-56	11,478	2,283	585	8,127	274	209	2,640
W 78-56	18,426	3,686	1,060	10,726	561	393	4,290
W 75-56	4,719	1,269	252	2,887	147	164	1,650
W 80-56	805	193	61	455	23	28	330
W 77-57	7,404	1,486	326	5,278	162	152	1,980
W 78-57	24,279	4,526	746	18,049	448	510	6,269
W 75-57	18,116	3,431	555	13,256	331	543	5,610
W 80-57	1,689	392	76	1,119	48	54	660
W 75-58	6,285	1,632	213	6,104	104	236	2,968
W 80-58	1,527	386	60	950	26	65	660
JULY TOTAL	4,780,169	1,038,354	740,676	1,737,959	1,167,120	96,020	1,591,180

TABLE 2.

CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1 DEG X 1 DEG AREA,
BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN TANS, 1982.RUN DATE 02-02-83
RUN TIME 16:42:43

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TANS)
	ALL SPECIES	SOCNEYE	FINN	CHUM	COHO	(HINDOK)	
GRAND TOTAL	15,429,237	3,039,345	2,214,135	6,857,687	2,956,863	361,207	2,942,443
EARLY JUNE							
01-10	1,292,723	223,104	118,633	932,906	10,760	7,320	391,605
E 70-46	42,685	5,758	3,232	32,552	1,067	236	12,181
E 71-46	51,476	2,841	3,307	44,164	773	371	20,585
E 72-46	46,606	4,160	3,659	40,183	239	365	16,665
E 73-46	53,262	3,069	3,472	45,208	1,267	246	17,002
E 74-46	32,244	1,431	2,325	27,834	535	115	9,235
E 70-47	82,447	11,906	5,861	63,908	323	449	20,420
E 71-47	78,175	8,815	6,122	62,061	708	469	29,693
E 72-47	121,659	17,589	6,331	94,788	2,402	589	36,241
E 73-47	161,310	16,463	7,281	134,946	1,771	849	49,119
E 74-47	145,359	10,107	5,467	127,968	1,029	768	45,832
E 70-48	52,400	20,120	21,054	50,324	274	629	24,376
E 71-48	52,964	25,828	15,310	51,259	96	471	26,450
E 72-48	102,786	35,536	14,380	52,164	98	608	32,036
E 73-48	100,142	35,391	10,516	53,285	21	529	29,348
E 74-48	61,685	17,321	4,637	39,160	157	410	19,445
E 70-49	18,181	3,188	3,786	9,054	0	153	4,858
E 71-49	7,102	1,581	1,469	4,008	0	44	1,319
MID JUNE							
11-20	1,768,016	498,792	494,184	762,108	1,374	11,558	425,813
E 74-48	5,844	1,429	1,221	3,157	9	28	1,320
E 70-49	30,149	8,902	10,210	10,759	17	221	6,209
E 71-49	42,452	12,059	12,807	17,252	37	257	9,551
E 72-49	181,628	56,036	47,450	76,841	294	1,007	39,852
E 73-49	211,517	77,807	53,256	83,718	316	1,420	51,416
E 74-49	240,502	71,863	55,904	106,513	479	1,743	52,070
E 68-50	5,515	1,837	1,695	2,333	0	54	1,579
E 69-50	41,755	12,467	13,485	15,481	6	316	10,895
E 70-50	120,452	37,448	36,311	46,017	21	655	26,469
E 71-50	108,095	30,637	30,902	45,808	23	725	27,022
E 72-50	84,802	22,960	23,633	37,573	73	563	22,407
E 73-50	78,958	22,448	20,685	35,345	6	474	19,783
E 74-50	200,348	55,735	54,093	89,253	39	1,228	44,806
E 68-51	25,287	7,550	5,353	12,161	13	210	7,514
E 69-51	33,026	8,301	10,050	14,465	2	208	7,915
E 70-51	32,375	7,642	10,374	14,111	0	240	7,252
E 71-51	41,288	9,067	13,927	17,902	0	392	13,660
E 72-51	37,566	8,083	12,126	17,038	2	317	11,527
E 73-51	53,475	10,488	14,516	27,706	4	361	15,501
E 74-51	117,365	27,581	32,400	56,722	29	633	28,066
E 69-52	14,884	3,101	5,395	6,250	0	138	4,490
E 70-52	23,373	4,423	9,159	9,625	0	166	6,588
E 71-52	17,577	3,941	6,169	7,361	0	106	4,620
E 72-52	2,118	506	628	955	4	25	660
E 70-53	7,713	842	2,719	4,121	0	31	1,823

TABLE 2. CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1 DEG X 1 DEG AREA, BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN TANS, 1982.

RUN DATE 02-02-83
RUN TIME 16:49:43

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TANS)
	ALL SPECIES	Sockeye	Pink	Chum	Coho	Chinook	
MID JUNE 11-20	(CONTINUED)						
E 71-53	457	31	154	268	0	4	220
E 74-52	3,713	462	819	2,418	0	14	660
E 71-54	387	33	114	229	0	11	218
E 72-54	987	113	225	646	0	3	330
LATE JUNE 21-30	2,526,945	529,513	547,271	1,410,442	20,789	18,830	533,645
E 74-48	3,548	1,030	1,157	1,340	11	10	590
E 70-49	864	200	140	500	17	7	330
E 71-49	75,630	16,727	20,172	36,033	2,068	637	17,139
E 72-49	232,220	48,575	64,409	112,347	4,846	2,043	50,411
E 73-49	311,606	70,471	88,273	145,133	5,125	2,604	63,705
E 74-49	463,172	112,444	132,760	208,389	6,080	3,439	79,234
E 65-50	938	130	142	456	0	10	330
E 70-50	10,302	1,622	2,531	6,063	6	80	1,578
E 71-50	52,046	10,085	9,595	31,666	216	460	13,833
E 72-50	154,336	24,434	26,284	102,388	356	876	30,218
E 73-50	199,326	43,938	39,455	113,481	933	1,519	49,409
E 74-50	336,828	87,890	76,493	169,536	1,011	1,898	67,005
E 65-51	1,391	160	540	677	0	14	330
E 71-51	5,746	2,014	2,328	5,250	0	114	2,310
E 72-51	67,671	14,382	11,667	40,826	12	784	15,826
E 73-51	144,781	26,968	14,372	102,436	33	972	30,327
E 74-51	209,114	38,224	18,266	151,414	75	1,135	36,204
E 65-52	3,543	733	1,275	1,477	0	58	590
E 70-52	3,384	470	539	1,929	0	46	590
E 71-52	2,039	397	509	1,109	0	24	660
E 72-52	13,561	1,859	2,594	9,022	0	86	2,633
E 73-52	2,128	235	292	1,584	0	17	658
E 74-52	22,018	2,717	2,393	16,807	0	101	3,292
E 70-53	23,809	3,331	6,585	13,585	0	304	6,590
E 71-53	23,090	2,110	2,558	17,833	0	189	9,145
E 72-53	26,801	1,140	1,281	24,189	0	191	5,599
E 73-53	25,554	2,490	2,510	19,970	0	184	5,928
E 74-53	30,051	3,329	4,552	21,516	0	254	6,925
E 71-54	2,122	167	143	1,552	0	20	660
E 72-54	10,953	733	906	9,269	0	45	2,220
E 73-54	5,912	1,130	1,350	7,370	0	62	2,640
E 74-54	23,806	2,719	3,622	17,271	0	194	5,927
E 72-55	1,483	359	115	1,009	0	0	659
E 73-55	1,664	184	395	1,078	0	7	330
E 74-55	5,132	517	1,043	3,538	0	34	1,645
E 74-56	5,972	647	1,278	4,007	0	40	1,320
E 76-56	570	159	67	344	0	0	330

TABLE 2. CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1 DEG X 1 DEG AREA, BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN TANS, 1982.

RUN DATE 02-02-83
RUN TIME 16:49:43

PERIOD 10 DAY PERIOD	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TONS)
	ALL SPECIES	SCKEYE	PINK	CHUM	COHC	SHINOCK	
LATE JUNE 21-30	(CONTINUED)						
E 77-56	2,693	758	550	1,343	0	42	1,320
E 78-56	1,214	398	405	354	0	17	660
E 79-56	2,127	933	256	878	0	60	988
E 76-57	1,439	395	256	762	0	26	660
E 77-57	1,689	390	284	947	0	68	660
E 78-57	1,548	425	405	708	0	10	660
E 79-57	1,119	145	274	683	0	17	330
W 80-56	606	364	67	161	0	14	327
W 79-57	1,239	780	90	325	0	44	660
W 80-56	2,158	205	185	1,747	0	21	660
JUNE TOTAL	5,587,684	1,251,409	1,160,188	3,105,456	32,923	37,708	1,351,263

TABLE 2.

CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1 DEG X 1 DEG AREA,
BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN TANS, 1982.RUN DATE 02-02-83
RUN TIME 16:49:43

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TANS)
	ALL SPECIES	Sockeye	PIAM	CHUM	CCFC	CHINOOK	
EARLY JULY							
C1-10	2,612,189	610,336	413,320	1,200,362	300,420	87,751	523,267
E 70-49	29,167	4,389	7,153	7,011	5,731	883	3,549
E 71-49	80,230	13,890	22,134	19,018	23,381	1,807	13,497
E 72-49	151,204	29,702	40,680	33,131	43,832	3,859	27,637
E 73-49	209,371	48,160	50,814	39,626	65,161	5,610	40,529
E 74-49	371,919	92,658	82,095	77,502	110,963	8,701	65,162
E 70-50	25,555	4,030	12,760	5,810	2,670	289	3,620
E 71-50	41,727	9,210	9,285	17,230	5,233	669	7,247
E 72-50	60,441	17,353	9,462	25,769	5,970	1,887	12,839
E 73-50	49,580	19,395	10,856	14,531	4,115	1,683	14,487
E 74-50	180,470	71,827	31,615	44,112	27,186	5,730	39,191
E 70-51	1,384	517	107	631	103	26	329
E 72-51	29,001	10,711	2,649	14,560	680	401	5,932
E 73-51	20,896	5,092	1,608	13,454	348	354	5,606
E 74-51	48,466	21,397	3,457	22,412	670	530	11,872
E 72-52	2,128	843	99	1,143	5	38	330
E 74-52	13,492	4,381	523	8,457	30	101	1,647
E 72-53	1,432	106	182	1,137	0	7	327
E 73-54	12,751	3,322	331	8,975	48	75	2,563
E 74-54	40,866	12,419	986	27,077	104	280	7,238
E 73-55	12,545	2,799	1,096	8,553	0	101	2,968
E 74-55	49,542	11,617	3,208	34,147	70	500	10,544
E 73-56	8,298	1,000	250	6,850	0	93	1,314
E 74-56	15,970	1,200	480	14,230	0	60	1,650
E 75-56	8,807	2,189	1,392	5,068	0	158	2,308
E 76-56	83,812	16,867	8,038	57,018	21	1,868	17,149
E 77-56	95,335	20,059	10,545	62,264	13	2,450	20,772
E 78-56	94,258	18,212	9,598	64,214	5	2,229	19,340
E 75-56	48,029	8,443	4,211	33,509	0	1,856	9,415
E 75-57	15,054	4,620	2,670	7,600	0	164	3,294
E 76-57	49,867	10,491	7,553	30,946	0	877	11,212
E 77-57	18,537	2,768	1,048	14,345	6	370	4,550
E 78-57	71,133	12,395	7,197	49,840	0	1,501	13,849
E 75-57	32,268	5,817	3,368	21,901	14	1,168	6,593
E 76-58	3,279	341	186	2,652	0	100	658
E 77-58	26,241	4,326	1,735	19,743	16	421	7,250
E 78-58	35,491	3,111	2,668	22,354	0	2,318	7,581
E 75-58	12,802	2,549	675	8,117	0	1,261	2,567
W 77-58	1,205	170	87	922	0	26	328
W 78-58	41,560	9,505	4,582	25,463	4	2,006	8,509
W 75-58	62,088	12,749	5,915	40,403	0	3,021	12,191
W 80-58	24,731	4,481	2,266	16,649	0	1,335	5,936
W 78-57	81,669	15,393	6,472	53,112	7	5,685	15,437
W 75-57	125,038	23,345	11,822	81,270	25	8,576	25,104
W 80-57	136,082	24,918	16,476	84,889	0	9,799	28,011
W 75-58	24,882	4,496	3,189	14,901	0	2,276	5,607

TABLE 2.

CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1 DEG X 1 DEG AREA,
BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN TANS, 1982.RUN DATE 02-02-83
RUN TIME 16:49:43

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TANS)
	ALL SPECIES	SICKEYE	PINK	CHUM	CHIC	SHINOK	
EARLY JULY (CONTINUED)							
01-10							
W 6C-5E	63,598	12,073	9,193	37,736	9	4,587	13,528
MID JULY							
11-20	3,125,301	673,944	278,165	1,184,065	875,979	113,148	526,471
E 74-4E	14,238	1,400	520	2,540	8,930	448	2,640
E 7C-4E	2,238	95	722	518	814	89	330
E 71-4E	32,402	8,052	4,235	11,117	8,091	807	5,540
E 72-4E	74,040	18,072	6,992	16,926	30,186	1,864	16,492
E 73-4E	164,460	32,314	14,281	28,085	85,376	4,302	32,280
E 74-4E	650,367	132,760	68,650	93,058	340,586	15,073	84,040
E 6E-5C	6,149	971	1,201	2,761	1,097	119	990
E 7C-5C	5,309	755	520	2,902	1,069	53	990
E 71-5C	5,722	2,110	224	1,810	1,350	123	1,320
E 72-5C	61,435	15,846	4,140	16,575	23,379	1,495	11,213
E 73-5C	132,078	27,476	12,288	28,120	55,454	4,739	29,992
E 74-5C	452,993	107,191	50,088	95,725	190,921	9,068	54,601
E 6E-51	6,489	1,049	679	3,875	856	30	660
E 6E-51	1,382	303	113	770	183	13	330
E 7C-51	7,319	1,161	545	4,343	1,102	168	990
E 72-51	8,318	1,705	331	3,505	2,573	204	1,320
E 73-51	119,269	33,680	9,508	46,050	25,945	4,086	21,101
E 74-51	301,366	82,715	32,710	106,949	72,959	6,033	42,789
E 6E-52	18,575	4,009	1,474	11,082	1,720	290	2,970
E 7C-52	11,206	2,732	822	6,168	1,208	276	1,977
E 71-52	19,474	6,564	1,319	9,027	2,246	308	3,225
E 72-52	6,234	1,952	362	2,562	1,280	78	990
E 73-52	1,497	401	153	919	8	16	330
E 74-52	3,783	774	825	1,753	314	77	330
E 7C-53	26,854	8,165	1,745	14,852	1,787	265	3,624
E 71-53	20,424	6,671	1,260	11,419	714	360	2,640
E 72-53	2,728	960	185	1,385	114	84	330
E 74-53	12,166	3,167	2,190	6,442	178	189	1,650
E 7C-54	4,513	1,892	188	2,218	101	114	660
E 71-54	3,264	1,088	224	1,750	122	80	660
E 72-54	4,786	827	197	3,656	62	4	658
E 74-54	6,319	1,225	312	4,614	81	87	1,574
E 73-55	22,145	3,195	714	17,520	175	541	4,290
E 74-55	73,085	15,809	2,234	53,358	521	1,163	16,472
E 73-56	8,475	2,170	218	5,868	42	177	1,320
E 74-56	17,566	3,803	655	12,558	64	446	4,280
E 75-56	19,726	3,352	892	14,753	238	491	4,288
E 76-56	12,802	3,184	532	8,534	96	456	2,640
E 77-56	5,673	936	210	4,226	139	162	1,320
E 78-56	4,509	473	417	3,380	44	195	1,320

TABLE 2. CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1 DEG X 1 DEG AREA, BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN TANS, 1982.

RUN DATE 02-02-83
RUN TIME 16:49:43

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	CHIC	SHINOCK	
MID JULY (CONTINUED)							
11-20							
E 75-56	1,889	377	144	1,248	12	108	660
E 75-57	36,756	6,697	3,670	24,777	224	1,388	6,916
E 76-57	45,904	7,519	8,905	30,510	89	2,881	9,802
E 77-57	15,922	2,155	3,196	9,630	63	879	3,293
E 78-57	20,671	4,613	922	13,015	27	2,094	3,557
E 75-57	40,022	8,613	1,815	26,012	124	3,450	7,583
E 76-58	21,036	2,501	1,648	15,903	4	980	4,605
E 77-58	32,891	3,798	994	27,408	19	672	8,230
E 78-58	14,505	2,178	404	10,384	33	1,506	4,599
E 79-58	20,715	4,325	681	14,302	0	1,407	3,619
W 77-56	14,813	2,790	1,092	9,500	598	833	3,298
W 78-56	85,510	14,288	7,093	54,186	2,160	7,783	15,807
W 75-56	71,477	12,266	4,655	46,924	2,071	5,557	14,806
W 80-56	19,500	3,571	1,900	12,071	565	1,393	4,941
W 77-57	1,766	210	200	1,310	16	30	328
W 78-57	57,553	9,200	3,626	39,600	1,028	4,099	12,163
W 75-57	105,781	18,843	5,445	69,829	1,749	9,915	23,050
W 80-57	58,506	10,539	2,322	39,751	529	5,325	13,822
W 75-58	25,915	4,641	1,262	17,869	430	1,713	4,941
W 80-58	78,791	13,816	2,399	55,913	113	6,550	14,495
LATE JULY							
21-31	4,104,063	503,656	362,462	1,367,804	1,747,541	122,600	541,442
E 74-48	56,647	4,880	2,965	10,590	36,280	1,932	7,243
E 70-49	10,522	850	1,213	5,128	3,181	150	1,645
E 71-49	76,090	5,079	7,462	42,252	22,467	790	8,689
E 72-49	160,959	16,933	12,501	68,668	59,707	3,150	23,374
E 73-49	323,558	40,760	22,584	70,417	181,564	8,233	49,086
E 74-49	759,049	81,654	61,655	141,969	495,179	18,592	84,549
E 68-50	2,485	217	278	1,427	491	72	330
E 69-50	5,516	1,213	1,321	4,735	2,095	152	1,320
E 70-50	10,151	742	1,711	4,937	2,650	111	1,315
E 71-50	58,204	3,361	3,698	37,623	12,656	606	8,219
E 72-50	126,332	10,921	7,869	57,451	46,130	3,921	20,070
E 73-50	415,125	41,550	26,934	136,784	193,068	16,789	61,603
E 74-50	785,679	91,551	72,406	220,625	376,247	24,850	84,980
E 68-51	42,724	5,326	4,548	23,033	8,370	1,047	4,949
E 69-51	1,873	352	169	1,025	299	28	330
E 70-51	12,515	2,147	931	7,348	1,820	269	1,650
E 71-51	17,262	2,710	1,460	7,240	5,420	432	2,307
E 72-51	59,972	10,286	4,153	29,026	15,132	1,375	9,885
E 73-51	149,796	23,078	16,560	52,066	52,104	5,988	28,665
E 74-51	574,366	86,247	91,764	167,246	213,356	15,753	70,091
E 71-52	1,989	233	288	992	401	75	655

TABLE 2. CATCH STATISTICS OF JAPANESE POTTERSHIP GILLNET SALMON FISHERY BY 1 DEG X 1 DEG AREA, BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN TANS, 1982.

RUN DATE 02-02-83
 RUN TIME 16:49:43

PERIOD AND AREA	ALL SPECIES	SPECIES					CUMULATIVE QUANTITY OF GEAR USED (IN TANS)
		SOCKEYE	PIAK	CHUM	CHPC	CHINOOK	
LATE JULY (CONTINUED)							
21-31							
E 72-52	18,875	2,843	2,288	7,286	6,185	277	2,300
E 73-52	1,427	529	101	428	355	14	330
E 74-52	20,565	7,578	4,085	4,571	3,810	521	2,308
E 71-53	1,337	289	181	749	91	27	330
E 77-56	10,881	1,320	1,110	7,200	218	1,033	2,952
E 78-56	22,816	3,470	2,060	14,700	370	2,216	5,915
E 79-56	11,403	1,660	1,290	7,330	243	880	2,963
E 77-57	8,159	1,970	285	5,440	146	318	1,980
E 78-57	16,724	3,750	584	11,030	323	1,057	4,285
E 79-57	11,853	1,705	261	9,000	158	729	2,639
E 77-58	2,715	710	56	1,780	57	112	660
E 78-58	29,213	5,260	540	22,000	315	1,098	5,939
E 79-58	58,802	10,445	893	44,870	656	1,938	10,229
W 77-56	21,302	3,700	838	15,280	780	704	2,640
W 78-56	31,003	5,998	1,523	20,566	1,596	1,320	4,290
W 79-56	9,252	2,086	384	5,830	414	558	1,650
W 80-56	1,497	320	87	930	65	95	330
W 77-57	14,610	2,455	487	10,719	456	513	1,980
W 78-57	50,644	7,577	1,079	38,954	1,256	1,739	6,269
W 79-57	38,969	5,793	811	29,568	934	1,863	5,610
W 80-57	1,696	670	113	2,590	135	188	660
W 79-58	18,316	2,785	311	14,120	291	809	2,968
W 80-58	2,186	653	85	2,161	70	217	660
JULY TOTAL	9,841,553	1,787,936	1,053,947	3,752,231	2,923,940	323,499	1,591,180

TABLE 3. CATCH STATISTICS OF JAPANESE LANDBASED CRIPNET FISHERY BY 2 DEG X 5 DEG AREA, BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TONS, 1982.

RUN DATE 02-03-83
RUN TIME 11:03:37

PERIOD AND AREA	ALL SPECIES	SPECIES					CUMULATIVE QUANTITY OF GEAR USED (IN TONS)
		3,31 SOCKEYE	2,25 PINK	3,98 CHUM	3,77 COHO	8,10 CHINOOK	
GRAND TOTAL	16,054,117	723,237	11,035,303	2,930,104	1,200,568	164,905	2,961,730
E 7/FLY MAY							
C1-10	866,087	183,521	379,431	295,246	35	7,852	300,737
E 6C-4C	2,883	257	1,584	632	0	0	660
E 4S-4Z	7,356	0	6,735	623	0	0	330
E 5S-4Z	1,330	142	769	386	0	33	330
E 6C-4Z	35,245	5,147	19,011	10,778	6	307	9,530
E 6S-4Z	276,045	57,681	119,704	96,550	0	2,110	96,070
E 7C-4Z	180,745	43,613	69,590	66,006	0	1,536	68,570
E 7C-44	345,220	71,773	158,592	115,080	29	3,746	119,377
E 7C-4E	12,321	4,263	3,048	4,852	0	118	5,475
E 7C-4E	936	635	0	299	0	2	395
MID MAY							
J1-20	1,683,649	250,300	886,033	528,905	1,934	16,397	491,853
E 4S-4C	3,120	0	2,890	230	0	0	330
E 5S-4Z	8,088	1,377	2,245	4,442	0	24	2,835
E 6C-4Z	210,622	23,910	126,000	58,620	421	1,671	50,018
E 6S-4Z	468,302	58,219	253,890	151,329	1,061	3,803	131,919
E 7C-4Z	216,496	44,423	102,438	67,753	141	1,741	72,716
E 7C-44	776,254	122,104	398,570	246,111	311	9,158	233,540
E 7S-4E	767	347	0	420	0	0	495
LATE MAY							
J1-31	2,383,069	185,480	1,568,822	563,655	35,921	29,351	516,513
E 4C-4C	19,021	0	17,630	1,318	0	73	3,330
E 4S-4C	377,234	0	348,904	26,639	0	1,691	37,265
E 5C-4C	5,347	9	4,446	888	0	4	330
E 5S-4C	11,186	0	7,282	3,066	822	36	590
E 6C-4C	5,014	289	832	3,056	760	277	1,650
E 4C-4Z	5,918	0	9,176	634	0	108	825
E 4S-4Z	192,715	0	179,772	15,828	0	1,105	16,375
E 5C-4Z	17,991	749	13,924	2,686	591	41	3,490
E 5S-4Z	105,868	7,198	62,856	37,070	1,361	1,383	31,270
E 6C-4Z	312,963	35,621	179,545	90,084	4,663	3,050	73,818
E 6S-4Z	453,386	51,437	251,874	137,450	7,523	5,102	123,367
E 7C-4Z	97,146	9,342	59,845	23,371	2,632	1,952	24,902
E 7C-44	767,938	80,467	435,354	220,024	17,569	14,524	195,185
E 7S-44	1,663	77	874	712	0	0	391
E 6C-4E	787	65	243	479	0	0	574
E 6S-4E	892	226	281	380	0	5	651
MAY TOTAL	4,932,805	619,381	2,834,088	1,387,846	37,890	53,600	1,309,103

TABLE 3. CATCH STATISTICS OF JAPANESE LANDBASED DRIFNET FISHERY BY 2 DEG X 5 DEG AREA,
BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TANS, 1982.

RUN DATE 02-03-83
RUN TIME 11:03:37

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TONS)
	ALL SPECIES	SIOKEYE	PINK	CHUM	GOBO	SHINDOK	
EARLY JUNE							
C1-10	2,440,714	22,643	2,046,346	280,638	65,925	25,162	120,635
E 45-38	11,077	0	10,478	559	0	0	660
E 50-38	8,741	0	8,240	501	0	0	660
E 40-40	48,810	0	44,596	2,940	0	874	4,255
E 45-40	1,198,457	0	1,105,557	83,326	130	9,444	122,316
E 50-40	476	0	309	50	72	5	660
E 55-40	23,623	62	17,090	4,378	1,730	363	4,455
E 60-40	42,765	69	34,240	5,259	2,917	280	7,535
E 40-42	24,890	0	23,138	1,680	0	72	3,160
E 45-42	349,513	0	324,545	23,249	0	1,719	35,595
E 50-42	19,109	325	15,021	3,316	294	153	2,568
E 55-42	241,012	3,911	178,049	44,671	10,735	3,646	40,225
E 60-42	153,742	3,953	106,229	24,030	17,242	2,289	28,350
E 65-42	188,359	9,483	117,226	43,136	15,204	4,310	39,707
E 70-42	8,689	429	4,046	1,284	862	68	3,255
E 70-44	122,799	5,398	56,825	41,859	16,739	1,938	25,574
E 60-46	652	13	257	280	0	2	780
MID JUNE							
11-20	2,980,570	46,582	2,029,632	505,854	366,502	32,000	497,779
E 45-40	131,929	0	123,171	8,000	0	758	11,820
E 50-40	1,420	0	842	770	6	2	395
E 55-40	14,243	105	10,053	3,507	510	68	3,925
E 60-40	10,255	56	6,245	2,234	1,460	160	2,870
E 45-42	51,240	0	47,462	3,713	0	65	3,920
E 50-42	17,415	343	12,240	3,421	1,163	133	4,150
E 55-42	399,237	4,154	273,488	70,662	40,948	9,985	75,177
E 60-42	556,080	7,941	394,384	84,305	64,588	4,862	87,482
E 65-42	1,006,959	20,788	667,307	173,914	135,311	9,639	171,841
E 70-42	536,566	8,971	360,276	77,531	85,980	3,808	95,608
E 70-44	255,226	4,224	134,164	77,787	36,536	2,515	40,521
LATE JUNE							
21-30	3,291,780	30,519	2,301,391	476,809	452,403	30,658	502,715
E 65-40	10,185	0	5,024	927	4,023	211	588
E 55-42	57,556	314	44,320	6,250	6,134	538	8,129
E 60-42	663,005	5,324	479,842	80,833	85,780	7,226	81,337
E 65-42	1,477,466	13,459	1,023,836	227,380	201,956	10,835	238,724
E 70-42	1,083,568	11,422	748,269	161,419	150,510	11,848	173,537
JUNE TOTAL	8,713,064	99,744	6,377,269	1,263,301	884,830	87,820	1,321,129

TABLE 3.

CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET FISHERY BY 2 DEG X 5 DEG AREA,
BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TANS, 1982.RUN DATE 02-03-83
RUN TIME 11:03:37

PERIOD 10 DAY AREA	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TONS)
	ALL SPECIES	SICK EYE	PINK	CHUM	CHIC	(HINDOK)	
EARLY JULY							
CJ-10	2,408,248	4,112	1,823,846	278,957	277,848	23,485	331,498
E 45-40	26,717	0	24,494	1,719	0	484	2,310
E 40-42	16,850	0	15,666	1,057	0	87	1,485
E 50-42	110	0	75	33	0	2	390
E 55-42	42,776	313	31,519	5,510	5,187	247	6,333
E 60-42	406,675	623	303,673	49,314	48,849	4,196	56,491
E 65-42	740,296	2,113	551,586	88,901	92,123	5,173	109,628
E 70-42	1,173,839	1,063	895,536	132,143	131,405	13,292	154,531
E 65-44	985	0	497	200	284	4	330
JULY TOTAL	2,408,248	4,112	1,823,846	278,957	277,848	23,485	331,498

TABLE 4.

CATCH STATISTICS OF JAPANESE LANDBASED CRIFNET FISHERY BY 2 DEG X 5 DEG AREA,
BY TEN DAY PERIOD AND BY SPECIES IN MILLOGRAMS AND CUMULATIVE EFFORT IN TANS, 1982.RUN DATE 02-03-83
RUN TIME 11:03:37

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TANS)
	ALL SPECIES	SCKEYE	FINS	CHUM	GHG	SHINOK	
GRAND TOTAL EARLY MAY	20,229,277	1,089,187	11,303,112	5,172,983	2,056,995	607,000	2,961,730
CJ-1C	1,182,728	272,714	355,506	492,174	51	41,883	300,737
E 6C-4C	3,312	397	1,881	1,054	0	0	660
E 45-42	7,356	0	6,317	1,039	0	0	330
E 55-42	1,751	211	721	643	0	176	330
E 6C-42	45,092	7,648	17,832	17,986	9	1,637	9,530
E 65-42	370,201	85,715	112,282	160,949	0	11,255	96,070
E 7C-42	248,310	64,909	65,275	110,033	0	8,193	68,570
E 7C-44	487,275	106,655	148,755	191,837	42	19,982	119,377
E 7C-4E	17,978	6,335	2,855	8,155	0	629	5,475
E 7C-4E	1,453	944	0	458	0	11	395
MIC MAY							
11-2C	2,219,451	375,071	861,224	900,724	2,955	79,477	491,853
E 45-4C	3,201	0	2,809	352	0	0	330
E 55-42	11,926	2,063	2,182	7,565	0	116	2,835
E 6C-42	286,865	35,818	122,473	99,830	644	8,100	50,018
E 65-42	611,757	87,212	246,781	257,712	1,621	18,431	131,919
E 7C-42	290,153	66,546	99,565	115,383	215	8,440	72,716
E 7C-44	1,034,314	182,912	387,410	419,127	475	44,390	233,540
E 75-4E	1,235	520	0	715	0	0	495
LATE MAY							
21-31	2,992,478	279,886	1,557,846	981,350	55,391	118,165	510,513
E 4C-4C	20,096	0	17,507	2,255	0	254	3,330
E 45-4C	399,649	0	346,482	46,379	0	6,808	37,265
E 5C-4C	5,991	14	4,415	1,546	0	16	330
E 55-4C	13,961	0	7,211	5,327	1,268	145	990
E 6C-4C	8,670	436	627	5,320	1,172	1,115	1,650
E 4C-42	10,651	0	9,112	1,104	0	435	825
E 45-42	206,565	0	174,542	27,574	0	4,449	18,375
E 5C-42	20,710	1,130	13,827	4,676	912	165	3,490
E 55-42	145,480	10,861	62,415	64,538	2,099	5,567	31,370
E 6C-42	408,348	53,751	178,289	156,837	7,191	12,280	73,818
E 65-42	595,169	77,618	250,112	239,259	11,600	20,540	123,367
E 7C-42	128,132	14,097	59,431	40,688	4,058	7,858	24,902
E 7C-44	1,022,357	121,424	432,308	383,061	27,091	58,473	195,185
E 75-44	2,224	116	888	1,240	0	0	391
E 6C-4E	1,173	98	241	834	0	0	574
E 65-4E	1,302	341	279	662	0	20	651
MAY TOTAL	6,374,657	927,671	2,774,776	2,174,288	58,397	239,525	1,309,103

TABLE 4. CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET FISHERY BY 2 DEG X 5 DEG AREA, BY TEN DAY PERIOD AND BY SPECIES IN NILOGRAMS AND CUMULATIVE EFFORT IN TONS, 1982.

RUN DATE 02-03-83
RUN TIME 11:03:37

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (10 TONS)
	ALL SPECIES	SCKEYE	PIAK	GHUP	CHIC	CHINOCK	
EARLY JUNE							
CJ-10	2,786,942	34,621	2,050,440	500,376	104,886	96,619	320,635
E 45-38	11,567	0	10,499	1,068	0	0	660
E 50-38	5,149	0	8,256	853	0	0	660
E 40-40	53,685	0	45,087	5,242	0	3,356	4,255
E 45-40	1,292,809	0	1,107,768	148,570	207	36,264	122,316
E 50-40	603	0	309	161	114	19	660
E 55-40	25,172	94	17,125	7,806	2,753	1,394	4,455
E 60-40	49,507	106	34,309	9,376	4,641	1,775	7,535
E 40-42	26,456	0	23,184	2,955	0	277	3,160
E 45-42	373,248	0	325,194	41,453	0	6,601	35,595
E 50-42	22,514	497	15,051	5,912	467	587	2,568
E 55-42	295,113	5,980	178,406	79,649	17,079	13,999	40,225
E 60-42	151,549	6,043	106,441	42,846	27,432	8,737	28,350
E 65-42	246,082	12,777	117,461	76,912	24,189	16,550	39,787
E 70-42	8,632	656	4,054	2,289	1,372	251	3,255
E 70-44	173,971	8,255	56,938	74,705	26,632	7,441	25,574
E 60-46	885	20	358	459	0	8	780
MID JUNE							
11-20	3,774,799	71,972	2,068,194	917,110	606,194	111,329	497,779
E 45-40	142,652	0	125,511	14,503	0	2,638	11,820
E 50-40	2,067	0	654	1,356	10	7	395
E 55-40	17,845	162	10,244	6,358	844	237	3,925
E 60-40	13,571	87	6,465	4,049	2,414	596	2,870
E 45-42	55,322	0	48,364	6,732	0	226	3,590
E 50-42	21,728	530	12,574	6,220	1,924	480	4,150
E 55-42	515,675	6,417	278,684	128,109	67,727	34,738	75,177
E 60-42	690,738	12,270	401,876	152,846	106,830	16,916	87,482
E 65-42	1,284,747	32,116	679,987	315,306	223,805	33,533	171,841
E 70-42	677,005	13,862	367,121	140,563	142,211	13,243	95,608
E 70-44	353,449	6,528	136,714	141,028	60,429	8,750	40,521
LATE JUNE							
21-30	4,228,929	48,343	2,441,776	876,854	770,442	91,514	502,715
E 65-40	14,516	0	5,330	1,705	6,851	630	988
E 55-42	71,068	497	47,023	11,454	10,447	1,607	8,129
E 60-42	840,663	8,434	509,114	148,652	152,855	21,568	81,337
E 65-42	1,902,036	21,320	1,086,290	418,154	343,930	32,342	238,724
E 70-42	1,400,646	18,092	794,019	296,849	256,319	35,367	173,537
JUNE TOTAL	10,790,670	154,936	6,560,410	2,294,340	1,481,522	299,462	1,321,129

TABLE 4. CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET FISHERY BY 2 DEG X 5 DEG AREA,
BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN TANS, 1982.

RUN DATE 02-03-83
RUN TIME 11:03:37

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY OF GEAR USED (IN TANS)
	ALL SPECIES	SCKEYE	FINK	CHUM	CCPO	CHINOOK	
EARLY JULY							
01-10	3,063,950	6,580	1,967,926	504,355	517,076	68,013	331,498
E 45-40	30,975	0	26,429	3,145	0	1,401	2,310
E 40-42	19,139	0	16,904	1,983	0	252	1,485
E 50-42	147	0	81	60	0	6	390
E 55-42	54,841	501	34,009	9,962	9,653	716	6,333
E 60-42	520,913	996	327,662	89,155	90,909	12,151	56,491
E 65-42	946,127	3,382	595,591	160,733	171,440	14,981	109,628
E 70-42	1,450,369	1,701	566,714	238,915	244,545	38,494	154,531
E 65-44	1,439	0	536	362	529	12	330
JULY TOTAL	3,063,950	6,580	1,967,926	504,355	517,076	68,013	331,498