

Not to be cited by
INPFC Document number

INPFC DOCUMENT
Ser. No. <u>2652</u>
Rev. No. _____

INPFC FILE 8-1-1
ANCHORAGE

Vessel and gear specification of the Japanese fishery
operated in the northeast Pacific in 1982

August 1983

Fisheries Agency of Japan

This paper may be cited in the following manner:

Fisheries Agency of Japan. 1983. Vessel and gear specification of the Japanese fishery operated in the northeast Pacific in 1983. (Document submitted to the International North Pacific Fisheries Commission.) 4p. Fisheries Agency of Japan. Tokyo, 100 Japan.

FISHERY	GEAR	DESIGNED FOR	GROSS TONNAGE (TON)	SHAFT HORSE POWER OF ENGIN (P.S.)	HEAD ROPE LENGTH (M)	GROUND ROPE LENGTH (M)	MESH SIZE OF CODEND (STRETCHED) (CM)	MATERIAL AND DIAMETER OF BOBBIN (MM)		SIZE OF OTTER BOARD (M)	
								IRON	RUBBER		
MOTHERSHIP	Danish Seine	Pollock	124	1,025	116	130	9		67		
	"	"	124	1,000	116	130	9		67		
	"	"	124	1,400	116	130	9		67		
	"	"	124	1,600	116	130	9		67		
	"	"	122	1,350	116	130	9		67		
	"	"	124	1,000	116	130	9		67		
	"	"	124	1,600	116	130	9		67		
	"	"	124	1,350	116	130	9		67		
	"	"	124	1,350	116	130	9		67		
	"	"	124	1,450	116	130	9		67		
	Stern trawl	"	349	3,000	59	54	9				
	"	Y-fin sole	349	2,500	54	64	10	200	350		2.2 x 3.4
	Pair trawl	Pollock	193	1,200	138	162	9				2.1 x 3.4
	"	"	193	1,200	138	162	9	200	530		
	"	"	194	1,200	138	162	9	200	530		
	"	"	193	1,200	138	162	9	200	530		
	"	"	194	1,200	138	162	9	200	530		
	"	"	194	1,200	138	162	9	200	530		
	"	"	194	1,200	138	162	9	200	530		
	"	"	194	1,200	138	162	9	200	530		
	"	"	204	1,200	138	162	9	200	530		
	"	"	204	1,200	138	162	9	200	530		
	"	"	149	780	138	162	9	200	530		
	"	"	149	780	138	162	9	200	530		
	"	"	139	780	138	162	9	200	530		
	"	"	139	880	138	162	9	200	530		
	"	"	194	1,200	138	162	9	200	530		
	"	"	194	1,200	138	162	9	200	530		
	"	"	194	1,200	138	162	9	200	530		
	"	"	194	1,200	138	162	9	200	530		
	"	"	194	1,200	138	162	9	200	530		
	"	"	194	1,200	138	162	9	200	530		
	"	"	194	1,200	138	162	9	200	530		
"	"	194	1,200	138	162	9	200	530			
"	"	144	780	138	162	9	200	530			
"	"	144	780	138	162	9	200	530			
"	Y-fin sole	214	1,400	148	162	9	150	530			
"	"	214	1,400	148	162	9	150	530			
"	"	214	1,400	148	162	9	150	530			
"	"	214	1,400	148	162	9	150	530			
"	"	214	1,400	148	162	9	150	530			
"	"	214	1,400	148	162	9	150	530			

FISHERY	GEAR	DESIGNED FOR	GROSS TONNAGE (TON)	SHAFT HORSE POWER OF ENGINE (P.S.)	HEAD ROPE LENGTH (M)	GROUND ROPE LENGTH (M)	MESH SIZE OF CODEND (STRETCHED) (CM)	MATERIAL AND DIAMETER OF BOBBIN (MM)		SIZE OF OTTER BOARD (M)
								IRON	RUBBER	
MOTHERSHIP	Danish Seine	Pollock	125	1,300	128	140	9		67	
	"	"	124	1,800	133.7	145.4	9		67	
	"	"	125	1,300	128	140	9		67	
	"	"	125	1,200	128	140	9		67	
	Pair trawl	"	194	1,200	127.5	143	9	200	440	
	"	"	195	1,200	127.5	143	9	200	440	
	"	"	195	1,200	127.5	143	9	200	440	
	"	"	195	1,200	127.5	143	9	200	440	
	"	"	200	1,300	127.5	143	9	200	440	
	"	"	199	1,300	127.5	143	9	200	440	
	"	"	149	780	127.5	143	9	200	440	
	"	"	149	780	127.5	143	9	200	440	
	"	"	174	850	112.1	129.5	9	200	440	
	"	"	173	850	112.1	129.5	9	200	440	
	Danish Seiner	"	96.94	800	109	110	9		75	
	Pair trawler	"	204.23	650	55	69	9		440	
	"	"	203.18	650	55	69	9		440	
	"	"	174.42	800	55	69	9		440	
	"	"	173.21	800	55	69	9		440	
	"	"	172.39	800	55	69	9		440	
	"	"	170.99	800	55	69	9		440	
	"	"	182.83	800	55	69	9		440	
	"	"	182.38	800	55	69	9		440	
	"	"	182.77	800	55	69	9		440	
	"	"	182.26	800	55	69	9		440	
	"	"	182.95	800	55	69	9		440	
	"	"	182.47	800	55	69	9		440	
	"	"	179.69	800	55	69	9		440	
	"	"	178.74	800	55	69	9		440	
	"	"	181.16	800	55	69	9		440	
	"	"	179.77	800	55	69	9		440	
	"	"	206.38	650					440	
"	"	205.57	650							
Stern trawler	"	299.38	1,250	47.5	57	7.5	240 , 340		1.92 x 3.2	
"	"	298.78	1,250	47.5	57	7.5	240 , 340		1.92 x 3.2	
"	"	297.46	1,400	47.5	57	7.5	240 , 340		1.92 x 3.2	
"	"	299.49	1,200	47.5	57	7.5	240 , 340		1.92 x 3.2	
"	"	299.54	1,200	47.5	57	7.5	240 , 340		1.92 x 3.2	
"	"	299.90	1,200	47.5	57	7.5	240 , 340		1.92 x 3.2	
"	"	349.92	2,500	53.0	63.5	7.5	350		2.1 x 3.3	
"	"	353.03	1,500	47.5	57	7.5	240 , 340		1.92 x 3.2	

FISHERY	GEAR	DESIGNED FOR	GROSS TONNAGE (TON)	SHAFT HORSE POWER OF ENGIN (P.S.)	HEAD ROPE LENGTH (M)	GROUND ROPE LENGTH (M)	MESH SIZE OF CODEND (STRETCHED) (CM)	MATERIAL AND DIAMETER OF BOBBIN (MM)		SIZE OF OTTER BOARD (M)	
								IRON	RUBBER		
NORHT PACIFIC TRAWL	Stern trawler	Pollock	3,991	5,900	86	102	10				
	"	"	3,989	5,900	86	102	10	530	800	2.8 x 5.2	
	"	"	4,050	4,400	69	81	10	530	800	2.8 x 5.2	
	"	"	3,249	4,400	69	81	10	530	800	2.6 x 4.3	
	"	"	"	3,910	4,400	50	59	10	530	800	2.6 x 4.3
	"	P.o.p, Flounder	"	3,609	3,900	50	59	9	530	800	2.2 x 4.4
	"	"	"	4,239	5,700	54	72	9	530	800	2.2 x 4.4
	"	Pollock	"	4,361	5,700	54	72	10	440	440	3.0 x 5.3
	"	"	"	4,357	5,700	54	72	10	440	440	3.0 x 5.3
	"	"	"	4,370	5,700	54	72	10	440	440	3.0 x 5.3
	"	"	"	4,662.79	5,400	59.4	69.0	10	440	440	3.0 x 5.3
	"	"	"	2,995.77	4,500	56.1	70.8	10	530	150	5.8 x 3.3
	"	P.o.p, Flounder	"	2,780.33	3,500	63.1	74.4	10	530	200	4.4 x 2.8
	"	"	"	2,749.45	3,500	63.1	74.4	10	350 , 440	150	3.8 x 2.4
	"	Pollock	"	4,317	5,700	80.5	110.6	10	350 , 440	150	3.8 x 2.4
	"	"	"	5,460	5,700	80.5	110.6	10	240	530	3.2 x 5
	"	Pollock, P.o.p	"	1,945.97	3,500	60	80	10	240	530	3.2 x 5
	"	Pollock	"	2,955.99	3,500	66	86	10	530	530	3.2 x 5
	"	"	"	3,023	4,000	45	60	10	530	150	3.2 x 5
	"	"	"	3,037	4,400	45	60	10	530	150	4.8 x 3.0
	"	"	"	3,431.63	4,900	74.7	63.5	10	530	150	4.8 x 3.0
	"	Pollock,	"	349	2,500	56	66	12	530	800	2.6 x 4.3
	"	Flounder	"	349	2,700	56	66	12	350		2.2 x 3.4
	"	Pollock, P.o.p	"	499	2,800	64	80	12	350		2.3 x 3.5
	"	Pollock	"	499	3,000	56	65	10	350 , 400		2.4 x 3.6
	"	Pollock,	"	349	3,000	56	65	10	350	350	2.2 x 3.4
	"	Turbot	"	349	3,000	65	63	10	350	350	2.2 x 3.4
	"	Pollock, P.o.p	"	499.19	2,500	54	65	10	350		2.3 x 3.5
	"	"	"	499.27	3,000	52.9	65.3	11	350	530	2.25 x 3.45
	"	Pollock,	"	499	2,700	55 , 105	75 , 96	10	350	530	2.3 x 3.5
	"	Turbot	"	499	2,500	55 , 105	75 , 96	10	530		2.2 x 3.4
	"	"	"	499	2,700	55 , 105	75 , 96	10	530		2.2 x 3.4
"	"	"	349	2,000	55 , 105	75 , 96	10	530		2.2 x 3.4	
"	Flounder	"	1,205	4,000	66	82	10	530		2.2 x 3.4	
"	"	"	997	2,200	55	70	9	530 , 440		2.7 x 3.8	
"	"	"	549	2,800	55	70	9	530 , 440		2.3 x 3.5	
"	"	"	499	2,600	55	70	9	530 , 440		2.4 x 3.4	
"	"	"	499	1,600	48	62	9	530 , 440		2.3 x 3.5	
"	Pollock	"	3,222	3,500	70	80	9	530 , 440		2.0 x 3.08	
"	"	"	1,205	4,000	70	80	9			2.05 x 4.2	
"	"	"	997	2,200	54	59	9			2.05 x 4.2	
"	"	"	549	2,800	54	59	9			1.9 x 3.9	
"	"	"			54	59	9			1.9 x 3.9	

FISHERY	GEAR	DESIGNED FOR	GROSS TONNAGE (TON)	SHAFT HORSE POWER OF ENGIN (P.S.)	HEAD ROPE LENGTH (M)	GROUND ROPE LENGTH (M)	MESH SIZE OF CODEND (STRETCHED) (CM)	MATERIAL AND DIAMETER OF BOBBIN (MM)		SIZE OF OTTER BOARD (M)
								IRON	RUBBER	
NORHT PACIFIC TRAWL	Stern trawler	Pollock	499	2,600	54	59	9			1.9 x 3.9
	"	"	499	1,600	49	54	9			1.75 x 3.6
	"	"	499	1,600	49	54	9	530 , 440		1.75 x 3.08
	"	Flounder	499	1,600	48	62	9	530 , 440		1.75 x 3.6
	"	Pollock, P.o.p	499	2,800	54 , 55	59 , 68	9	530 , 440		1.9 x 3.9
	"	"	499	2,800	54 , 55	59 , 68	9	530 , 440		1.9 x 3.9
	"	"	499	2,800	54 , 55	59 , 68	9	530 , 440		1.9 x 3.9
	"	"	499	2,800	54 , 55	59 , 68	9	530 , 440		1.9 x 3.9