

SALMON CATCH STATISTICS FOR JAPANESE MOTHERSHIP GILLNET
AND LANDBASED DRIFTNET FISHERIES, 1988

Fisheries Agency of Japan
1989 March

Contents

- Table 1. Catch statistics of Japanese mothership gillnet salmon fishery by 1° X 1° area, by ten day period and by species in numbers and cumulative effort in tans, in 1988, including summaries by area, by month and by season.
- Table 2. Catch statistics of Japanese mothership gillnet salmon fishery by 1° X 1° area, by ten day period and by species in kilograms and cumulative effort in tans, in 1988, including summaries by area, by month and by season.
- Table 3. Catch statistics of Japanese landbased driftnet salmon fishery by 1° X 1° area, by ten day period and by species in numbers and cumulative effort in standardized tans, in 1988, including summaries by area, by month and by season.
- Table 4. Catch statistics of Japanese landbased driftnet salmon fishery by 1° X 1° area, by ten day period and by species in kilograms and cumulative effort in standardized tans, in 1988, including summaries by area, by month and by season.
- Figure 1. Japanese mothership fishery areas (INPFC)
- Figure 2. Japanese landbased fishery areas (INPFC)




Fig.1 JAPANESE MOTHERSHIP FISHING AREA

TABLE 1 CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1°x1° AREA,
BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
GRAND TOTAL	1,199,133	224,702	55,930	891,836	177	26,488	482,267
EARLY JUNE							
01-10	100,434	37,680	7,573	54,836	0	345	42,551
E 70-48	12,862	5,165	1,274	6,375	0	48	6,596
E 71-48	26,062	9,356	2,098	14,566	0	42	9,236
E 72-48	28,831	11,116	2,413	15,216	0	86	11,547
E 73-48	23,439	9,039	1,281	12,966	0	153	11,542
E 70-49	8,525	2,746	478	5,285	0	16	3,300
E 71-49	715	258	29	428	0	0	330
MID JUNE							
11-20	295,503	107,871	18,770	167,688	16	1,158	127,621
E 70-47	1,465	580	165	720	0	0	988
E 71-47	3,431	1,086	426	1,897	0	22	1,977
E 72-47	4,091	1,602	449	2,038	0	2	2,310
E 73-47	16,761	6,500	1,586	8,554	3	118	9,229
E 74-47	22,954	8,631	1,070	13,078	4	171	8,907
E 70-48	12,220	4,671	1,042	6,488	0	19	5,935
E 71-48	48,023	18,341	2,844	26,760	0	78	19,452
E 72-48	65,349	22,719	5,069	37,367	4	190	25,384
E 73-48	74,318	27,338	3,320	43,354	2	304	31,668
E 74-48	37,563	13,327	2,359	21,627	3	247	18,145
E 70-49	1,400	517	67	814	0	2	660
E 71-49	6,981	2,171	331	4,474	0	5	2,636
E 72-49	947	388	42	517	0	0	330
LATE JUNE							
21-30	282,795	59,714	15,232	202,493	148	5,208	113,454
E 70-48	9,228	2,984	1,034	5,170	2	38	4,618
E 71-48	41,488	15,877	3,887	21,574	8	142	16,815
E 72-48	31,866	11,932	2,018	17,717	13	186	13,840
E 73-48	32,744	10,747	904	20,792	71	230	9,891
E 74-48	11,675	3,807	494	7,193	51	130	4,941
E 70-49	10,800	3,728	1,050	5,981	2	39	4,620
E 71-49	4,034	1,236	281	2,500	0	17	1,976
E 75-56	4,980	528	332	4,062	0	58	2,640
E 76-56	20,908	1,344	1,012	18,312	1	239	8,250
E 77-56	15,501	898	673	13,837	0	93	6,270
E 78-56	22,405	1,829	1,009	19,393	0	174	9,569
E 79-56	1,157	128	34	976	0	19	660
E 75-57	663	8	38	605	0	12	330
E 76-57	1,393	112	115	1,154	0	12	660
E 77-57	2,461	73	73	2,308	0	7	990
E 78-57	23,718	1,144	917	21,375	0	282	9,567
E 79-57	20,443	995	662	17,736	0	1,050	7,917
E 78-58	13,859	1,261	272	11,436	0	890	5,280

TABLE 1 CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1°X1° AREA,
 BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
LATE JUNE 21-30 E 79-58	(CONTINUED)						
	13,472	1,083	427	10,372	0	1,590	4,620
JUNE TOTAL	678,732	205,265	41,575	425,017	164	6,711	283,626

TABLE 1 CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1°X1° AREA,
BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
TOTAL JUNE (CONTINUED)							
01-30	678,732	205,265	41,575	425,017	164	6,711	283,626
E 70-47	1,465	580	165	720	0	0	988
E 71-47	3,431	1,086	426	1,897	0	22	1,977
E 72-47	4,091	1,602	449	2,038	0	2	2,310
E 73-47	16,761	6,500	1,586	8,554	3	118	9,229
E 74-47	22,954	8,631	1,070	13,078	4	171	8,907
E 70-48	34,310	12,820	3,350	18,033	2	105	17,149
E 71-48	115,573	43,574	8,829	62,900	8	262	45,503
E 72-48	126,046	45,767	9,500	70,300	17	462	50,771
E 73-48	130,501	47,124	5,505	77,112	73	687	53,101
E 74-48	49,238	17,134	2,853	28,820	54	377	23,086
E 70-49	20,725	6,991	1,595	12,080	2	57	8,580
E 71-49	11,730	3,665	641	7,402	0	22	4,942
E 72-49	947	388	42	517	0	0	330
E 75-56	4,980	528	332	4,062	0	58	2,640
E 76-56	20,908	1,344	1,012	18,312	1	239	8,250
E 77-56	15,501	898	673	13,837	0	93	6,270
E 78-56	22,405	1,829	1,009	19,393	0	174	9,569
E 79-56	1,157	128	34	976	0	19	660
E 75-57	663	8	38	605	0	12	330
E 76-57	1,393	112	115	1,154	0	12	660
E 77-57	2,461	73	73	2,308	0	7	990
E 78-57	23,718	1,144	917	21,375	0	282	9,567
E 79-57	20,443	995	662	17,736	0	1,050	7,917
E 78-58	13,859	1,261	272	11,436	0	890	5,280
E 79-58	13,472	1,083	427	10,372	0	1,590	4,620
JUNE TOTAL	678,732	205,265	41,575	425,017	164	6,711	283,626

TABLE 1 CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1°x1° AREA,
BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
EARLY JULY							
01-10	356,063	15,318	11,348	321,101	3	8,293	141,887
E 74-56	2,810	181	94	2,523	0	12	1,320
E 75-56	23,632	1,451	1,055	20,926	0	200	11,220
E 76-56	23,435	871	494	21,974	0	96	8,909
E 77-56	28,440	1,051	633	26,680	0	76	11,217
E 78-56	19,608	754	833	17,931	0	90	8,580
E 79-56	24,458	1,567	1,141	21,467	2	281	10,228
E 75-57	21,571	968	881	19,192	0	530	7,918
E 76-57	51,591	1,762	1,459	46,939	0	1,431	17,489
E 77-57	56,109	2,619	1,982	50,122	0	1,386	23,758
E 78-57	30,914	1,363	1,094	27,770	0	687	13,528
E 79-57	22,635	966	680	20,460	1	528	8,910
E 76-58	4,134	196	124	3,523	0	291	1,650
E 77-58	28,995	1,100	603	25,620	0	1,672	11,220
E 78-58	11,340	232	161	10,351	0	596	4,620
E 79-58	6,391	237	114	5,623	0	417	1,320
MID JULY							
11-20	164,338	4,119	3,007	145,718	10	11,484	56,754
E 76-57	5,819	186	68	5,337	0	228	1,980
E 77-57	13,661	356	203	11,914	1	1,187	4,949
E 78-57	33,215	959	812	28,974	3	2,467	13,530
E 79-57	27,609	973	780	24,197	0	1,659	9,239
E 76-58	3,513	56	27	3,293	0	137	990
E 77-58	14,003	282	142	12,611	1	967	4,290
E 78-58	45,977	829	676	40,910	2	3,560	15,840
E 79-58	20,541	478	299	18,482	3	1,279	5,936
JULY TOTAL	520,401	19,437	14,355	466,819	13	19,777	198,641

TABLE 1 CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1°x1° AREA,
 BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
TOTAL JULY							
01-31	520,401	19,437	14,355	466,819	13	19,777	198,641
E 74-56	2,810	181	94	2,523	0	12	1,320
E 75-56	23,632	1,451	1,055	20,926	0	200	11,220
E 76-56	23,435	871	494	21,974	0	96	8,909
E 77-56	28,440	1,051	633	26,680	0	76	11,217
E 78-56	19,608	754	833	17,931	0	90	8,580
E 79-56	24,458	1,567	1,141	21,467	2	281	10,228
E 75-57	21,571	968	881	19,192	0	530	7,918
E 76-57	57,410	1,948	1,527	52,276	0	1,659	19,469
E 77-57	69,770	2,975	2,185	62,036	1	2,573	28,707
F 78-57	64,129	2,322	1,906	56,744	3	3,154	27,058
E 79-57	50,244	1,939	1,460	44,657	1	2,187	18,149
E 76-58	7,647	252	151	6,816	0	428	2,640
E 77-58	42,998	1,382	745	38,231	1	2,639	15,510
E 78-58	57,317	1,061	837	51,261	2	4,156	20,460
E 79-58	26,932	715	413	24,105	3	1,696	7,256
JULY TOTAL	520,401	19,437	14,355	466,819	13	19,777	198,641

TABLE 1 CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1°X1° AREA,
BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
SEASON							
E 70-47	1,465	580	165	720	0	0	988
E 71-47	3,431	1,086	426	1,897	0	22	1,977
E 72-47	4,091	1,602	449	2,038	0	2	2,310
E 73-47	16,761	6,500	1,586	8,554	3	118	9,229
E 74-47	22,954	8,631	1,070	13,078	4	171	8,907
E 70-48	34,310	12,820	3,350	18,033	2	105	17,149
E 71-48	115,573	43,574	8,829	62,900	8	262	45,503
E 72-48	126,046	45,767	9,500	70,300	17	462	50,771
E 73-48	130,501	47,124	5,505	77,112	73	687	53,101
E 74-48	49,238	17,134	2,853	28,820	54	377	23,086
E 70-49	20,725	6,991	1,595	12,080	2	57	8,580
E 71-49	11,730	3,665	641	7,402	0	22	4,942
E 72-49	947	388	42	517	0	0	330
E 74-56	2,810	181	94	2,523	0	12	1,320
E 75-56	28,612	1,979	1,387	24,988	0	258	13,860
E 76-56	44,343	2,215	1,506	40,286	1	335	17,159
E 77-56	43,941	1,949	1,306	40,517	0	169	17,487
E 78-56	42,013	2,583	1,842	37,324	0	264	18,149
E 79-56	25,615	1,695	1,175	22,443	2	300	10,888
E 75-57	22,234	976	919	19,797	0	542	8,248
E 76-57	58,803	2,060	1,642	53,430	0	1,671	20,129
E 77-57	72,231	3,048	2,258	64,344	1	2,580	29,697
E 78-57	87,847	3,466	2,823	78,119	3	3,436	36,625
E 79-57	70,687	2,934	2,122	62,393	1	3,237	26,066
E 76-58	7,647	252	151	6,816	0	428	2,640
E 77-58	42,998	1,382	745	38,231	1	2,639	15,510
E 78-58	71,176	2,322	1,109	62,697	2	5,046	25,740
E 79-58	40,404	1,798	840	34,477	3	3,286	11,876
GRAND TOTAL	1,199,133	224,702	55,930	891,836	177	26,488	482,267

TABLE 2 CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1°x1° AREA,
BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
GRAND TOTAL	2,550,826	477,984	68,814	1,917,780	383	85,865	482,267
EARLY JUNE							
01-10	226,801	88,540	8,648	128,440	0	1,173	42,551
E 70-48	28,821	12,410	1,341	14,900	0	170	6,596
E 71-48	59,905	22,670	2,358	34,740	0	137	9,236
E 72-48	64,960	25,870	2,876	35,920	0	294	11,547
E 73-48	51,959	20,370	1,543	29,530	0	516	11,542
E 70-49	19,506	6,600	500	12,350	0	56	3,300
E 71-49	1,650	620	30	1,000	0	0	330
MID JUNE							
11-20	597,416	222,040	22,763	348,080	32	4,501	127,621
E 70-47	3,080	1,250	200	1,630	0	0	988
E 71-47	7,216	2,340	515	4,290	0	71	1,977
E 72-47	8,597	3,450	540	4,600	0	7	2,310
E 73-47	53,751	13,190	1,908	18,220	7	426	9,229
E 74-47	45,604	16,880	1,316	26,750	7	651	8,907
E 70-48	25,525	10,080	1,256	14,120	0	69	5,935
E 71-48	99,217	39,110	3,411	56,410	0	286	19,452
E 72-48	129,202	46,340	6,178	75,810	9	865	25,384
E 73-48	150,615	55,630	4,077	89,700	3	1,205	31,668
E 74-48	76,297	27,280	2,843	45,270	6	898	18,145
E 70-49	2,766	1,090	80	1,590	0	6	660
E 71-49	13,666	4,580	389	8,680	0	17	2,636
E 72-49	1,880	820	50	1,010	0	0	330
LATE JUNE							
21-30	580,983	118,319	19,122	425,980	322	17,240	113,454
E 70-48	16,994	5,600	1,280	9,970	4	140	4,618
E 71-48	77,392	29,480	4,790	42,500	18	604	16,815
E 72-48	61,422	22,650	2,575	35,380	25	792	13,840
E 73-48	63,052	20,500	1,123	40,390	159	880	9,891
E 74-48	22,416	7,260	601	13,930	111	514	4,941
E 70-49	19,812	6,960	1,300	11,410	4	138	4,620
E 71-49	7,549	2,320	350	4,820	0	59	1,976
E 75-56	10,769	1,260	440	8,870	0	199	2,640
E 76-56	45,347	3,230	1,334	39,970	1	812	8,250
E 77-56	32,918	2,195	875	29,520	0	328	6,270
E 78-56	47,343	4,470	1,290	40,900	0	683	9,569
E 79-56	2,605	330	42	2,160	0	73	660
E 75-57	1,430	20	50	1,320	0	40	330
E 76-57	2,983	270	150	2,520	0	43	660
E 77-57	5,132	175	93	4,840	0	24	990
E 78-57	52,501	2,901	1,136	47,400	0	1,064	9,567
E 79-57	45,928	2,588	823	39,480	0	3,037	7,917
E 78-58	33,014	3,280	338	26,530	0	2,866	5,280

TABLE 2 CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1°X1° AREA,
 BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
LATE JUNE (CONTINUED) 21-30							
E 79-58	32,376	2,830	532	24,070	0	4,944	4,620
JUNE TOTAL	1,405,200	428,899	50,533	902,500	354	22,914	283,626

TABLE 2 CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1°X1° AREA,
BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
TOTAL JUNE (CONTINUED)							
01-30	1,405,200	428,899	50,533	902,500	354	22,914	283,626
E 70-47	3,080	1,250	200	1,630	0	0	988
E 71-47	7,216	2,340	515	4,290	0	71	1,977
E 72-47	8,597	3,450	540	4,600	0	7	2,310
E 73-47	33,751	13,190	1,908	18,220	7	426	9,229
E 74-47	45,604	16,880	1,316	26,750	7	651	8,907
E 70-48	71,340	28,090	3,877	38,990	4	379	17,149
E 71-48	236,514	91,260	10,559	133,650	18	1,027	45,503
E 72-48	255,584	94,860	11,629	147,110	34	1,951	50,771
E 73-48	265,626	96,500	6,743	159,620	162	2,601	53,101
E 74-48	98,713	34,540	3,444	59,200	117	1,412	23,086
E 70-49	42,084	14,650	1,880	25,350	4	200	8,580
E 71-49	22,865	7,520	769	14,500	0	76	4,942
E 72-49	1,880	820	50	1,010	0	0	330
E 75-56	10,769	1,260	440	8,870	0	199	2,640
E 76-56	45,347	3,230	1,334	39,970	1	812	8,250
E 77-56	32,918	2,195	875	29,520	0	328	6,270
E 78-56	47,343	4,470	1,290	40,900	0	683	9,569
E 79-56	2,605	330	42	2,160	0	73	660
E 75-57	1,430	20	50	1,320	0	40	330
E 76-57	2,983	270	150	2,520	0	43	660
E 77-57	5,132	175	93	4,840	0	24	990
E 78-57	52,501	2,901	1,136	47,400	0	1,064	9,567
E 79-57	45,928	2,588	823	39,480	0	3,037	7,917
E 78-58	33,014	3,280	338	26,530	0	2,866	5,280
E 79-58	32,376	2,830	532	24,070	0	4,944	4,620
JUNE TOTAL	1,405,200	428,899	50,533	902,500	354	22,914	283,626

TABLE 2 CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1°X1° AREA,
BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
EARLY JULY							
01-10	775,721	38,906	14,297	695,110	6	27,402	141,887
E 74-56	6,176	450	113	5,570	0	43	1,320
E 75-56	50,870	3,645	1,291	45,240	0	694	11,220
E 76-56	50,414	2,268	608	47,210	0	328	8,909
E 77-56	61,253	2,800	777	57,420	0	256	11,217
E 78-56	42,780	1,950	1,089	39,430	0	311	8,580
E 79-56	53,306	4,045	1,475	46,840	4	942	10,228
E 75-57	44,716	2,395	1,090	39,570	0	1,661	7,918
E 76-57	108,582	4,398	1,822	97,800	0	4,562	17,489
E 77-57	122,630	6,515	2,522	108,910	0	4,683	23,758
E 78-57	68,491	3,502	1,388	61,270	0	2,331	13,528
E 79-57	49,581	2,460	850	44,510	2	1,759	8,910
E 76-58	9,441	495	156	7,810	0	980	1,650
E 77-58	66,502	2,792	758	57,400	0	5,552	11,220
E 78-58	26,469	588	211	23,780	0	1,890	4,620
E 79-58	14,510	603	147	12,350	0	1,410	1,320
MID JULY							
11-20	369,905	10,179	3,984	320,170	23	35,549	56,754
E 76-57	13,038	465	88	11,800	0	685	1,980
E 77-57	31,217	875	269	26,360	3	3,710	4,949
E 78-57	74,845	2,346	1,091	63,820	8	7,580	13,530
E 79-57	62,087	2,430	1,033	53,380	0	5,244	9,239
E 76-58	7,805	140	35	7,220	0	410	990
E 77-58	31,570	700	188	27,740	2	2,940	4,290
E 78-58	103,222	2,042	886	89,340	4	10,950	15,840
E 79-58	46,121	1,181	394	40,510	6	4,030	5,936
JULY TOTAL	1,145,626	49,085	18,281	1,015,280	29	62,951	198,641

TABLE 2 CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1°X1° AREA,
BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
TOTAL JULY							
01-31	1,145,626	49,085	18,281	1,015,280	29	62,951	198,641
E 74-56	6,176	450	113	5,570	0	43	1,320
E 75-56	50,870	3,645	1,291	45,240	0	694	11,220
E 76-56	50,414	2,268	608	47,210	0	328	8,909
E 77-56	61,253	2,800	777	57,420	0	256	11,217
E 78-56	42,780	1,950	1,089	39,430	0	311	8,580
E 79-56	53,306	4,045	1,475	46,840	4	942	10,228
E 75-57	44,716	2,395	1,090	39,570	0	1,661	7,918
E 76-57	121,620	4,863	1,910	109,600	0	5,247	19,469
E 77-57	153,847	7,390	2,791	135,270	3	8,393	28,707
E 78-57	143,336	5,848	2,479	125,090	8	9,911	27,058
E 79-57	111,668	4,890	1,883	97,890	2	7,003	18,149
E 76-58	17,246	635	191	15,030	0	1,390	2,640
E 77-58	98,072	3,492	946	85,140	2	8,492	15,510
E 78-58	129,691	2,630	1,097	113,120	4	12,840	20,460
E 79-58	60,631	1,784	541	52,860	6	5,440	7,256
JULY TOTAL	1,145,626	49,085	18,281	1,015,280	29	62,951	198,641

TABLE 2 CATCH STATISTICS OF JAPANESE MOTHERSHIP GILLNET SALMON FISHERY BY 1°X1° AREA,
BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
SEASON							
E 70-47	3,080	1,250	200	1,630	0	0	988
E 71-47	7,216	2,340	515	4,290	0	71	1,977
E 72-47	8,597	3,450	540	4,600	0	7	2,310
E 73-47	33,751	13,190	1,908	18,220	7	426	9,229
E 74-47	45,604	16,880	1,316	26,750	7	651	8,907
E 70-48	71,340	28,090	3,877	38,990	4	379	17,149
E 71-48	236,514	91,260	10,559	133,650	18	1,027	45,503
E 72-48	255,584	94,860	11,629	147,110	34	1,951	50,771
E 73-48	265,626	96,500	6,743	159,620	162	2,601	53,101
E 74-48	98,713	34,540	3,444	59,200	117	1,412	23,086
E 70-49	42,084	14,650	1,880	25,350	4	200	8,580
E 71-49	22,865	7,520	769	14,500	0	76	4,942
E 72-49	1,880	820	50	1,010	0	0	330
E 74-56	6,176	450	113	5,570	0	43	1,320
E 75-56	61,639	4,905	1,731	54,110	0	893	13,860
E 76-56	95,761	5,498	1,942	87,180	1	1,140	17,159
E 77-56	94,171	4,995	1,652	86,940	0	584	17,487
E 78-56	90,123	6,420	2,379	80,330	0	994	18,149
E 79-56	55,911	4,375	1,517	49,000	4	1,015	10,888
E 75-57	46,146	2,415	1,140	40,890	0	1,701	8,248
E 76-57	124,603	5,133	2,060	112,120	0	5,290	20,129
E 77-57	158,979	7,565	2,884	140,110	3	8,417	29,697
E 78-57	195,837	8,749	3,615	172,490	8	10,975	36,625
E 79-57	157,596	7,478	2,706	137,370	2	10,040	26,066
E 76-58	17,246	635	191	15,030	0	1,390	2,640
E 77-58	98,072	3,492	946	85,140	2	8,492	15,510
E 78-58	162,705	5,910	1,435	139,650	4	15,706	25,740
E 79-58	93,007	4,614	1,073	76,930	6	10,384	11,876
GRAND TOTAL	2,550,826	477,984	68,814	1,917,780	383	85,865	482,267

TABLE 3 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°X1° AREA, PAGE: 13
 BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
GRAND TOTAL	6,289,123	115,881	5,082,762	751,215	292,628	46,637	792,736
LATE MAY							
21-31	1,715,612	1,989	1,683,188	27,528	2,441	466	131,670
E 45-40	36,264	0	35,895	369	0	0	3,300
E 46-40	63,381	0	62,681	700	0	0	4,620
E 47-40	10,155	0	10,040	115	0	0	660
E 45-41	298,924	0	295,963	2,961	0	0	22,110
E 46-41	409,364	0	405,209	4,155	0	0	28,710
E 45-42	443,781	0	439,198	4,583	0	0	32,670
E 46-42	391,115	0	387,230	3,885	0	0	26,070
E 65-42	2,429	25	1,835	515	30	24	330
E 66-42	2,643	0	800	1,350	450	43	330
E 67-42	4,657	183	1,999	1,635	751	89	990
E 68-42	324	75	125	110	12	2	330
E 58-43	1,194	0	840	350	0	4	330
E 62-43	1,624	148	1,139	287	30	20	660
E 68-43	2,060	45	1,829	169	6	11	660
E 69-43	12,374	462	9,728	1,736	386	62	2,970
E 70-43	33,902	977	27,510	4,443	776	196	6,600
E 71-43	1,421	74	1,167	165	0	15	330
MAY TOTAL	1,715,612	1,989	1,683,188	27,528	2,441	466	131,670

TABLE 3 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°x1° AREA, PAGE: 14
 BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
TOTAL MAY							
01-31	1,715,612	1,989	1,683,188	27,528	2,441	466	131,670
E 45-40	36,264	0	35,895	369	0	0	3,300
E 46-40	63,381	0	62,681	700	0	0	4,620
E 47-40	10,155	0	10,040	115	0	0	660
E 45-41	298,924	0	295,963	2,961	0	0	22,110
E 46-41	409,364	0	405,209	4,155	0	0	28,710
E 45-42	443,781	0	439,198	4,583	0	0	32,670
E 46-42	391,115	0	387,230	3,885	0	0	26,070
E 65-42	2,429	25	1,835	515	30	24	330
E 66-42	2,643	0	800	1,350	450	43	330
E 67-42	4,657	183	1,999	1,635	751	89	990
E 68-42	324	75	125	110	12	2	330
E 58-43	1,194	0	840	350	0	4	330
E 62-43	1,624	148	1,139	287	30	20	660
E 68-43	2,060	45	1,829	169	6	11	660
E 69-43	12,374	462	9,728	1,736	386	62	2,970
E 70-43	33,902	977	27,510	4,443	776	196	6,600
E 71-43	1,421	74	1,167	165	0	15	330
MAY TOTAL	1,715,612	1,989	1,683,188	27,528	2,441	466	131,670

TABLE 3 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°X1° AREA, PAGE: 15
 BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
EARLY JUNE							
01-10	1,413,410	53,608	985,501	312,127	46,132	16,042	310,741
E 57-40	2,266	30	2,050	165	13	8	330
E 55-42	4,113	236	2,151	1,643	48	35	660
E 56-42	7,631	117	6,231	1,158	84	41	1,300
E 57-42	13,122	436	10,103	1,963	531	89	2,310
E 58-42	7,580	182	6,921	418	25	34	990
E 59-42	4,726	102	4,105	276	222	21	330
E 60-42	5,469	387	3,475	1,466	97	44	1,980
E 61-42	8,429	146	6,373	1,056	809	45	990
E 63-42	4,488	0	3,114	642	721	11	330
E 64-42	1,741	37	1,475	210	0	19	330
E 66-42	960	35	850	70	0	5	330
E 67-42	10,489	406	9,113	812	81	77	2,310
E 68-42	8,164	277	6,376	1,296	155	60	1,650
E 69-42	2,218	108	1,666	300	120	24	1,320
E 71-42	5,889	182	4,417	786	476	28	1,650
E 55-43	5,590	380	4,061	984	108	57	990
E 56-43	21,734	250	18,908	2,222	278	76	3,300
E 57-43	48,300	1,790	38,816	6,060	1,326	308	9,470
E 58-43	33,772	2,235	25,411	5,198	623	305	8,580
E 59-43	33,445	1,840	26,056	3,806	1,449	294	7,920
E 60-43	33,756	2,021	25,750	4,590	1,056	339	9,240
E 61-43	42,381	2,404	33,191	4,799	1,708	279	9,570
E 62-43	25,087	1,064	19,184	3,733	957	149	4,260
E 63-43	26,849	991	22,211	2,822	622	203	4,620
E 64-43	4,191	275	3,202	603	50	61	1,980
E 65-43	9,145	356	7,050	1,434	216	89	1,980
E 66-43	4,065	223	3,151	440	243	8	660
E 67-43	3,170	76	2,454	624	0	16	330
E 68-43	15,029	503	11,819	2,003	562	142	2,640
E 69-43	22,337	836	16,872	2,877	1,534	218	4,950
E 70-43	139,851	6,965	107,312	19,343	4,987	1,244	26,400
E 71-43	171,914	5,677	133,224	23,089	8,514	1,410	21,450
E 72-43	26,274	881	20,435	3,579	1,194	185	4,620
E 70-44	245,061	7,955	145,965	80,664	6,678	3,799	49,940
E 71-44	150,423	5,054	92,062	47,344	3,675	2,288	38,940
E 72-44	52,826	1,701	31,745	17,039	1,523	818	10,890
E 70-45	87,259	2,981	52,872	27,682	2,337	1,387	28,050
E 71-45	107,704	3,776	65,856	33,781	2,718	1,573	38,531
E 72-45	15,962	693	9,474	5,150	392	253	4,620
MID JUNE							
11-20	2,365,105	56,966	1,794,561	325,189	166,015	22,374	289,935
E 45-41	1,990	0	1,988	2	0	0	330

TABLE 3 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°X1° AREA, PAGE: 16
 BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USFD (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
MID JUNE (CONTINUED)							
11-20							
E 46-41	6,320	0	6,256	64	0	0	660
E 59-41	4,250	0	2,826	374	982	68	330
E 66-41	2,951	46	2,101	557	242	5	330
E 68-41	14,582	110	8,692	2,632	3,004	144	660
E 45-42	29,857	0	29,647	210	0	0	1,980
E 46-42	29,918	0	29,550	368	0	0	2,310
E 55-42	9,510	147	8,144	964	203	52	1,320
E 56-42	16,007	373	13,013	1,746	786	89	2,310
E 57-42	11,171	81	10,058	856	170	6	660
E 58-42	10,744	260	8,801	1,130	431	122	1,980
E 59-42	14,305	154	11,377	990	1,602	182	1,650
E 60-42	13,581	370	10,720	1,404	956	131	2,310
E 61-42	10,946	76	7,493	1,727	1,556	94	1,320
E 62-42	17,800	489	14,352	1,133	1,659	167	2,310
E 63-42	11,437	344	8,455	1,312	1,225	101	1,320
E 64-42	4,522	165	3,608	378	322	49	990
E 65-42	14,217	351	10,617	1,428	1,642	179	1,320
E 66-42	16,632	344	12,291	2,158	1,705	134	1,074
E 67-42	43,126	768	34,278	4,336	3,485	259	2,970
E 68-42	57,780	1,232	40,923	8,386	6,781	458	4,950
E 69-42	54,216	1,276	39,804	8,621	4,008	507	4,290
E 70-42	26,805	928	17,817	4,645	3,019	396	2,310
E 71-42	54,285	1,580	38,143	7,967	6,048	547	3,960
E 72-42	30,387	844	20,408	5,928	2,915	292	2,310
E 54-43	1,993	36	1,675	234	42	6	660
E 55-43	22,511	839	16,962	3,311	1,173	226	4,950
E 56-43	32,442	803	24,663	5,034	1,644	298	6,270
E 57-43	73,318	1,833	58,764	9,200	2,926	595	14,850
E 58-43	62,838	2,320	49,851	7,779	2,366	522	10,560
E 59-43	73,746	1,455	60,279	8,646	2,728	638	10,230
E 60-43	71,912	2,295	55,386	9,911	3,648	672	8,910
E 61-43	75,422	2,699	60,064	8,502	3,429	728	13,420
E 62-43	88,162	1,872	69,881	9,598	6,120	691	12,210
E 63-43	76,444	2,064	57,448	11,474	4,919	539	8,250
E 64-43	84,626	1,960	66,641	10,128	5,217	680	9,240
E 65-43	67,355	644	52,691	8,159	5,275	586	7,260
E 66-43	49,283	626	39,345	4,979	4,001	332	4,290
E 67-43	122,539	2,355	95,166	13,788	9,770	1,460	11,550
E 68-43	71,954	2,019	51,739	9,656	7,788	752	9,570
E 69-43	141,745	3,393	105,360	18,709	12,890	1,393	15,180
E 70-43	133,600	4,033	101,344	17,250	9,602	1,371	15,840
E 71-43	231,803	5,731	177,016	30,764	16,221	2,071	19,470
E 72-43	238,251	5,945	179,678	31,670	18,841	2,117	19,140
E 70-44	40,338	1,285	22,758	14,206	1,300	789	8,910
E 71-44	43,233	1,184	25,431	14,339	1,482	797	12,540
E 72-44	22,707	700	12,813	7,812	885	497	8,250

TABLE 3 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°X1° AREA, PAGE: 17
 BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
MID JUNE (CONTINUED)							
11-20							
E 71-45	9,030	269	5,640	2,702	271	148	2,640
E 72-45	14,628	326	8,561	5,031	420	290	6,270
LATE JUNE							
21-30	794,996	3,318	619,512	86,371	78,040	7,755	60,390
E 46-42	3,250	0	3,212	38	0	0	330
F 54-42	601	3	318	272	5	3	330
E 55-42	2,593	0	2,273	315	0	5	330
E 58-42	4,558	0	3,787	383	369	19	330
E 59-42	3,930	0	2,993	484	406	47	330
E 60-42	25,183	12	18,915	3,708	2,297	251	1,980
E 61-42	49,592	2	36,953	6,393	5,510	734	4,620
E 62-42	20,386	0	16,180	1,881	2,129	196	1,320
E 63-42	6,100	0	4,320	998	752	30	330
E 64-42	6,830	160	3,500	1,150	1,800	220	330
E 65-42	13,710	97	10,458	562	2,330	263	990
E 66-42	10,656	45	8,567	1,176	850	18	660
E 67-42	48,864	323	37,338	5,733	5,078	392	3,300
E 68-42	24,191	47	18,279	3,097	2,594	174	990
E 69-42	7,426	45	5,789	720	743	129	660
E 70-42	31,611	50	27,066	1,970	2,251	274	1,320
E 71-42	4,325	40	3,820	350	68	47	330
E 57-43	6,576	25	5,342	938	208	63	660
E 58-43	20,090	73	15,563	2,149	2,178	127	1,650
E 59-43	38,831	542	31,107	3,842	3,004	336	2,640
E 60-43	39,664	224	29,535	5,763	3,825	317	3,300
E 61-43	28,642	68	22,712	2,677	2,950	235	2,970
E 62-43	35,079	91	27,619	3,320	3,722	327	3,300
E 63-43	9,626	173	7,444	1,309	559	141	1,650
E 64-43	27,917	35	22,222	2,858	2,655	147	1,320
E 65-43	29,699	406	23,710	3,448	1,897	238	2,310
E 66-43	48,333	339	38,402	4,653	4,481	458	2,970
E 67-43	32,148	239	23,743	4,449	3,369	348	2,970
E 68-43	38,621	57	29,006	4,875	4,241	442	3,300
E 69-43	14,013	8	9,967	1,745	2,151	142	1,320
E 70-43	69,564	65	54,898	6,853	7,044	704	5,280
E 71-43	77,185	106	62,869	6,666	6,772	772	5,280
E 72-43	15,202	43	11,605	1,596	1,802	156	990
JUNE TOTAL	4,573,511	113,892	3,399,574	723,687	290,187	46,171	661,066

TABLE 3 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°X1° AREA, PAGE: 18
 BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
TOTAL JUNE							
01-30	4,573,511	113,892	3,399,574	723,687	290,187	46,171	661,066
E 57-40	2,266	30	2,050	165	13	8	330
E 45-41	1,990	0	1,988	2	0	0	330
E 46-41	6,320	0	6,256	64	0	0	660
E 59-41	4,250	0	2,826	374	982	68	330
E 66-41	2,951	46	2,101	557	242	5	330
E 68-41	14,582	110	8,692	2,632	3,004	144	660
E 45-42	29,857	0	29,647	210	0	0	1,980
E 46-42	33,168	0	32,762	406	0	0	2,640
E 54-42	601	3	318	272	5	3	330
E 55-42	16,216	383	12,568	2,922	251	92	2,310
E 56-42	23,638	490	19,244	2,904	870	130	3,610
E 57-42	24,293	517	20,161	2,819	701	95	2,970
E 58-42	22,882	442	19,509	1,931	825	175	3,300
E 59-42	22,961	256	18,475	1,750	2,230	250	2,310
E 60-42	44,233	769	33,110	6,578	3,350	426	6,270
E 61-42	68,967	224	50,819	9,176	7,875	873	6,930
E 62-42	38,186	489	30,532	3,014	3,788	363	3,630
E 63-42	22,025	344	15,889	2,952	2,698	142	1,980
E 64-42	13,093	362	8,583	1,738	2,122	288	1,650
E 65-42	27,927	448	21,075	1,990	3,972	442	2,310
E 66-42	28,248	424	21,708	3,404	2,555	157	2,064
E 67-42	102,479	1,497	80,729	10,881	8,644	728	8,580
E 68-42	90,135	1,556	65,578	12,779	9,530	692	7,590
E 69-42	63,860	1,429	47,259	9,641	4,871	660	6,270
E 70-42	58,416	978	44,883	6,615	5,270	670	3,630
E 71-42	64,499	1,802	46,380	9,103	6,592	622	5,940
E 72-42	30,387	844	20,408	5,928	2,915	292	2,310
E 54-43	1,993	36	1,675	234	42	6	660
E 55-43	28,101	1,219	21,023	4,295	1,281	283	5,940
E 56-43	54,176	1,053	43,571	7,256	1,922	374	9,570
E 57-43	128,194	3,648	102,922	16,198	4,460	966	24,980
E 58-43	116,700	4,628	90,825	15,126	5,167	954	20,790
E 59-43	146,022	3,837	117,442	16,294	7,181	1,268	20,790
E 60-43	145,332	4,540	110,671	20,264	8,529	1,328	21,450
E 61-43	146,445	5,171	115,967	15,978	8,087	1,242	25,960
E 62-43	148,328	3,027	116,684	16,651	10,799	1,167	19,770
E 63-43	112,919	3,228	87,103	15,605	6,100	883	14,520
E 64-43	116,734	2,270	92,065	13,589	7,922	888	12,540
E 65-43	106,199	1,406	83,451	13,041	7,388	913	11,550
E 66-43	101,681	1,188	80,898	10,072	8,725	798	7,920
E 67-43	157,857	2,670	121,363	18,861	13,139	1,824	14,850
E 68-43	125,604	2,579	92,564	16,534	12,591	1,336	15,510
E 69-43	178,095	4,237	132,199	23,331	16,575	1,753	21,450
E 70-43	343,015	11,063	263,554	43,446	21,633	3,319	47,520
E 71-43	480,902	11,514	373,109	60,519	31,507	4,253	46,200
E 72-43	279,727	6,869	211,718	36,845	21,837	2,458	24,750

TABLE 3 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°x1° AREA, BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
TOTAL JUNE (CONTINUED)							
01-30							
E 70-44	285,399	9,240	168,723	94,870	7,978	4,588	58,850
E 71-44	193,656	6,238	117,493	61,683	5,157	3,085	51,480
E 72-44	75,533	2,401	44,558	24,851	2,408	1,315	19,140
E 70-45	95,145	3,323	56,915	30,673	2,653	1,581	31,571
E 71-45	116,734	4,045	71,496	36,483	2,989	1,721	41,171
E 72-45	30,590	1,019	18,035	10,181	812	543	10,890
JUNE TOTAL	4,573,511	113,892	3,399,574	723,687	290,187	46,171	661,066

TABLE 3 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°X1° AREA, PAGE: 20
 BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
SEASON							
E 45-40	36,264	0	35,895	369	0	0	3,300
E 46-40	63,381	0	62,681	700	0	0	4,620
E 47-40	10,155	0	10,040	115	0	0	660
E 57-40	2,266	30	2,050	165	13	8	330
E 45-41	300,914	0	297,951	2,963	0	0	22,440
E 46-41	415,684	0	411,465	4,219	0	0	29,370
E 59-41	4,250	0	2,826	374	982	68	330
E 66-41	2,951	46	2,101	557	242	5	330
E 68-41	14,582	110	8,692	2,632	3,004	144	660
E 45-42	473,638	0	468,845	4,793	0	0	34,650
E 46-42	424,283	0	419,992	4,291	0	0	28,710
E 54-42	601	3	318	272	5	3	330
E 55-42	16,216	383	12,568	2,922	251	92	2,310
E 56-42	23,638	490	19,244	2,904	870	130	3,610
E 57-42	24,293	517	20,161	2,819	701	95	2,970
E 58-42	22,882	442	19,509	1,931	825	175	3,300
E 59-42	22,961	256	18,475	1,750	2,230	250	2,310
E 60-42	44,233	769	33,110	6,578	3,350	426	6,270
E 61-42	68,967	224	50,819	9,176	7,875	873	6,930
E 62-42	38,186	489	30,532	3,014	3,788	363	3,630
E 63-42	22,025	344	15,889	2,952	2,698	142	1,980
E 64-42	13,093	362	8,583	1,738	2,122	288	1,650
E 65-42	30,356	473	22,910	2,505	4,002	466	2,640
E 66-42	30,891	424	22,508	4,754	3,005	200	2,394
E 67-42	107,136	1,680	82,728	12,516	9,395	817	9,570
E 68-42	90,459	1,631	65,703	12,889	9,542	694	7,920
E 69-42	63,860	1,429	47,259	9,641	4,871	660	6,270
E 70-42	58,416	978	44,883	6,615	5,270	670	3,630
E 71-42	64,499	1,802	46,380	9,103	6,592	622	5,940
E 72-42	30,387	844	20,408	5,928	2,915	292	2,310
E 54-43	1,993	36	1,675	234	42	6	660
E 55-43	28,101	1,219	21,023	4,295	1,281	283	5,940
E 56-43	54,176	1,053	43,571	7,256	1,922	374	9,570
E 57-43	128,194	3,648	102,922	16,198	4,460	966	24,980
E 58-43	117,894	4,628	91,665	15,476	5,167	958	21,120
E 59-43	146,022	3,837	117,442	16,294	7,181	1,268	20,790
E 60-43	145,332	4,540	110,671	20,264	8,529	1,328	21,450
E 61-43	146,445	5,171	115,967	15,978	8,087	1,242	25,960
E 62-43	149,952	3,175	117,823	16,938	10,829	1,187	20,430
E 63-43	112,919	3,228	87,103	15,605	6,100	883	14,520
E 64-43	116,734	2,270	92,065	13,589	7,922	888	12,540
E 65-43	106,199	1,406	83,451	13,041	7,388	913	11,550
E 66-43	101,681	1,188	80,898	10,072	8,725	798	7,920
E 67-43	157,857	2,670	121,363	18,861	13,139	1,824	14,850
E 68-43	127,664	2,624	94,393	16,703	12,597	1,347	16,170
E 69-43	190,469	4,699	141,927	25,067	16,961	1,815	24,420

TABLE 3 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°X1° AREA, PAGE: 21
 BY TEN DAY PERIOD AND BY SPECIES IN NUMBERS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
SEASON	(CONTINUED)						
E 70-43	376,917	12,040	291,064	47,889	22,409	3,515	54,120
E 71-43	482,323	11,588	374,276	60,684	31,507	4,268	46,530
E 72-43	279,727	6,869	211,718	36,845	21,837	2,458	24,750
E 70-44	285,399	9,240	168,723	94,870	7,978	4,588	58,850
E 71-44	193,656	6,238	117,493	61,683	5,157	3,085	51,480
E 72-44	75,533	2,401	44,558	24,851	2,408	1,315	19,140
E 70-45	95,145	3,323	56,915	30,673	2,653	1,581	31,571
E 71-45	116,734	4,045	71,496	36,483	2,989	1,721	41,171
E 72-45	30,590	1,019	18,035	10,181	812	543	10,890
GRAND TOTAL	6,289,123	115,881	5,082,762	751,215	292,628	46,637	792,736

TABLE 4 CATCH STATISTICS OF JAPANESE LANDBASED DRIFNET SALMON FISHERY BY 1°X1° AREA, PAGE: 22
 BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
GRAND TOTAL	7,614,183	213,713	5,237,380	1,441,364	555,206	166,520	792,736
LATE MAY							
21-31	1,839,658	3,597	1,776,869	53,128	4,295	1,769	131,670
E 45-40	38,357	0	37,633	724	0	0	3,300
E 46-40	69,254	0	67,829	1,425	0	0	4,620
E 47-40	10,628	0	10,394	234	0	0	660
E 45-41	317,956	0	311,987	5,969	0	0	22,110
E 46-41	435,481	0	427,211	8,270	0	0	28,710
E 45-42	474,083	0	464,995	9,088	0	0	32,670
E 46-42	419,228	0	411,457	7,771	0	0	26,070
E 65-42	2,957	45	1,835	927	54	96	330
E 66-42	4,144	0	800	2,430	720	194	330
E 67-42	7,115	265	1,980	3,159	1,292	419	990
E 68-42	500	135	125	209	23	8	330
E 58-43	1,510	0	848	648	0	14	330
E 62-43	1,908	267	1,025	506	51	59	660
E 68-43	2,349	76	1,917	303	11	42	660
E 69-43	14,591	892	9,728	3,054	698	219	2,970
E 70-43	37,939	1,776	25,938	8,114	1,446	665	6,600
E 71-43	1,658	141	1,167	297	0	53	330
MAY TOTAL	1,839,658	3,597	1,776,869	53,128	4,295	1,769	131,670

TABLE 4 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°X1° AREA,
 BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
TOTAL MAY							
01-31	1,839,658	3,597	1,776,869	53,128	4,295	1,769	131,670
E 45-40	38,357	0	37,633	724	0	0	3,300
E 46-40	69,254	0	67,829	1,425	0	0	4,620
E 47-40	10,628	0	10,394	234	0	0	660
E 45-41	317,956	0	311,987	5,969	0	0	22,110
E 46-41	435,481	0	427,211	8,270	0	0	28,710
E 45-42	474,083	0	464,995	9,088	0	0	32,670
E 46-42	419,228	0	411,457	7,771	0	0	26,070
E 65-42	2,957	45	1,835	927	54	96	330
E 66-42	4,144	0	800	2,430	720	194	330
E 67-42	7,115	265	1,980	3,159	1,292	419	990
E 68-42	500	135	125	209	23	8	330
E 58-43	1,510	0	848	648	0	14	330
E 62-43	1,908	267	1,025	506	51	59	660
E 68-43	2,349	76	1,917	303	11	42	660
E 69-43	14,591	892	9,728	3,054	698	219	2,970
E 70-43	37,939	1,776	25,938	8,114	1,446	665	6,600
E 71-43	1,658	141	1,167	297	0	53	330
MAY TOTAL	1,839,658	3,597	1,776,869	53,128	4,295	1,769	131,670

TABLE 4 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°X1° AREA, PAGE: 24
 BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
EARLY JUNE							
01-10	1,840,038	98,677	994,664	603,198	87,030	56,469	310,741
E 57-40	2,483	55	2,071	305	24	28	330
E 55-42	6,313	456	2,298	3,286	81	192	660
E 56-42	9,275	218	6,511	2,207	168	171	1,300
E 57-42	15,774	808	10,103	3,553	981	329	2,310
E 58-42	8,147	338	6,921	724	49	115	990
E 59-42	5,292	194	4,105	497	422	74	330
E 60-42	7,336	709	3,459	2,834	190	144	1,980
E 61-42	9,334	263	6,070	1,615	1,251	135	990
E 63-42	5,107	0	3,114	963	1,009	21	330
E 64-42	1,987	67	1,475	378	0	67	330
E 66-42	1,059	63	850	126	0	20	330
E 67-42	12,051	757	9,367	1,507	152	268	2,310
E 68-42	9,938	494	6,563	2,380	291	210	1,650
E 69-42	2,846	211	1,748	568	225	94	1,320
E 71-42	7,162	333	4,394	1,485	848	102	1,650
E 55-43	6,923	711	4,061	1,772	187	192	990
E 56-43	24,108	460	18,668	4,169	531	280	3,300
E 57-43	55,253	3,319	37,298	11,135	2,426	1,075	9,470
E 58-43	40,977	4,186	24,788	9,765	1,128	1,110	8,580
E 59-43	40,355	3,331	26,117	7,125	2,685	1,097	7,920
E 60-43	41,005	3,743	25,507	8,602	1,973	1,180	9,240
E 61-43	51,855	4,325	33,935	9,378	3,147	1,070	9,570
E 62-43	30,626	1,943	19,450	6,972	1,685	576	4,260
E 63-43	30,408	1,814	21,452	5,240	1,174	728	4,620
E 64-43	5,217	500	3,260	1,161	93	203	1,980
E 65-43	11,057	648	6,961	2,729	400	319	1,980
E 66-43	4,835	401	3,151	792	462	29	660
E 67-43	3,904	144	2,454	1,248	0	58	330
E 68-43	17,986	925	11,887	3,642	1,042	490	2,640
E 69-43	27,216	1,494	16,730	5,421	2,837	734	4,950
E 70-43	170,092	12,831	107,724	35,815	9,263	4,459	26,400
E 71-43	207,694	10,338	133,656	42,768	16,043	4,889	21,450
E 72-43	31,193	1,579	20,150	6,593	2,199	672	4,620
E 70-44	350,886	14,793	150,280	159,187	13,204	13,422	49,940
E 71-44	212,228	9,337	94,304	93,476	7,144	7,967	38,940
E 72-44	74,883	3,137	32,238	33,679	2,990	2,839	10,890
E 70-45	123,527	5,527	54,352	54,232	4,653	4,763	28,050
E 71-45	151,579	6,955	67,625	66,205	5,332	5,462	38,531
E 72-45	22,127	1,270	9,567	9,664	741	885	4,620
MID JUNE							
11-20	2,945,963	105,142	1,825,558	620,059	315,518	79,686	289,935
E 45-41	2,390	0	2,386	4	0	0	330

TABLE 4 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°X1° AREA,
BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND ARFA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
MID JUNE (CONTINUED)							
11-20							
E 46-41	6,710	0	6,577	133	0	0	660
E 59-41	5,943	0	2,543	785	2,357	258	330
E 66-41	4,626	106	2,521	1,504	474	21	330
E 68-41	22,115	253	9,562	5,970	5,883	447	660
E 45-42	32,224	0	31,804	420	0	0	1,980
E 46-42	33,052	0	32,312	740	0	0	2,310
E 55-42	11,029	265	8,297	1,912	369	186	1,320
E 56-42	18,636	693	13,026	3,165	1,421	331	2,310
E 57-42	13,229	146	10,923	1,815	323	22	660
E 58-42	12,391	460	8,680	2,033	800	418	1,980
E 59-42	16,846	276	10,993	1,893	3,087	597	1,650
E 60-42	16,106	709	10,458	2,786	1,721	432	2,310
E 61-42	14,251	154	7,469	3,217	2,987	424	1,320
E 62-42	23,759	964	16,170	2,322	3,628	675	2,310
E 63-42	15,457	643	9,146	2,717	2,606	345	1,320
E 64-42	5,399	313	3,608	718	600	160	990
E 65-42	18,275	654	10,988	2,830	3,251	552	1,320
E 66-42	20,583	715	12,287	3,947	3,176	458	1,074
E 67-42	52,386	1,453	35,376	8,027	6,614	916	2,970
E 68-42	73,913	2,290	41,438	15,651	12,853	1,681	4,950
E 69-42	67,456	2,344	40,465	15,612	7,268	1,767	4,290
E 70-42	35,727	1,708	18,102	8,865	5,676	1,376	2,310
E 71-42	68,964	2,904	38,024	14,650	11,604	1,782	3,960
E 72-42	39,216	1,374	20,408	11,021	5,352	1,061	2,310
E 54-43	2,181	66	1,589	428	76	22	660
E 55-43	28,496	1,529	17,626	6,260	2,218	863	4,950
E 56-43	39,891	1,495	24,909	9,322	3,051	1,114	6,270
E 57-43	86,231	3,305	58,598	16,710	5,500	2,118	14,850
E 58-43	75,376	4,267	50,097	14,734	4,412	1,866	10,560
E 59-43	87,724	2,717	61,128	16,509	5,168	2,202	10,230
E 60-43	88,542	4,186	55,948	18,931	7,058	2,419	8,910
E 61-43	90,277	4,988	60,019	16,379	6,329	2,562	13,420
E 62-43	108,640	3,421	72,100	19,004	11,517	2,598	12,210
E 63-43	97,534	3,937	59,414	22,593	9,581	2,009	8,250
E 64-43	104,024	3,635	67,826	19,756	10,184	2,623	9,240
E 65-43	83,072	1,182	54,039	15,731	9,873	2,247	7,260
E 66-43	58,765	1,181	39,431	9,335	7,640	1,178	4,290
E 67-43	150,697	4,353	96,576	26,161	18,493	5,114	11,550
E 68-43	91,823	3,693	52,320	18,466	14,559	2,785	9,570
E 69-43	175,649	6,259	105,834	34,737	24,015	4,804	15,180
E 70-43	166,078	7,413	103,389	32,297	18,190	4,789	15,840
E 71-43	283,248	10,464	177,197	57,672	30,422	7,493	19,470
E 72-43	296,043	11,025	181,981	59,548	35,929	7,560	19,140
E 70-44	59,253	2,383	23,594	27,975	2,567	2,734	8,910
E 71-44	62,397	2,185	26,193	28,347	2,916	2,756	12,540
E 72-44	33,547	1,310	13,329	15,374	1,759	1,775	8,250
F 70-45	11,872	621	4,322	5,634	666	660	3,521

TABLE 4 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°X1° AREA, PAGE: 26
 BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
MID JUNE (CONTINUED)							
11-20							
E 71-45	12,797	505	5,806	5,444	519	523	2,640
E 72-45	21,123	598	8,730	9,975	846	974	6,270
LATE JUNE							
21-30	988,524	6,297	640,289	164,979	148,363	28,596	60,390
E 46-42	3,942	0	3,862	80	0	0	330
E 54-42	1,014	6	382	598	11	17	330
E 55-42	3,449	0	2,728	693	0	28	330
E 58-42	5,675	0	4,166	728	701	80	330
E 59-42	4,809	0	2,993	920	731	165	330
E 60-42	30,547	21	18,373	6,977	4,272	904	1,980
E 61-42	62,525	4	37,670	11,967	10,295	2,589	4,620
E 62-42	25,883	0	17,522	3,548	4,132	681	1,320
E 63-42	8,357	0	4,752	1,996	1,504	105	330
E 64-42	9,922	320	3,500	2,070	3,240	792	330
E 65-42	18,164	184	11,470	1,070	4,487	953	990
E 66-42	12,580	81	8,567	2,215	1,654	63	660
E 67-42	60,933	617	38,118	10,991	9,732	1,475	3,300
E 68-42	30,270	96	19,073	5,576	4,778	747	990
E 69-42	9,597	81	6,367	1,361	1,337	451	660
E 70-42	36,415	90	26,671	3,975	4,404	1,275	1,320
E 71-42	4,486	72	3,438	700	116	160	330
E 57-43	8,919	48	6,232	1,988	398	253	660
E 58-43	24,792	144	16,124	3,971	4,070	483	1,650
E 59-43	46,468	1,007	31,107	7,266	5,805	1,283	2,640
E 60-43	50,057	413	30,206	11,008	7,296	1,134	3,300
E 61-43	34,964	120	23,216	5,098	5,715	815	2,970
E 62-43	44,552	155	29,251	6,606	7,338	1,202	3,300
E 63-43	12,575	393	7,954	2,635	1,048	545	1,650
E 64-43	37,595	70	25,378	6,215	5,365	567	1,320
E 65-43	36,210	776	24,366	6,581	3,635	852	2,310
E 66-43	60,923	613	41,396	8,759	8,491	1,664	2,970
E 67-43	41,179	477	25,110	8,227	6,165	1,200	2,970
E 68-43	48,743	109	29,441	9,311	8,186	1,696	3,300
E 69-43	17,939	16	9,967	3,450	3,974	532	1,320
E 70-43	85,298	116	55,949	13,084	13,606	2,543	5,280
E 71-43	91,143	191	63,335	12,208	12,610	2,799	5,280
E 72-43	18,599	77	11,605	3,107	3,267	543	990
JUNE TOTAL	5,774,525	210,116	3,460,511	1,388,236	550,911	164,751	661,066

TABLE 4 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°X1° AREA, BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
TOTAL JUNE							
01-30	5,774,525	210,116	3,460,511	1,388,236	550,911	164,751	661,066
E 57-40	2,483	55	2,071	305	24	28	330
E 45-41	2,390	0	2,386	4	0	0	330
E 46-41	6,710	0	6,577	133	0	0	660
E 59-41	5,943	0	2,543	785	2,357	258	330
E 66-41	4,626	106	2,521	1,504	474	21	330
E 68-41	22,115	253	9,562	5,970	5,883	447	660
E 45-42	32,224	0	31,804	420	0	0	1,980
E 46-42	36,994	0	36,174	820	0	0	2,640
E 54-42	1,014	6	382	598	11	17	330
E 55-42	20,791	721	13,323	5,891	450	406	2,310
E 56-42	27,911	911	19,537	5,372	1,589	502	3,610
E 57-42	29,003	954	21,026	5,368	1,304	351	2,970
E 58-42	26,213	798	19,767	3,485	1,550	613	3,300
E 59-42	26,947	470	18,091	3,310	4,240	836	2,310
E 60-42	53,989	1,439	32,290	12,597	6,183	1,480	6,270
E 61-42	86,110	421	51,209	16,799	14,533	3,148	6,930
E 62-42	49,642	964	33,692	5,870	7,760	1,356	3,630
E 63-42	28,921	643	17,012	5,676	5,119	471	1,980
E 64-42	17,308	700	8,583	3,166	3,840	1,019	1,650
E 65-42	36,439	838	22,458	3,900	7,738	1,505	2,310
E 66-42	34,222	859	21,704	6,288	4,830	541	2,064
E 67-42	125,370	2,827	82,861	20,525	16,498	2,659	8,580
E 68-42	114,121	2,880	67,074	23,607	17,922	2,638	7,590
E 69-42	79,899	2,636	48,580	17,541	8,830	2,312	6,270
E 70-42	72,142	1,798	44,773	12,840	10,080	2,651	3,630
E 71-42	80,612	3,309	45,856	16,835	12,568	2,044	5,940
E 72-42	39,216	1,374	20,408	11,021	5,352	1,061	2,310
E 54-43	2,181	66	1,589	428	76	22	660
E 55-43	35,419	2,240	21,687	8,032	2,405	1,055	5,940
E 56-43	63,999	1,955	43,577	13,491	3,582	1,394	9,570
E 57-43	150,403	6,672	102,128	29,833	8,324	3,446	24,980
E 58-43	141,145	8,597	91,009	28,470	9,610	3,459	20,790
E 59-43	174,547	7,055	118,352	30,900	13,658	4,582	20,790
E 60-43	179,604	8,342	111,661	38,541	16,327	4,733	21,450
E 61-43	177,096	9,433	117,170	30,855	15,191	4,447	25,960
E 62-43	183,818	5,519	120,801	32,582	20,540	4,376	19,770
E 63-43	140,517	6,144	88,820	30,468	11,803	3,282	14,520
E 64-43	146,836	4,205	96,464	27,132	15,642	3,393	12,540
E 65-43	130,339	2,606	85,366	25,041	13,908	3,418	11,550
E 66-43	124,523	2,195	83,978	18,886	16,593	2,871	7,920
E 67-43	195,780	4,974	124,140	35,636	24,658	6,372	14,850
E 68-43	158,552	4,727	93,648	31,419	23,787	4,971	15,510
E 69-43	220,804	7,769	132,531	43,608	30,826	6,070	21,450
E 70-43	421,468	20,360	267,062	81,196	41,059	11,791	47,520
E 71-43	582,085	20,993	374,188	112,648	59,075	15,181	46,200
E 72-43	345,835	12,681	213,736	69,248	41,395	8,775	24,750

TABLE 4 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°X1° AREA, PAGE: 28
 BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
TOTAL JUNE (CONTINUED)							
01-30							
E 70-44	410,139	17,176	173,874	187,162	15,771	16,156	58,850
E 71-44	274,625	11,522	120,497	121,823	10,060	10,723	51,480
E 72-44	108,430	4,447	45,567	49,053	4,749	4,614	19,140
E 70-45	135,399	6,148	58,674	59,866	5,299	5,412	31,571
E 71-45	164,376	7,460	73,431	71,649	5,851	5,985	41,171
E 72-45	43,250	1,868	18,297	19,639	1,587	1,859	10,890
JUNE TOTAL	5,774,525	210,116	3,460,511	1,388,236	550,911	164,751	661,066

TABLE 4 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTHET SALMON FISHERY BY 1°X1° AREA, BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
SEASON							
E 45-40	38,357	0	37,633	724	0	0	3,300
E 46-40	69,254	0	67,829	1,425	0	0	4,620
E 47-40	10,628	0	10,394	234	0	0	660
E 57-40	2,483	55	2,071	305	24	28	330
E 45-41	320,346	0	314,373	5,973	0	0	22,440
E 46-41	442,191	0	433,788	8,403	0	0	29,370
E 59-41	5,943	0	2,543	785	2,357	258	330
E 66-41	4,626	106	2,521	1,504	474	21	330
E 68-41	22,115	253	9,562	5,970	5,883	447	660
E 45-42	506,307	0	496,799	9,508	0	0	34,650
E 46-42	456,222	0	447,631	8,591	0	0	28,710
E 54-42	1,014	6	382	598	11	17	330
E 55-42	20,791	721	13,323	5,891	450	406	2,310
E 56-42	27,911	911	19,537	5,372	1,589	502	3,610
E 57-42	29,003	954	21,026	5,368	1,304	351	2,970
E 58-42	26,213	798	19,767	3,485	1,550	613	3,300
E 59-42	26,947	470	18,091	3,310	4,240	836	2,310
E 60-42	53,989	1,439	32,290	12,597	6,183	1,480	6,270
E 61-42	86,110	421	51,209	16,799	14,533	3,148	6,930
E 62-42	49,642	964	33,692	5,870	7,760	1,356	3,630
E 63-42	28,921	643	17,012	5,676	5,119	471	1,980
E 64-42	17,308	700	8,583	3,166	3,840	1,019	1,650
E 65-42	39,396	883	24,293	4,827	7,792	1,601	2,640
E 66-42	38,366	859	22,504	8,718	5,550	735	2,394
E 67-42	132,485	3,092	84,841	23,684	17,790	3,078	9,570
E 68-42	114,621	3,015	67,199	23,816	17,945	2,646	7,920
E 69-42	79,899	2,636	48,580	17,541	8,830	2,312	6,270
E 70-42	72,142	1,798	44,773	12,840	10,080	2,651	3,630
E 71-42	80,612	3,309	45,856	16,835	12,568	2,044	5,940
E 72-42	39,216	1,374	20,408	11,021	5,352	1,061	2,310
E 54-43	2,181	66	1,589	428	76	22	660
E 55-43	35,419	2,240	21,687	8,032	2,405	1,055	5,940
E 56-43	63,999	1,955	43,577	13,491	3,582	1,394	9,570
E 57-43	150,403	6,672	102,128	29,833	8,324	3,446	24,980
E 58-43	142,655	8,597	91,857	29,118	9,610	3,473	21,120
E 59-43	174,547	7,055	118,352	30,900	13,658	4,582	20,790
E 60-43	179,604	8,342	111,661	38,541	16,327	4,733	21,450
E 61-43	177,096	9,433	117,170	30,855	15,191	4,447	25,960
E 62-43	185,726	5,786	121,826	33,088	20,591	4,435	20,430
E 63-43	140,517	6,144	88,820	30,468	11,803	3,282	14,520
E 64-43	146,836	4,205	96,464	27,132	15,642	3,393	12,540
E 65-43	130,339	2,606	85,366	25,041	13,908	3,418	11,550
E 66-43	124,523	2,195	83,978	18,886	16,593	2,871	7,920
E 67-43	195,780	4,974	124,140	35,636	24,658	6,372	14,850
E 68-43	160,901	4,803	95,565	31,722	23,798	5,013	16,170
E 69-43	235,395	8,661	142,259	46,662	31,524	6,289	24,420

TABLE 4 CATCH STATISTICS OF JAPANESE LANDBASED DRIFTNET SALMON FISHERY BY 1°X1° AREA, PAGE: 30
 BY TEN DAY PERIOD AND BY SPECIES IN KILOGRAMS AND CUMULATIVE EFFORT IN STANDARDIZED TANS, IN 1988

PERIOD AND AREA	SPECIES						CUMULATIVE QUANTITY GEAR USED (IN STANDARDIZED TANS)
	ALL SPECIES	SOCKEYE	PINK	CHUM	COHO	CHINOOK	
SEASON	(CONTINUED)						
E 70-43	459,407	22,136	293,000	89,310	42,505	12,456	54,120
E 71-43	583,743	21,134	375,355	112,945	59,075	15,234	46,530
E 72-43	345,835	12,681	213,736	69,248	41,395	8,775	24,750
E 70-44	410,139	17,176	173,874	187,162	15,771	16,156	58,850
E 71-44	274,625	11,522	120,497	121,823	10,060	10,723	51,480
E 72-44	108,430	4,447	45,567	49,053	4,749	4,614	19,140
E 70-45	135,399	6,148	58,674	59,866	5,299	5,412	31,571
E 71-45	164,376	7,460	73,431	71,649	5,851	5,985	41,171
E 72-45	43,250	1,868	18,297	19,639	1,587	1,859	10,890
GRAND TOTAL	7,614,183	213,713	5,237,380	1,441,364	555,206	166,520	792,736