

**Not to be cited by  
INPFC Document number**

INPFC DOCUMENT
Ser. No. 3458
Rev. No. ....
.....

**Vessel and gear specification of the Japanese fishery  
operated in the north Pacific in 1988.**

October 1989

Fisheries Agency of Japan

この文書を引用する場合は下記による：

水産庁，1989，Vessel and gear specification of the Japanese fishery operated in the north Pacific in 1988，1頁，（第36回INPFC定例年次会議提出文書，1989年10月，米国，シアトル），水産庁，東京。

Type of Fishery : North Pacific Trawl Fishery

Gear	Designed for	Gross tonnage (ton)	Shaft horse power of engine (P.S.)	Head rope length (m)	Ground rope length (m)	Mesh size of codend (stretched) (cm)	Material and diameter of bobbin (mm)		Size of otter board (m)
							Iron	Rubber	
Midwater trawl	Pollock	5,370.00	6,750	126.1	126.1	10.0	Chain	-	3.00 x 5.20
"	"	3,990.67	5,900	126.1	126.1	10.0	Chain	-	3.00 x 5.20
"	"	7,060.00	7,320	128.6	128.6	10.0	Chain	-	3.20 x 5.50
"	"	4,991.00	7,600	128.6	128.6	10.0	-	-	3.20 x 5.30
"	"	3,431.63	4,900	86.6	86.6	10.0	-	-	2.75 x 4.50
"	"	3,969.36	5,900	126.1	126.1	10.0	Chain	-	3.00 x 5.20
"	"	4,239.65	5,700	70.0	70.0	12.0	-	-	3.00 x 5.30
"	"	4,357.10	5,700	70.0	70.0	12.0	-	-	3.00 x 5.30
"	"	4,370.66	5,700	70.0	70.0	12.0	-	-	3.00 x 5.30
"	"	4,361.37	5,700	70.0	70.0	12.0	-	-	3.00 x 5.30
"	"	3,037.75	4,400	60.0	60.0	12.0	-	-	2.40 x 4.20
"	"	3,641.00	4,550	90.0	90.0	12.0	-	-	2.70 x 4.70
"	"	3,222.00	3,500	70.0	80.0	10.0	-	-	2.05 x 4.20
"	"	3,794.00	8,100	92.0	92.0	10.0	-	-	3.25 x 5.15
"	"	2,985.77	4,500	92.8	92.8	10.0	530	200	2.80 x 4.30
"	"	4,662.79	4,950	112.8	112.8	10.0	530	200	3.00 x 4.62
"	"	5,460.06	5,700	92.0	92.0	11.0	-	-	3.20 x 5.00
"	"	4,317.13	5,700	80.0	110.0	11.0	-	-	3.20 x 5.00
"	"	2,903.06	3,900	88.6	88.6	10.0	Chain	-	2.60 x 4.20
"	"	3,608.99	3,900	88.6	88.6	10.0	Chain	-	2.60 x 4.20
"	"	499.00	2,900	20.0	18.6	12.0	-	-	3.04 x 4.56
"	"	499.00	3,600	70.0	70.0	11.0	150 x 250 Lead sinker	-	3.00 x 4.50
"	"	379.00	3,600	56.0	56.0	11.0	25 Chain	-	2.75 x 4.50
"	"	379.00	2,800	20.0	18.6	12.0	-	-	2.50 x 3.80
"	"	499.98	2,800	59.1	57.3	10.0	-	350	2.20 x 3.40
"	"	499.90	3,000	56.6	56.6	11.0	80 x 230 Lead sinker	-	2.67 x 4.01
"	"	499.00	1,600	49.0	54.0	10.0	-	-	1.75 x 3.60
"	"	499.00	1,600	49.0	54.0	10.0	-	-	1.75 x 3.60
"	"	499.00	2,600	54.0	59.0	10.0	-	-	1.90 x 3.90
"	"	499.00	2,600	54.0	59.0	10.0	-	-	1.90 x 3.90
"	"	1,205.00	4,000	54.0	59.0	10.0	-	-	2.05 x 4.20
"	"	492.98	1,600	49.0	54.0	9.0	-	-	1.75 x 3.60
"	"	499.30	2,600	72.8	72.8	10.0	-	-	2.44 x 3.66
"	"	379.00	2,800	69.6	69.6	11.0	-	-	2.40 x 3.30
"	"	499.27	1,470	56.6	56.6	11.0	-	-	2.30 x 3.50
"	"	499.07	3,000	18.5	18.9	11.0	-	-	2.40 x 3.60
"	"	379.00	2,600	20.0	18.6	12.0	-	-	2.50 x 3.80
"	"	379.00	2,900	20.0	18.6	12.0	-	-	2.65 x 4.35
"	"	379.00	4,800	56.2	56.2	11.0	440 Lead sinker	-	3.04 x 4.56
"	"	379.00	4,800	56.2	56.2	11.0	80 x 230 Lead sinker	-	2.85 x 4.35
"	"	379.00	4,800	56.2	56.2	11.0	80 x 230 Lead sinker	-	2.85 x 4.35
"	"	498.95	3,000	54.0	59.0	10.0	-	-	1.90 x 3.90
"	"	499.42	3,000	54.0	59.0	10.0	-	-	1.90 x 3.90
"	"	499.33	3,000	54.0	59.0	10.0	-	-	1.90 x 3.90
"	"	279.00	2,600	72.8	72.8	11.0	-	-	2.80 x 4.30
"	"	499.56	2,700	19.5	19.5	9.0	-	-	2.25 x 3.45
"	"	279.00	2,600	20.0	18.6	12.0	-	-	2.60 x 4.00
"	"	379.00	4,800	56.2	56.2	11.0	80 x 230 Lead sinker	-	2.90 x 4.40
"	"	349.88	2,300	51.2	51.2	11.0	-	-	2.60 x 3.90
"	"	499.74	3,000	69.6	69.6	11.0	-	-	2.40 x 3.30