

NPAFC

Doc. 82

Rev. \_\_\_\_\_

## Request of Chum Salmon Scale Sample for Stock Identification

by

National Research Institute of Far Seas Fisheries

5-7-1 Orido, Shimizu, Shizuoka 424

Japan

Submitted to the

NORTH PACIFIC ANADROMOUS FISH COMMISSION

by

Japan

October 1994

THIS PAPER MAY BE CITED IN THE FOLLOWING MANNER:

National Research Institute of Far Seas Fisheries. 1994. Request of chum salmon scale sample for stock identification. (NPAFC Doc. 82). National Research Institute of Far Seas Fisheries. 5-7-1 Orido, Shimizu, Shizuoka 424, Japan. 2p.

# Request of Chum Salmon Scale Sample for Stock Identification

National Research Institute of Far Seas Fisheries

## Abstract

In order to estimate stock composition of chum salmon in the monitoring area in the North Pacific, Japan requests chum salmon scale samples and biological data such as fork length, body weight, sex, and age collected in the locations listed in Table 1. The tentative results will be provided in the next NPAFC meeting.

Table 1. Location and sample size of chum salmon for stock identification in 1994.

Location	Number of scale
Russia	
Sakhalin Island	200
Amur River	200
Kukhtui River	200
Bolshaya Garmanda River	200
Bolshaya River	200
Kamchatka River	200
Khailyulya River	200
Anadyr River	200
U. S. A	
Kotzebue	200
Unalakleet River	200
Yukon River	200
Kuskokwim River	200
Bristol Bay	200
Shumagin Island	200
Kodiak Island	200
Cook Inlet	200
Prince William Sound	200
Hood Canal	200
Canada	
Lynn Canal	200
Skeena River	200
Bella Colla River	200
Fraser River	200