

NPAFC
Doc. 747
Rev. _____

Southeast Alaska Coastal Monitoring (SECM) Cruise Plan for 2004

by

William R. Heard, Alex C. Wertheimer, Emily A. Fergusson,
Molly V. Sturdevant, Joseph A. Orsi, Bruce L. Wing, and Donald G. Mortensen

Auke Bay Laboratory
Alaska Fisheries Science Center
National Marine Fisheries Service
National Oceanic and Atmospheric Administration
11305 Glacier Highway
Juneau, AK 99801-8626 USA

Submitted to the

NORTH PACIFIC ANADROMOUS FISH COMMISSION

by the

United States of America

February 2004

THIS DOCUMENT MAY BE CITED IN THE FOLLOWING MANNER:

Heard, W. R., A. C. Wertheimer, E. A. Fergusson, M. V. Sturdevant, J. A. Orsi, B. L. Wing, and D. G. Mortensen. 2004. Southeast Alaska Coastal Monitoring (SECM) Cruise Plan for 2004. (NPAFC Doc. 747) 7 p. Auke Bay Laboratory, Alaska Fisheries Science Center, National Marine Fisheries Service, NOAA, 11305 Glacier Highway, Juneau, AK 99801-8626, USA.

Southeast Alaska Coastal Monitoring (SECM) Cruise Plan for 2004

The Southeast Coastal Monitoring (SECM) project in Alaska was initiated in 1997 by the Auke Bay Laboratory, National Marine Fisheries Service, to study the habitat use and early marine ecology of juvenile (age 0) Pacific salmon. This SECM research addresses components identified in the National Oceanic and Atmospheric Administration (NOAA) Fisheries Strategic Plan, the North Pacific Anadromous Fisheries Commission (NPAFC) 2001–2005 Science Plan, and the Gulf of Alaska Global Ocean Ecosystem Dynamics (GLOBEC) Program.

The three primary components of the NOAA Fisheries Strategic Plan are to: 1) rebuild and maintain sustainable fisheries, 2) promote the recovery of protected species, and 3) protect and maintain the health of coastal marine habitats. Our research addresses the first component by emphasizing long-term ecological monitoring of coastal marine habitats used by juvenile salmon, and researching the relationship of environmental variability to the sustainability of Pacific salmon resources. The second component is addressed by seasonal sampling, which documented the earliest occurrence off the Alaska coast of stream-type juvenile chinook salmon stocks from the Columbia River Basin; many of these stock groups are protected species. The third component is addressed by spatial and temporal sampling, which describes the essential marine habitat utilized by juvenile salmon as they migrate seaward to the Gulf of Alaska, and by documenting the occurrence of the salmon in relation to biophysical factors.

The NPAFC 2001–2005 Science Plan identifies “juvenile salmon research” as one of three major focuses of cooperative NPAFC science activities. Research issues within this juvenile salmon component include: 1) seasonal distribution and migration, 2) population size and survival estimates, 3) trophic linkages and growth changes, and 4) primary production and food resources. Our SECM research is closely aligned with these issues. The NPAFC Science Plan requires long-term ecological monitoring projects like SECM to study key juvenile salmon stocks in several regions of the North Pacific Rim and encompassing a variety of environmental conditions, to understand the relationships of habitat use, marine growth, hatchery and wild stock interactions, year-class strength, and ocean carrying capacity.

The GLOBEC research incorporates basin-scale studies to determine how plankton productivity and the carrying capacity for high-trophic level, pelagic carnivores in the North Pacific Ocean change in response to climate variations, and incorporates regional-scale ecosystem studies to compare how variations in ocean climate affect species dominance and fish populations in the coastal margins of the Pacific Rim. Our SECM research addresses the regional-scale component of the GLOBEC research.

From 1997 to 2000, SECM research was directed at sampling juvenile salmon and their associated biophysical parameters in inshore, strait, and coastal habitats along a primary seaward migration corridor in the northern region of Southeast Alaska. Up to 24 stations spanning 250 km were sampled five times annually, from May to October. These habitats extended geographically from inshore localities near large glacial rivers to 65 km offshore in the Gulf of Alaska. Fish were sampled diurnally with a NORDIC 264 surface rope trawl from the NOAA ship *John N. Cobb*. Biophysical data collected included: profile data of water temperature and salinity, surface nutrients and chlorophyll, zooplankton from vertical 20-m hauls and double oblique hauls deployed to 200 m depth, and onboard stomach analysis of potential predators of juvenile salmon.

In 2001-2003, SECM researchers continued biophysical sampling at 13 core stations and directed more research effort into process studies (Tables 1 and 2, Fig. 1). Two such studies initiated in 2001 included diel feeding periodicity and prey fields of juvenile salmon, and onboard gastric evacuation rate experiments for juvenile pink and chum salmon. These process studies will enable more accurate input parameters to be used with bioenergetic models to evaluate coastal marine carrying capacity and salmon habitat quality (growth potential). In 2002, sampling was curtailed after late August because juvenile salmon abundances are low in September; sampling time intervals were increased in earlier months to maximize the opportunities for obtaining data at offshore stations and to replicate trawling at the core stations. In 2003, sampling frequency at the 13 core stations was increased from four to six intervals, between mid-May and late-August, to gain better temporal resolution of biophysical factors related to salmon growth and abundance. Additionally, concurrent inshore sampling was added in two periods using a second trawl gear type to examine inshore spatial distribution and compare size-selectivity of the two trawl types for juvenile salmon. Sea lice infestation on juvenile salmon was also recorded.

Our SECM research in 2004 is scheduled to sample the 13 core stations at five intervals, from late May to late August, with a research focus similar to 2001–2003. An additional focus in 2004 will be to collaborate with a planned Southeast Sustainable Salmon Fund (SSSF) study to examine hatchery- and wild-stock interactions of juvenile chum salmon in the Taku River estuary. For the field component of the SSSF study, sampling of littoral habitats will begin in 2004, while SECM researchers will conduct additional complementary sampling in neritic habitats.

Table 1.—Localities and coordinates of stations sampled monthly in marine waters of the northern region of southeastern Alaska, May–August 2004.

Locality	Station	Latitude	Longitude	Offshore distance (km)	Bottom depth (m)
Auke Bay Monitor	ABM	58°22.00'N	134°40.00'W	1.5	60
Upper Chatham Strait	UCA	58°04.57'N	135°00.08'W	3.2	400
Upper Chatham Strait	UCB	58°06.22'N	135°00.91'W	6.4	100
Upper Chatham Strait	UCC	58°07.95'N	135°04.00'W	6.4	100
Upper Chatham Strait	UCD	58°09.64'N	135°02.52'W	3.2	200
Icy Strait	ISA	58°13.25'N	135°31.76'W	3.2	128
Icy Strait	ISB	58°14.22'N	135°29.26'W	6.4	200
Icy Strait	ISC	58°15.28'N	135°26.65'W	6.4	200
Icy Strait	ISD	58°16.38'N	135°23.98'W	3.2	234
Icy Point	IPA	58°20.12'N	137°07.16'W	6.9	160
Icy Point	IPB	58°12.71'N	137°16.96'W	23.4	130
Icy Point	IPC	58°05.28'N	137°26.75'W	40.2	150
Icy Point	IPD	57°53.50'N	137°42.60'W	65.0	1300




Figure 1.—Stations sampled monthly in marine waters of the northern region of southeastern Alaska, May–August 2004.

Table 2.—Southeast Alaska Coastal Monitoring (SECM) research cruises scheduled off southeastern Alaska, May–August 2004.

Vessel cruise #	Period (days)	Research focus	Sampling conducted
<i>John N. Cobb</i> JC-04-06	18–25 May (8 d)	Oceanography Taku Inlet collaboration	CTD, Chlorophyll and Nutrients, Zooplankton
<i>John N. Cobb</i> JC-04-08	20–28 June (9 d)	Oceanography Fish survey (trawl) Inshore gear comparison Taku Inlet collaboration Day/night sampling- one station (ISC)	CTD, Chlorophyll and Nutrients, Zooplankton, Fish
<i>John N. Cobb</i> JC-04-11	23–31 July (9 d)	Oceanography Fish survey (trawl) Inshore gear comparison Taku Inlet collaboration Day/night sampling- one station (ISC)	CTD, Chlorophyll and Nutrients, Zooplankton, Fish
<i>John N. Cobb</i> JC-04-12	08–11 August (4 d)	Oceanography Fish survey (trawl)	CTD, Chlorophyll and Nutrients, Zooplankton, Fish
<i>John N. Cobb</i> JC-04-14	21–28 August (8 d)	Oceanography Fish survey (trawl) Day/night sampling- one station (ISC)	CTD, Chlorophyll and, Nutrients Zooplankton, Fish

References

- Orsi, J. A., J. M. Murphy, and A. L. J. Brase. 1997. Survey of juvenile salmon in marine waters of southeastern Alaska, May–August 1997. (NPAFC Doc. 277) 27 p. Auke Bay Laboratory, Alaska Fisheries Science Center, National Marine Fisheries Service, NOAA, 11305 Glacier Highway, Juneau, AK 99801-8626, USA.
- Orsi, J. A., J. M. Murphy, and D. G. Mortensen. 1998. Survey of juvenile salmon in marine waters of southeastern Alaska, May–August 1998. (NPAFC Doc. 346) 26 p. Auke Bay Laboratory, Alaska Fisheries Science Center, National Marine Fisheries Service, NOAA, 11305 Glacier Highway, Juneau, AK 99801-8626, USA.

- Murphy, J. M., A. L. J. Brase, and J. A. Orsi. 1999. An ocean survey of juvenile salmon in the northern region of southeastern Alaska, May–October 1997. NOAA Tech. Memo NMFS-AFSC-105. 40 p. Auke Bay Laboratory, Alaska Fisheries Science Center, National Marine Fisheries Service, NOAA, 11305 Glacier Highway, Juneau, AK 99801-8626, USA.
- Murphy, J. M. and J. A. Orsi. 1999. Physical oceanographic observations collected aboard the NOAA Ship *John N. Cobb* in the northern region of southeastern Alaska, 1997 and 1998. NOAA Proc. Rep. AFSC 99-02. 239 p. Auke Bay Laboratory, Alaska Fisheries Science Center, National Marine Fisheries Service, NOAA, 11305 Glacier Highway, Juneau, AK 99801-8626, USA.
- Orsi, J. A., D. G. Mortensen, and J. M. Murphy. 1999. Early marine ecology of pink and chum salmon in southeastern Alaska. pp. 64–72. *In*: Proceedings of the 19th Northeast Pacific Pink and Chum Salmon Workshop. March 3–5 1999. Juneau, AK. Auke Bay Laboratory, Alaska Fisheries Science Center, National Marine Fisheries Service, NOAA, 11305 Glacier Highway, Juneau, AK 99801-8626, USA.
- Courtney, D. L., D. G. Mortensen, J. A. Orsi, K. M. Munk. 2000. Origin of juvenile Pacific salmon recovered from southeastern Alaska identified by otolith marks and coded wire tags. *Fish. Res.* 46: 267–278.
- Orsi, J. A., M. V. Sturdevant, J. M. Murphy, D. G. Mortensen, B. L. Wing, and B. K. Krauss. 2000. Survey of juvenile salmon in marine waters of southeastern Alaska, May–October 1999. (NPAFC Doc. 497) 51 p. Auke Bay Laboratory, Alaska Fisheries Science Center, National Marine Fisheries Service, NOAA, 11305 Glacier Highway, Juneau, AK 99801-8626, USA.
- Orsi, J. A., M. V. Sturdevant, J. M. Murphy, D. G. Mortensen, and B. L. Wing. 2000. Seasonal habitat use and early marine ecology of juvenile Pacific salmon in southeastern Alaska. *N. Pac. Anadr. Fish Comm. Bull. No. 2*: 111–122.
- Orsi, J. A., M. V. Sturdevant, J. M. Murphy, D. G. Mortensen, B. L. Wing, A. C. Wertheimer, and W. R. Heard. 2001. NPAFC Workshop on factors affecting production of juvenile salmon: comparative studies on juvenile salmon ecology between the East and West North Pacific Ocean. October 29 2000. Tokyo, Japan. Southeast Alaska coastal monitoring for habitat use and early marine ecology of juvenile Pacific salmon. p. 38. *In*: R. Beamish, Y. Ishida, V. Karpenko, P. Livingston, and K. Myers (eds.). North Pacific Anadromous Fish Commission Technical Report 2. Vancouver, Canada.
- Orsi, J. A., M. V. Sturdevant, A. C. Wertheimer, B. L. Wing, J. M. Murphy, D. G. Mortensen, E. A. Fergusson, and B. K. Krauss. 2001. Survey of juvenile salmon in the marine waters of southeastern Alaska, May–September 2000. (NPAFC Doc. 536) 49 p. Auke Bay Laboratory, Alaska Fisheries Science Center, National Marine Fisheries Service, NOAA, 11305 Glacier Highway, Juneau, AK 99801-8626, USA.

- Orsi, J. A., E. A. Fergusson, W. R. Heard, D. G. Mortensen, M. V. Sturdevant, A. C. Wertheimer, and B. L. Wing. 2002. Survey of juvenile salmon in the marine waters of southeastern Alaska, May–September 2001. (NPAFC Doc. 630) 51 p. Auke Bay Laboratory, Alaska Fisheries Science Center, National Marine Fisheries Service, NOAA, 11305 Glacier Highway, Juneau, AK 99801-8626, USA.
- Sturdevant, M. V., E. A. Fergusson, J. A. Orsi, and A. C. Wertheimer. 2002. Diel feeding of juvenile pink, chum, and coho salmon in Icy Strait, southeastern Alaska, May–September 2001 (NPAFC Doc. 631) 42 p. Auke Bay Laboratory, Alaska Fisheries Science Center, National Marine Fisheries Service, NOAA, 11305 Glacier Highway, Juneau, AK 99801 8626, USA.
- Orsi, J. A., E. A. Fergusson, M. V. Sturdevant, B. L. Wing, W. R. Heard, A. C. Wertheimer, and D. G. Mortensen. 2003. Survey of juvenile salmon in the marine waters of southeastern Alaska, May–August 2002. (NPAFC Doc. 702) 60 p. Auke Bay Laboratory, Alaska Fisheries Science Center, National Marine Fisheries Service, NOAA, 11305 Glacier Highway, Juneau, AK 99801-8626, USA.
- Park, W., M. Sturdevant, J. Orsi, A. Wertheimer, E. Fergusson, W. Heard, and T. Shirley. In Press. Interannual abundance patterns of copepods during an ENSO event in Icy Strait, southeastern Alaska. Proceedings of the 3rd International Zooplankton Production Symposium: The role of zooplankton in global ecosystem dynamics: Comparative studies from the world oceans. May 20-23 2003. *In*: L. Valdes, R. P. Harris, T. Ikeda, S. McKinnell, and W. Peterson (eds.). ICES J. Mar. Sci. Symposium Edition. Gijón, Spain.
- Sturdevant, M. V., E. A. Fergusson, J. A. Orsi, and A. C. Wertheimer. In Press. Diel feeding and gastric evacuation of juvenile pink and chum salmon in Icy Strait, southeastern Alaska, May–September 2001. Extended abstract in NPAFC Tech. Rep. No. 5. Auke Bay Laboratory, Alaska Fisheries Science Center, National Marine Fisheries Service, NOAA, United States, 11305 Glacier Highway, Juneau, Alaska 99801-8626, USA.
- Briscoe, R. J. In Review. Factors affecting marine growth and survival of Auke Creek, Alaska coho salmon (*Oncorhynchus kisutch*). M.S. Thesis, University of Alaska, Fairbanks.
- Orsi, J. A., M. V. Sturdevant, A. C. Wertheimer, and E. A. Fergusson. In Review. Hatchery and wild stock interactions of juvenile chum salmon in marine waters of Southeastern Alaska: a bioenergetics approach. Reviews in Fish Biology and Fisheries: Proceedings of Symposium held at the Western Division American Fisheries Society Annual Meeting, April, 2003. Auke Bay Laboratory, Alaska Fisheries Science Center, National Marine Fisheries Service, NOAA, 11305 Glacier Highway, Juneau, Alaska 99801-8626, USA.